

# Safety Data Sheet

© 2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 41-7751-5 **Version number:** 1.00 **Issue Date:** 08/02/2021 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **IDENTIFICATION:**

#### 1.1. Product identifier

3M<sup>TM</sup> RelyX<sup>TM</sup> Universal IntroKit

#### **Product Identification Numbers**

UU-0108-9732-8

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Dental Cement

#### Restrictions on use

For use only by dental professionals in approved indications.

#### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

# 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the SDSs for components of this product are:

41-5399-5, 29-8286-6, 41-5463-9, 41-4437-4

One or more components of this KIT is classified as a hazardous substance in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

# TRANSPORT INFORMATION

The Dangerous Goods Classification for the complete Kit is provided below.

### 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal IntroKit

UN No.:UN1805

Proper shipping name: PHOSPHORIC ACID SOLUTION

Class/Division:8
Packing Group:III

Marine Pollutant: Not applicable.

Hazchem Code:2R

**IERG:37** 

Land Transport Rule: Dangerous Goods - Road/Rail Transport

**Special Instructions:**Excepted quantity may be applied

International Air Transport Association (IATA)- Air Transport Special Instructions: Dangerous Goods in Excepted Quantities, Class 8

**International Maritime Dangerous Goods Code (IMDG) - Marine Transport Special Instructions:** Dangerous Goods in Excepted Quantities, Class 8

#### **Revision information:**

Initial issue.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# Safety Data Sheet

© 2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 41-4437-4
 Version number:
 1.02

 Issue Date:
 17/03/2021
 Supersedes date:
 08/03/2021

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Plus Vial (41294, 41295, 41296, 41307)

#### **Product Identification Numbers**

UU-0109-0661-6 UU-0109-0662-4

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, For use only by dental professionals in approved indications

### Restrictions on use

Dental Adhesive

#### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

#### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

# 2.1. Classification of the substance or mixture

GHS	HSNO		
Flammable Liquid: Category 2	3.1B Flammable Liquid		
Serious Eye Damage/Irritation: Category 1	8.3A Corrosive to eye		
Skin Corrosion/Irritation: Category 2	6.3A Irritating to the skin		

Skin Sensitiser: Category 1	6.5B Skin sensitiser
Chronic Aquatic Toxicity: Category 2	9.1B Aquatic toxicity (chronic)
Acute Aquatic Toxicity: Category 2	9.1D Aquatic toxicity (acute)

# 2.2. Label elements SIGNAL WORD

DANGER!

#### **Symbols:**

Flame | Corrosion | Exclamation mark | Environment |

#### **Pictograms**









#### **HAZARD STATEMENTS:**

H225 Highly flammable liquid and vapour.

H318 Causes serious eye damage. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H411 Toxic to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

**Prevention:** 

P210A Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240B Ground and bond container and receiving equipment.

P242A Use non-sparking tools.
P233 Keep container tightly closed.

P243A Take action to prevent static discharges.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P280B Wear protective gloves and eye/face protection.

P273 Avoid release to the environment.

P264B Wash exposed skin thoroughly after handling.

P272A Contaminated work clothing must not be allowed out of the workplace.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of soap and water.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P310 Immediately call a POISON CENTER or doctor/physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

P370 + P378G In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry

chemical or carbon dioxide to extinguish.

P303 + P361 + P353A IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

# Storage:

### 3M<sup>™</sup> Scotchbond<sup>™</sup> Universal Plus Vial (41294, 41295, 41296, 41307)

P403 + P235 Store in a well-ventilated place. Keep cool.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

#### 2.3. Other hazards

- May cause chemical gastrointestinal burns. This material has been tested for skin corrosion/irritation and the test results are reflected in the assigned classification.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-	2305048-54-6	25 - 35
(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers		
2-Hydroxyethyl methacrylate	868-77-9	15 - 25
2-Propenoic acid, 2-methyl-, reaction products with 1,10-decanediol and	1207736-18-2	< 20
phosphorus oxide (P2O5)		
2-Propenoic acid, 2-methyl-, 3-(triethoxysilyl)propyl ester and (3-	None	5 - 15
aminopropyl)triethoxysilane, reaction products with vitreous silica		
Ethanol	64-17-5	5 - 15
Water	7732-18-5	5 - 15
Camphorquinone	10373-78-1	< 2
Copolymer of acrylic and itaconic acid	25948-33-8	< 2
Ethyl 4-dimethylaminobenzoate	10287-53-3	< 2
3-Aminopropyltriethoxysilane	919-30-2	< 0.5
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	< 0.1

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

#### If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

# 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### **Hazardous Decomposition or By-Products**

<b>Substance</b>	<u>Condition</u>
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.
Oxides of nitrogen.	During combustion.

#### 5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

#### **5.4. Hazchem code:** -3WE

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

# 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

#### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidising agents.

#### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

**Ingredient** CAS Nbr Additional comments Agency Limit type Copper compounds **ACGIH** TWA(as Cu, fume):0.2 mg/m3;TWA(as Cu dust or mist):1 mg/m3 Ethanol **ACGIH** STEL:1000 ppm A3: Confirmed animal carcinogen. Ethanol New Zealand TWA(8 hours):1880 mg/m3(1000 ppm)

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

mg/m<sup>3</sup>: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

#### **8.2.1.** Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

# Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

#### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Liquid.	
Viscous Liquid	
Yellow	
Alcohol	
No data available.	
Not applicable.	
No data available.	
> 78 °C	
± 21 °C [Test Method:Closed Cup]	
No data available.	
Not applicable.	
No data available.	
$\pm 1.1 \text{ g/cm}3$	
± 1.1	
Appreciable	
No data available.	
Not applicable.	
No data available.	
No data available.	
No data available.	

#### **Nanoparticles**

This material contains nanoparticles.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

# 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

# 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

**Substance Condition** 

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

\_\_\_\_\_

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1 Information on Toxicological effects

### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eve contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### Ingestion

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

#### Additional information:

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal	Professio	LD50 NA mg/kg
		nal	
		judgeme	
		nt	
Overall product	Ingestion	Rat	LD50 > 9,090 mg/kg
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-	Dermal	Professio	LD50 estimated to be > 5,000 mg/kg
benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers		nal	
		judgeme	
		nt	
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-	Ingestion	Rat	LD50 > 2,000 mg/kg
benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers			
2-Hydroxyethyl methacrylate	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Hydroxyethyl methacrylate	Ingestion	Rat	LD50 5,564 mg/kg
Ethanol	Dermal	Rabbit	LD50 > 15,800 mg/kg

Ethanol	Inhalation- Vapor (4 hours)	Rat	LC50 124.7 mg/l
Ethanol	Ingestion	Rat	LD50 17,800 mg/kg
2-Propenoic acid, 2-methyl-, reaction products with 1,10-decanediol and phosphorus oxide (P2O5)	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, reaction products with 1,10-decanediol and phosphorus oxide (P2O5)	Ingestion	Rat	LD50 > 2,000 mg/kg
Camphorquinone	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
Camphorquinone	Ingestion	Rat	LD50 > 2,000 mg/kg
Copolymer of acrylic and itaconic acid	Ingestion	Rat	LD50 > 5,000 mg/kg
Copolymer of acrylic and itaconic acid	Dermal	similar health hazards	LD50 estimated to be > 5,000 mg/kg
Ethyl 4-dimethylaminobenzoate	Dermal	Rat	LD50 > 2,000  mg/kg
Ethyl 4-dimethylaminobenzoate	Ingestion	Rat	LD50 > 2,000 mg/kg
3-Aminopropyltriethoxysilane	Dermal	Rabbit	LD50 4,290 mg/kg
3-Aminopropyltriethoxysilane	Ingestion	Rat	LD50 1,570 mg/kg

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Name	Species	Value
Overall product	In vitro	Irritant
	data	
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2-	In vitro	Irritant
hydroxyethoxy)ethyl 3-hydroxypropyl diethers	data	
2-Hydroxyethyl methacrylate	Rabbit	Minimal irritation
Ethanol	Rabbit	No significant irritation
2-Propenoic acid, 2-methyl-, reaction products with 1,10-decanediol and	In vitro	Corrosive
phosphorus oxide (P2O5)	data	
Ethyl 4-dimethylaminobenzoate	Rabbit	No significant irritation
3-Aminopropyltriethoxysilane	Rabbit	Corrosive

**Serious Eye Damage/Irritation** 

Name	Species	Value
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2-	In vitro	No significant irritation
hydroxyethoxy)ethyl 3-hydroxypropyl diethers	data	
2-Hydroxyethyl methacrylate	Rabbit	Moderate irritant
Ethanol	Rabbit	Severe irritant
2-Propenoic acid, 2-methyl-, reaction products with 1,10-decanediol and	In vitro	Corrosive
phosphorus oxide (P2O5)	data	
Ethyl 4-dimethylaminobenzoate	Rabbit	Mild irritant
3-Aminopropyltriethoxysilane	Rabbit	Corrosive

# **Sensitisation:**

### **Skin Sensitisation**

Name	Species	Value
Name	Species	value
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers	Professio nal	Sensitising
hydroxyethoxy)ethyr 3-hydroxypropyr diethers	judgemen	
	t	
2-Hydroxyethyl methacrylate	Human	Sensitising
	and	
	animal	

Ethanol	Human	Not classified
2-Propenoic acid, 2-methyl-, reaction products with 1,10-decanediol and	Professio	Sensitising
phosphorus oxide (P2O5)	nal	
	judgemen	
	t	
3-Aminopropyltriethoxysilane	Guinea	Sensitising
	pig	

# **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Overall product	In Vitro	Not mutagenic
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers	In vivo	Not mutagenic
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers	In Vitro	Some positive data exist, but the data are not sufficient for classification
2-Hydroxyethyl methacrylate	In vivo	Not mutagenic
2-Hydroxyethyl methacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
Ethanol	In Vitro	Some positive data exist, but the data are not sufficient for classification
Ethanol	In vivo	Some positive data exist, but the data are not sufficient for classification
2-Propenoic acid, 2-methyl-, reaction products with 1,10-decanediol and phosphorus oxide (P2O5)	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Ethanol	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	29 days
2-Propenoic acid, 2-methyl-, diesters with 4,6-dibromo-1,3-benzenediol 2-(2- hydroxyethoxy)ethyl 3-hydroxypropyl diethers	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2-Hydroxyethyl methacrylate	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
2-Hydroxyethyl methacrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	49 days
2-Hydroxyethyl methacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
Ethanol	Inhalation	Not classified for development	Rat	NOAEL 38 mg/l	during gestation
Ethanol	Ingestion	Not classified for development	Rat	NOAEL	premating &

		5,200	during
		mg/kg/day	gestation

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2- methyl-, diesters with 4,6- dibromo-1,3-benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Ethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 9.4 mg/l	not available
Ethanol	Inhalation	central nervous system depression	Not classified	Human and animal	NOAEL not available	
Ethanol	Ingestion	central nervous system depression	Not classified	Multiple animal species	NOAEL not available	
Ethanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg	
2-Propenoic acid, 2- methyl-, reaction products with 1,10-decanediol and phosphorus oxide (P2O5)	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Copolymer of acrylic and itaconic acid	Ingestion	nervous system	Not classified	Rat	NOAEL 5,000 mg/kg	

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Overall product	Ingestion	heart   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system	Not classified	Rat	NOAEL 0.00212 mg/kg/day	28 days
2-Propenoic acid, 2- methyl-, diesters with 4,6- dibromo-1,3-benzenediol 2-(2-hydroxyethoxy)ethyl 3-hydroxypropyl diethers	Ingestion	heart   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	29 days
Ethanol	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rabbit	LOAEL 124 mg/l	365 days
Ethanol	Inhalation	hematopoietic system   immune system	Not classified	Rat	NOAEL 25 mg/l	14 days
Ethanol	Ingestion	liver	Some positive data exist, but the	Rat	LOAEL	4 months

			data are not sufficient for classification		8,000 mg/kg/day	
Ethanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg/day	7 days
Copolymer of acrylic and itaconic acid	Ingestion	endocrine system   hematopoietic system   liver	Not classified	Rat	NOAEL 200 mg/kg/day	28 days
Copolymer of acrylic and itaconic acid	Ingestion	heart   bone, teeth, nails, and/or hair   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 2,000 mg/kg/day	28 days

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

#### 12.1. Toxicity

# Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 2 (HSNO 9.1D Aquatic toxicity) Chronic Aquatic Toxicity: Category 2 (HSNO 9.1B Aquatic toxicity)

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
2-Propenoic			Data not			N/A
acid, 2-methyl-,			available or			
diesters with			insufficient for			
4,6-dibromo-			classification			
1,3-						
benzenediol 2-						
(2-						
hydroxyethoxy						
ethyl 3-						
hydroxypropyl						
diethers						
2-		Fathead	Experimental	96 hours	LC50	227 mg/l
Hydroxyethyl		minnow				_
methacrylate						
2-		Green algae	Experimental	72 hours	EC50	710 mg/l
Hydroxyethyl			1			
methacrylate						
2-		Water flea	Experimental	48 hours	EC50	380 mg/l

TTduadla1	1		I		1
Hydroxyethyl					
methacrylate	C 41	E ' . 1	72.1	NOEG	1.60 /1
2-	Green Algae	Experimental	72 hours	NOEC	160 mg/l
Hydroxyethyl					
methacrylate	Water flea	F	21 1	NOEC	24.1 /1
2-	water flea	Experimental	21 days	NOEC	24.1 mg/l
Hydroxyethyl					
methacrylate		D			77/4
2-Propenoic		Data not			N/A
acid, 2-methyl-,		available or			
reaction products with		insufficient for classification			
1,10-		Classification			
decanediol and					
phosphorus					
oxide (P2O5)					
Ethanol	Fathead	Experimental	96 hours	LC50	14,200 mg/l
Linanoi	minnow	Laperinientai	70 Hours	LC30	14,200 mg/1
Ethanol	 Fish other	Experimental	96 hours	LC50	11,000 mg/l
Ethanol	Green algae	Experimental	72 hours	EC50	275 mg/l
Ethanol	Water flea	Experimental	48 hours	LC50	5,012 mg/l
Ethanol	Green algae	Experimental	72 hours	ErC10	11.5 mg/l
Ethanol	Water flea	Experimental	10 days	NOEC	9.6 mg/l
Camphorquino		Data not			N/A
ne		available or			
		insufficient for			
		classification			
Copolymer of		Data not			N/A
acrylic and		available or			
itaconic acid		insufficient for			
		classification			
Ethyl 4-	Activated	Experimental	3 hours	EC50	>1,000 mg/l
dimethylamino	sludge				
benzoate					
Ethyl 4-	Green Algae	Experimental	72 hours	EC50	2.8 mg/l
dimethylamino					
benzoate					
Ethyl 4-	Rainbow trout	Experimental	96 hours	LC50	1.9 mg/l
dimethylamino					
benzoate	 				
Ethyl 4-	Water flea	Experimental	48 hours	EC50	4.5 mg/l
dimethylamino					
benzoate			1	T 010	0.54
Ethyl 4-	Green Algae	Experimental	72 hours	ErC10	0.71 mg/l
dimethylamino					
benzoate	D. et e ni	F	5 75 1	EC50	42 /1
3-	Bacteria	Experimental	5.75 hours	EC50	43 mg/l
Aminopropyltri					
ethoxysilane 3-	 Consideration 11:	F	40 h a	I C50	500 m = /1
_	Crustecea other	Experimental	48 hours	LC50	580 mg/l
Aminopropyltri					
ethoxysilane 3-	Green algae	Experimental	72 hours	EC50	603 mg/l
5-	 Orcen aigae	Lapermiental	12 Hours	LC30	1003 IIIg/1

\_\_\_\_\_

Aminopropyltri					
ethoxysilane					
3-	Water flea	Experimental	48 hours	EC50	331 mg/l
Aminopropyltri					
ethoxysilane					
3-	Zebra Fish	Experimental	96 hours	LC50	>934 mg/l
Aminopropyltri					
ethoxysilane					
3-	Green algae	Experimental	72 hours	NOEC	1.3 mg/l
Aminopropyltri					
ethoxysilane					
Acetic acid,	Algae other	Experimental	72 hours	EC50	0.005 mg/l
copper(2+) salt,					
monohydrate					
Acetic acid,	Common Carp	Experimental	96 days	LC50	0.004 mg/l
copper(2+) salt,					
monohydrate					
Acetic acid,	Crustacea	Experimental	96 hours	EC50	>12.8 mg/l
copper(2+) salt,					
monohydrate					

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
2-Propenoic		Experimental	28 days	CO2 evolution	3.69 %CO2	OECD 301B - Modified
acid, 2-methyl-,		Biodegradation			evolution/THC	sturm or CO2
diesters with					O2 evolution	
4,6-dibromo-						
1,3-						
benzenediol 2-						
(2-						
hydroxyethoxy						
ethyl 3-						
hydroxypropyl						
diethers						
2-		Experimental	14 days	BOD	95 %	OECD 301C - MITI
Hydroxyethyl		Biodegradation			BOD/ThBOD	test (I)
methacrylate						
2-Propenoic		Estimated	28 days	BOD	91 % weight	OECD 301C - MITI
acid, 2-methyl-,		Biodegradation				test (I)
reaction						
products with						
1,10-						
decanediol and						
phosphorus						
oxide (P2O5)						
Ethanol		Experimental	14 days	BOD	89 %	OECD 301C - MITI
		Biodegradation			BOD/ThBOD	test (I)
Camphorquino		Estimated	28 days	BOD	20.6 %	OECD 301C - MITI
ne		Biodegradation			BOD/ThBOD	test (I)
Copolymer of		Data not			N/A	
acrylic and		availbl-				
itaconic acid		insufficient				
Ethyl 4-		Experimental	28 days	CO2 evolution	40 %CO2	OECD 301B - Modified
dimethylamino		Biodegradation			evolution/THC	sturm or CO2

benzoate				O2 evolution	
3-	Estimated		Photolytic half-	7.28 hours (t	Non-standard method
Aminopropyltri	Photolysis		life (in air)	1/2)	
ethoxysilane					
3-	Experimental		Hydrolytic	8.5 hours (t	Non-standard method
Aminopropyltri	Hydrolysis		half-life	1/2)	
ethoxysilane				·	
3-	Experimental	28 days	BOD	54 %	OECD 301C - MITI
Aminopropyltri	Biodegradation			BOD/ThBOD	test (I)
ethoxysilane	_				
Acetic acid,	Data not			N/A	
copper(2+) salt,	availbl-				
monohydrate	insufficient				

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
2-Propenoic		Estimated		Bioaccumulatio	6.5	Catalogic <sup>TM</sup>
acid, 2-methyl-,		Bioconcentrati		n factor		
diesters with		on				
4,6-dibromo-						
1,3-						
benzenediol 2-						
(2-						
hydroxyethoxy						
ethyl 3-						
hydroxypropyl						
diethers						
2-		Experimental		Log Kow	0.42	Non-standard method
Hydroxyethyl		Bioconcentrati				
methacrylate		on				
2-Propenoic		Estimated		Bioaccumulatio	4.5	Non-standard method
acid, 2-methyl-,		Bioconcentrati		n factor		
reaction		on				
products with						
1,10-						
decanediol and						
phosphorus						
oxide (P2O5)						
Ethanol		Experimental		Log Kow	-0.35	Non-standard method
		Bioconcentrati				
		on				
Camphorquino		Estimated		Bioaccumulatio	7.1	Estimated:
ne		Bioconcentrati		n factor		Bioconcentration factor
		on				
Copolymer of		Data not	N/A	N/A	N/A	N/A
acrylic and		available or				
itaconic acid		insufficient for				
		classification				
Ethyl 4-		Experimental		Log Kow	3.2	Non-standard method
dimethylamino		Bioconcentrati				
benzoate		on				
3-		Experimental	56 days	Bioaccumulatio	<3.4	OECD 305E -
Aminopropyltri		BCF-Carp	_	n factor		Bioaccumulation flow-
ethoxysilane						through fish test

\_\_\_\_\_

Acetic acid,	Data not	N/A	N/A	N/A	N/A
copper(2+) salt,	available or				
monohydrate	insufficient for				
	classification				

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Incinerate uncured product in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN2924

Proper Shipping Name: FLAMMABLE LIQUID, CORROSIVE, N.O.S., (ETHANOL, 2-PROPENOIC ACID, 2-METHYL, DEACTION PROPERTY WITH 1.10 DECAMEDIOL, AND PHOSPHOPLIS ON THE PROPERTY OF TH

METHYL-, REACTION PRODUCTS WITH 1,10-DECANEDIOL AND PHOSPHORUS OXIDE (P2O5) )

Class/Division: 3 Sub Risk: 8 Packing Group: II

Special Instructions: DANGEROUS GOODS IN EXCEPTED QUANTITIES: CLASS

**Hazchem Code: -3WE** 

**IERG:** 18

International Air Transport Association (IATA) - Air Transport

UN No.: UN2924

Proper Shipping Name: FLAMMABLE LIQUID, CORROSIVE, N.O.S., (ETHANOL, 2-PROPENOIC ACID, 2-

METHYL-, REACTION PRODUCTS WITH 1,10-DECANEDIOL AND PHOSPHORUS OXIDE (P2O5) )

Class/Division: 3 Sub Risk: 8 Packing Group: II

Special Instructions: Dangerous goods in Excepted Quantities, Class 3

#### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: UN2924

Proper Shipping Name: FLAMMABLE LIQUID, CORROSIVE, N.O.S., (ETHANOL, 2-PROPENOIC ACID, 2-

METHYL-, REACTION PRODUCTS WITH 1,10-DECANEDIOL AND PHOSPHORUS OXIDE (P2O5))

Class/Division: 3 Sub Risk: 8 Packing Group: II

Marine Pollutant: Not applicable.

Special Instructions: Dangerous goods in Excepted Quantities, Class 3

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002556

Group standard name Dental Products (Flammable) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

#### NZ Inventory of Chemicals (NZIoC) Status

### Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required

Location Compliance Certificate 100 L (closed containers greater than 5 L) 250 L (closed containers up to and

including 5 L) 50 L (open containers)

Hazardous atmosphere zone 100 L (closed containers) 25 L (decanting) 5 L (open occasionally) 1 L

(open containers in continuous use)

Fire extinguishers Two required for 250 L

Emergency response plan 100 L (for a HSNO 9.1A substance) or 1,000 L (for all other substances) Secondary containment 100 L (for a HSNO 9.1A substance) or 1,000 L (for all other substances)

Tracking Not required

Warning signage 100 L (for a HSNO 9.1A substance), or 250 L (for all other substances)

# **SECTION 16: Other information**

### **Revision information:**

Initial issue.

Document group:	41-4437-4	Version number:	1.02
Issue Date:	17/03/2021	Supersedes date:	08/03/2021

# Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# Safety Data Sheet

© 2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 29-8286-6 **Version number:** 4.00

**Issue Date:** 04/03/2021 **Supersedes date:** 09/11/2020

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Etchant (41263)

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Etching gel

#### Restrictions on use

For use by dental professionals only.

#### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

# 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

GHS	HSNO		
Corrosive to metal: Category 1	8.1A Corrosive to metals		
Serious Eye Damage/Irritation: Category 1	8.3A Corrosive to eye		
Skin Corrosion/Irritation: Category 1C	8.2C Corrosive to skin		
No GHS Equivalent	9.3C Terrestrial vertebrate toxicity		

### 2.2. Label elements

### SIGNAL WORD

DANGER!

# **Symbols:**

Corrosion |

#### **Pictograms**



#### **HAZARD STATEMENTS:**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H433 Harmful to terrestrial vertebrates.

### PRECAUTIONARY STATEMENTS

**Prevention:** 

P234A Keep only in original packaging.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280A Wear eye/face protection.

P280D Wear protective gloves, protective clothing, and eye/face protection.

P273 Avoid release to the environment.

P264B Wash exposed skin thoroughly after handling.

**Response:** 

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P321 Specific treatment (see Notes to Physician on this label).

P390 Absorb spillage to prevent material damage.

P303 + P361 + P353A IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

Storage:

P405 Store locked up.

P406A Store in a corrosion resistant container with a resistant inner liner.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

#### 2.3. Other hazards

- May cause chemical gastrointestinal burns.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	50 - 65
Phosphoric Acid	7664-38-2	30 - 40
Synthetic Amorphous Silica, Fumed, Crystalline Free	112945-52-5	5 - 10
Polyethylene Glycol	25322-68-3	1 - 5
Aluminium Oxide	1344-28-1	< 2

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contaminated clothing. Get immediate medical attention. Wash clothing before reuse.

#### Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

#### If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.

#### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

5.4. Hazchem code: 2R

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Wash contaminated clothing before reuse. Do not get in eyes.

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Keep only in original container. Store in a corrosive resistant container with a resistant inner liner. Store away from strong bases.

#### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

for the component.				
Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Aluminium Oxide	1344-28-1	New Zealand	TWA(8 hours):10 mg/m3	
		WES		
Aluminum, insoluble compounds	1344-28-1	ACGIH	TWA(respirable fraction):1 mg/m3	A4: Not class. as human carcinogin
Polyethylene Glycol	25322-68-3	AIHA	TWA(as aerosol):10 mg/m3	
Phosphoric Acid	7664-38-2	ACGIH	TWA: 1 mg/m³; STEL: 3 mg/m³	
Phosphoric Acid	7664-38-2	New Zealand WFS	TWA(8 hours): 1 mg/m3	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

mg/m3: milligrams per cubic metre

CEIL: Ceiling

# 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

# 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

information on basic physical and chemical propertie	s
Physical state	Liquid.
Specific Physical Form:	Gel
Colour	Blue
Odour	Slight Odour, Characteristic Odour
Odour threshold	No data available.
pH	< 1
Melting point/Freezing point	Not applicable.
Boiling point/Initial boiling point/Boiling range	No data available.
Flash point	> 100 °C [Test Method:Closed Cup]
Evaporation rate	No data available.
Flammability (solid, gas)	Not applicable.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Vapour pressure	No data available.
Vapor Density and/or Relative Vapor Density	No data available.
Density	1.1 g/ml - 1.2 g/ml
Relative density	1.1 - 1.2 [ <i>Ref Std</i> :WATER=1]
Water solubility	Complete
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	No data available.
Percent volatile	No data available.
VOC less H2O & exempt solvents	No data available.
Molecular weight	No data available.

#### Nanoparticles

This material contains nanoparticles.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### 10.2 Chemical stability

Stable.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

#### 10.5 Incompatible materials

Strong bases.

#### 10.6 Hazardous decomposition products

**Substance** 

**Condition** 

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Corrosive (skin burns): Signs/symptoms may include localised redness, swelling, itching, intense pain, blistering, ulceration, and tissue destruction.

#### Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### Ingestion

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Dermal	1	No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Phosphoric Acid	Dermal	Rabbit	LD50 2,740 mg/kg
Phosphoric Acid	Ingestion	Rat	LD50 1,530 mg/kg
Synthetic Amorphous Silica, Fumed, Crystalline Free	Dermal	Rabbit	LD50 > 5,000 mg/kg
Synthetic Amorphous Silica, Fumed, Crystalline Free	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Rat	LD50 > 5,110 mg/kg
Polyethylene Glycol	Dermal	Rabbit	LD50 > 20,000 mg/kg
Polyethylene Glycol	Ingestion	Rat	LD50 32,770 mg/kg
Aluminium Oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminium Oxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 2.3 mg/l
Aluminium Oxide	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name		Value
Phosphoric Acid	Rabbit	Corrosive
Synthetic Amorphous Silica, Fumed, Crystalline Free	Rabbit	No significant irritation
Polyethylene Glycol	Rabbit	Minimal irritation
Aluminium Oxide	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Serious Lye Damage/II Ittation		<u> </u>
Name	Species	Value
Phosphoric Acid	official	Corrosive
	classificat	
	ion	
Synthetic Amorphous Silica, Fumed, Crystalline Free	Rabbit	No significant irritation
Polyethylene Glycol	Rabbit	Mild irritant
Aluminium Oxide	Rabbit	No significant irritation

# Sensitisation:

### **Skin Sensitisation**

Name	Species	Value
Phosphoric Acid	Human	Not classified
Synthetic Amorphous Silica, Fumed, Crystalline Free	Human	Not classified
	and	
	animal	
Polyethylene Glycol	Guinea	Not classified
	pig	

# **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

# **Germ Cell Mutagenicity**

# 3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Etchant (41263)

Name	Route	Value
Phosphoric Acid	In Vitro	Not mutagenic
Synthetic Amorphous Silica, Fumed, Crystalline Free	In Vitro	Not mutagenic
Polyethylene Glycol	In Vitro	Not mutagenic
Polyethylene Glycol	In vivo	Not mutagenic
Aluminium Oxide	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Synthetic Amorphous Silica, Fumed, Crystalline Free	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Polyethylene Glycol	Ingestion	Rat	Not carcinogenic
Aluminium Oxide	Inhalation	Rat	Not carcinogenic

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Phosphoric Acid	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
Phosphoric Acid	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
Phosphoric Acid	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	2 generation
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Synthetic Amorphous Silica, Fumed, Crystalline Free	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Polyethylene Glycol	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
Polyethylene Glycol	Ingestion	Not classified for male reproduction	Rat	NOAEL 5699 +/-1341 mg/kg/day	5 days
Polyethylene Glycol	Not specified.	Not classified for reproduction and/or development		NOEL N/A	
Polyethylene Glycol	Ingestion	Not classified for development	Mouse	NOAEL 562 mg/animal/da	during gestation

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Phosphoric Acid	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Polyethylene Glycol	Inhalation	respiratory irritation	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks

Specific Target Organ Toxicity - repeated exposure

Name Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Synthetic Amorphous Silica, Fumed, Crystalline Free	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Polyethylene Glycol	Inhalation	respiratory system	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks

Polyethylene Glycol	Ingestion	kidney and/or bladder   heart   endocrine system   hematopoietic system   liver   nervous system	Not classified	Rat	NOAEL 5,640 mg/kg/day	13 weeks
Aluminium Oxide	Inhalation	pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Aluminium Oxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

#### **Ecotoxic to terrestrial vertebrates**

9.3C Terrestrial vertebrate toxicity

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Phosphoric	7664-38-2	Green algae	Experimental	72 hours	EC50	>100 mg/l
Acid						
Phosphoric	7664-38-2	Water flea	Experimental	48 hours	EC50	>100 mg/l
Acid						
Phosphoric	7664-38-2	Green algae	Experimental	72 hours	NOEC	100 mg/l
Acid						
Synthetic	112945-52-5	Green Algae	Experimental	72 hours	EC50	>100 mg/l
Amorphous						
Silica, Fumed,						
Crystalline						
Free						
Synthetic	112945-52-5	Water flea	Experimental	24 hours	EC50	>100 mg/l
Amorphous						
Silica, Fumed,						
Crystalline						
Free						
Synthetic	112945-52-5	Zebra Fish	Experimental	96 hours	LC50	>100 mg/l
Amorphous						
Silica, Fumed,						
Crystalline						
Free						
Synthetic	112945-52-5	Green Algae	Experimental	72 hours	NOEC	60 mg/l
Amorphous						

Silica, Fumed, Crystalline Free						
Polyethylene Glycol	25322-68-3	Activated sludge	Experimental		EC50	>1,000 mg/l
Polyethylene Glycol	25322-68-3	Atlantic Salmon	Experimental	96 hours	LC50	>1,000 mg/l
Aluminium Oxide	1344-28-1	Fish	Experimental	96 hours	LC50	>100 mg/l
Aluminium Oxide	1344-28-1	Green Algae	Experimental	72 hours	EC50	>100 mg/l
Aluminium Oxide	1344-28-1	Water flea	Experimental	48 hours	LC50	>100 mg/l
Aluminium Oxide	1344-28-1	Green Algae	Experimental	72 hours	NOEC	>100 mg/l

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Phosphoric	7664-38-2	Data not			N/A	
Acid		availbl-				
		insufficient				
Synthetic	112945-52-5	Data not			N/A	
Amorphous		availbl-				
Silica, Fumed,		insufficient				
Crystalline						
Free						
Polyethylene	25322-68-3	Experimental	28 days	BOD	53 %	OECD 301C - MITI
Glycol		Biodegradation	-		BOD/ThBOD	test (I)
Aluminium	1344-28-1	Data not			N/A	
Oxide		availbl-				
		insufficient				

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Phosphoric Acid	7664-38-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Synthetic Amorphous Silica, Fumed, Crystalline Free	112945-52-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyethylene Glycol	25322-68-3	Estimated Bioconcentrati on		Bioaccumulatio n factor	2.3	Estimated: Bioconcentration factor
Aluminium Oxide	1344-28-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

# 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN1805

Proper Shipping Name: PHOSPHORIC ACID SOLUTION

Class/Division: 8

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Dangerous Goods in Excepted Quantities, Class 8

Hazchem Code: 2R

**IERG: 37** 

International Air Transport Association (IATA) - Air Transport

UN No.: UN1805

**Proper Shipping Name: PHOSPHORIC ACID SOLUTION** 

Class/Division: 8

**Sub Risk:** Not applicable. **Packing Group:** III

Special Instructions: Dangerous Goods in Excepted Quantities, Class 8

**International Maritime Dangerous Goods Code (IMDG) - Marine Transport** 

UN No.: UN1805

**Proper Shipping Name: PHOSPHORIC ACID SOLUTION** 

Class/Division: 8

**Sub Risk:** Not applicable. **Packing Group:** III

Marine Pollutant: Not applicable.

Special Instructions: FORBIDDEN BY THIS MODE OF TRANSPORT, 3M DIVISION POLICY

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002555

Group standard name Dental Products (Corrosive) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required

### 3M<sup>TM</sup> Scotchbond<sup>TM</sup> Universal Etchant (41263)

Location Compliance Certificate Not required Hazardous atmosphere zone Not required Fire extinguishers Not required

Emergency response plan 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 8.2B, 9.1B or 9.1C substance); or 10,000 L or 10,000

kg (for all other substances)

Secondary containment 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a

HSNO 6.1D, 6.5A, 6.5B, 8.2B, 9.1B or 9.1C substance); or 10,000 L or 10,000

kg (for all other substances)

Tracking Not required

Warning signage 100 L or 100 kg (for a HSNO 9.1A substance); or 250 L or 250 kg (for a

HSNO 8.2B substance); or 1.000 L or 1,000 kg (for all other substances)

# **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

Document group:	29-8286-6	Version number:	4.00
Issue Date:	04/03/2021	Supersedes date:	09/11/2020

#### Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# Safety Data Sheet

© 2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 41-5463-9 **Version number:** 1.00 **Issue Date:** 13/12/2020 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Base Paste

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Dental Cement

#### Restrictions on use

For use only by dental professionals in approved indications.

#### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

# 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

GHS	HSNO
Serious Eye Damage/Irritation: Category 1	8.3A Corrosive to eye
Skin Corrosion/Irritation: Category 2	6.3A Irritating to the skin
Skin Sensitiser: Category 1	6.5B Skin sensitiser
Chronic Aquatic Toxicity: Category 3	9.1C Aquatic toxicity (chronic)
Acute Aquatic Toxicity: Category 3	9.1D Aquatic toxicity (acute)

# 2.2. Label elements SIGNAL WORD

DANGER!

**Symbols:** 

Corrosion | Exclamation mark |





# **HAZARD STATEMENTS:**

H318 Causes serious eye damage. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

**Prevention:** 

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280A Wear eye/face protection.

P280B Wear protective gloves and eye/face protection.

P280E Wear protective gloves.

P264B Wash exposed skin thoroughly after handling.

P272A Contaminated work clothing must not be allowed out of the workplace.

**Response:** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P302 + P352

IF ON SKIN: Wash with plenty of soap and water.

P310

Immediately call a POISON CENTER or doctor/physician.

P332 + P313

If skin irritation occurs: Get medical advice/attention.

P362 + P364

Take off contaminated clothing and wash it before reuse.

P362 + P364 Take off contaminated clothing and wash it before reuse. P321 Specific treatment (see Notes to Physician on this label).

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Triethylene Glycol Dimethacrylate	109-16-0	26.7 - 30.5
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products	122334-95-6	23.8 - 27.9
with vitreous silica		
7,7,9(or 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl	72869-86-4	24.2 - 27.5
bismethacrylate		
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester,	1224866-76-5	8.1 - 9.2
reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and		

phosphorus oxide		
Silane, trimethoxyoctyl-, hydrolysis products with silica	92797-60-9	5.0 - 8.5
t-Amyl Hydroperoxide	3425-61-4	1.4 - 2.3
2,6-Di-tert-butyl-p-cresol	128-37-0	0.4 - 0.6
2-hydroxyethyl methacrylate	868-77-9	<= 0.3
Methyl Methacrylate	80-62-6	<= 0.3
Acetic acid, copper(2+) salt, monohydrate	6046-93-1	<= 0.02

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eve contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

# 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidising agents.

#### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
2,6-Di-tert-butyl-p-cresol	128-37-0	ACGIH	TWA(inhalable fraction and vapor):2 mg/m3	A4: Not class. as human carcinogin
2,6-Di-tert-butyl-p-cresol	128-37-0	New Zealand WES	TWA(8 hours):10 mg/m3	
Copper compounds	6046-93-1	ACGIH	TWA(as Cu, fume):0.2 mg/m3;TWA(as Cu dust or mist):1 mg/m3	
Methyl Methacrylate	80-62-6	ACGIH	TWA:50 ppm;STEL:100 ppm	A4: Not class. as human carcin, Dermal Sensitizer
Methyl Methacrylate	80-62-6	New Zealand WES	TWA(8 hours):208 mg/m3(50 ppm);STEL(15 minutes):416 mg/m3(100 ppm)	Capable of csng resp/skin sens, SKIN

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

### 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Base Paste

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million mg/m³: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

#### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

information on basic physical and chemical propert	ies
Physical state	Solid.
Specific Physical Form:	Paste
Colour	White
Odour	Slight Acrylic
Odour threshold	No data available.
pH	Not applicable.
Melting point/Freezing point	Not applicable.
Boiling point/Initial boiling point/Boiling range	Not applicable.
Flash point	Flash point > 93 °C (200 °F)
Evaporation rate	No data available.
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Vapour pressure	No data available.
Vapor Density and/or Relative Vapor Density	No data available.
Density	$\pm$ - 2 g/cm <sup>3</sup>
Relative density	$\pm$ - 2 [Ref Std: WATER=1]
Water solubility	Negligible
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.

Viscosity/Kinematic Viscosity	10 Pa-s - 100 Pa-s
Volatile organic compounds (VOC)	
Percent volatile	
VOC less H2O & exempt solvents	

#### **Nanoparticles**

This material contains nanoparticles.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

## 10.5 Incompatible materials

Strong oxidising agents.

# 10.6 Hazardous decomposition products

**Substance** 

None known.

**Condition** 

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

### Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation- Vapor(4 hr)		No data available; calculated ATE >50 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Triethylene Glycol Dimethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Triethylene Glycol Dimethacrylate	Ingestion	Rat	LD50 10,837 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Rat	LD50 > 5,110 mg/kg
7,7,9(or 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
7,7,9(or 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl bismethacrylate	Ingestion	Rat	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	Ingestion	Rat	LD50 > 2,000 mg/kg
t-Amyl Hydroperoxide	Dermal	Rat	LD50 354 mg/kg
t-Amyl Hydroperoxide	Inhalation- Vapor (4 hours)	Rat	LC50 2.4 mg/l
t-Amyl Hydroperoxide	Ingestion	Rat	LD50 483 mg/kg
2,6-Di-tert-butyl-p-cresol	Dermal	Rat	LD50 > 2,000 mg/kg
2,6-Di-tert-butyl-p-cresol	Ingestion	Rat	LD50 > 2,930 mg/kg
2-hydroxyethyl methacrylate	Dermal	Rabbit	LD50 > 5,000 mg/kg
Methyl Methacrylate	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-hydroxyethyl methacrylate	Ingestion	Rat	LD50 5,564 mg/kg
Methyl Methacrylate	Inhalation- Vapor (4 hours)	Rat	LC50 29 mg/l
Methyl Methacrylate	Ingestion	Rat	LD50 7,900 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

itation
i

# 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Base Paste

2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester,	Rabbit	Minimal irritation
reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus		
oxide		
t-Amyl Hydroperoxide	Rabbit	Corrosive
2,6-Di-tert-butyl-p-cresol	Human	Minimal irritation
	and	
	animal	
2-hydroxyethyl methacrylate	Rabbit	Minimal irritation
Methyl Methacrylate	Human	Mild irritant
	and	
	animal	

**Serious Eye Damage/Irritation** 

Name	Species	Value
Overall product	In vitro	Corrosive
	data	
Triethylene Glycol Dimethacrylate	Professio	Moderate irritant
	nal	
	judgemen	
	t	
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products	Rabbit	No significant irritation
with vitreous silica		
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester,	Rabbit	Corrosive
reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus		
oxide		
t-Amyl Hydroperoxide	Rabbit	Corrosive
2,6-Di-tert-butyl-p-cresol	Rabbit	Mild irritant
2-hydroxyethyl methacrylate	Rabbit	Moderate irritant
Methyl Methacrylate	Rabbit	Moderate irritant

### **Sensitisation:**

### **Skin Sensitisation**

Name	Species	Value
Triethylene Glycol Dimethacrylate	Human and	Sensitising
	animal	
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products	Human	Not classified
with vitreous silica	and animal	
7,7,9(or 7,9,9)-Trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diyl	Guinea	Sensitising
bismethacrylate	pig	
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester,	Guinea	Not classified
reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	pig	
t-Amyl Hydroperoxide	similar	Sensitising
	compoun	
	ds	
2,6-Di-tert-butyl-p-cresol	Human	Not classified
2-hydroxyethyl methacrylate	Human	Sensitising
	and	
	animal	
Methyl Methacrylate	Human	Sensitising
	and	
	animal	

**Respiratory Sensitisation** 

Name	Species	Value
Methyl Methacrylate	Human	Not classified

# **Germ Cell Mutagenicity**

Name	Route	Value
Triethylene Glycol Dimethacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester, reaction products with vitreous silica	In Vitro	Not mutagenic
2-Propenoic acid, 2-methyl-, 1,1'-[1-(hydroxymethyl)-1,2-ethanediyl] ester, reaction products with 2-hydroxy-1,3-propanediyl dimethacrylate and phosphorus oxide	In Vitro	Not mutagenic
t-Amyl Hydroperoxide	In vivo	Not mutagenic
t-Amyl Hydroperoxide	In Vitro	Some positive data exist, but the data are not sufficient for classification
2,6-Di-tert-butyl-p-cresol	In Vitro	Not mutagenic
2,6-Di-tert-butyl-p-cresol	In vivo	Not mutagenic
2-hydroxyethyl methacrylate	In vivo	Not mutagenic
2-hydroxyethyl methacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
Methyl Methacrylate	In vivo	Not mutagenic
Methyl Methacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Triethylene Glycol Dimethacrylate	Dermal	Mouse	Not carcinogenic
2-Propenoic acid, 2-methyl-, 3-(trimethoxysilyl)propyl ester,	Not	Mouse	Some positive data exist, but the data are not
reaction products with vitreous silica	specified.		sufficient for classification
2,6-Di-tert-butyl-p-cresol	Ingestion	Multiple	Some positive data exist, but the data are not
		animal	sufficient for classification
		species	
Methyl Methacrylate	Ingestion	Rat	Not carcinogenic
Methyl Methacrylate	Inhalation	Human	Not carcinogenic
		and	
		animal	

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Triethylene Glycol Dimethacrylate	Ingestion	Not classified for female reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
Triethylene Glycol Dimethacrylate	Ingestion	Not classified for male reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
Triethylene Glycol Dimethacrylate	Ingestion	Not classified for development	Mouse	NOAEL 1 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimethoxysilyl)propyl ester, reaction products with vitreous silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
t-Amyl Hydroperoxide	Ingestion	Not classified for female reproduction	Rat	NOAEL 100 mg/kg/day	premating into lactation
t-Amyl Hydroperoxide	Ingestion	Not classified for male reproduction	Rat	NOAEL 100 mg/kg/day	5 weeks
t-Amyl Hydroperoxide	Ingestion	Not classified for development	Rat	NOAEL 100 mg/kg/day	premating into lactation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	Not classified for development	Rat	NOAEL 100	2 generation

\_\_\_\_\_

				mg/kg/day	
2-hydroxyethyl methacrylate	Ingestion	Not classified for female reproduction	Rat	NOAEL	premating &
				1,000	during
				mg/kg/day	gestation
2-hydroxyethyl methacrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL	49 days
				1,000	
				mg/kg/day	
2-hydroxyethyl methacrylate	Ingestion	Not classified for development	Rat	NOAEL	premating &
				1,000	during
				mg/kg/day	gestation
Methyl Methacrylate	Inhalation	Not classified for male reproduction	Mouse	NOAEL 36.9	
				mg/l	
Methyl Methacrylate	Inhalation	Not classified for development	Rat	NOAEL 8.3	during
				mg/l	organogenesis

# Target Organ(s)

**Specific Target Organ Toxicity - single exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
t-Amyl Hydroperoxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Methyl Methacrylate	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL Not available	occupational exposure

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Triethylene Glycol Dimethacrylate	Dermal	kidney and/or bladder   blood	Not classified	Mouse	NOAEL 833 mg/kg/day	78 weeks
2-Propenoic acid, 2- methyl-, 3- (trimethoxysilyl)propyl ester, reaction products with vitreous silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure
t-Amyl Hydroperoxide	Inhalation	endocrine system   liver   immune system   kidney and/or bladder   hematopoietic system   nervous system	Not classified	Rat	NOAEL 0.337 mg/l	28 days
t-Amyl Hydroperoxide	Ingestion	liver   kidney and/or bladder	Not classified	Rat	NOAEL 100 mg/kg/day	5 weeks
2,6-Di-tert-butyl-p-cresol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	28 days
2,6-Di-tert-butyl-p-cresol	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 500 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	blood	Not classified	Rat	LOAEL 420 mg/kg/day	40 days
2,6-Di-tert-butyl-p-cresol	Ingestion	endocrine system	Not classified	Rat	NOAEL 25 mg/kg/day	2 generation
2,6-Di-tert-butyl-p-cresol	Ingestion	heart	Not classified	Mouse	NOAEL 3,480 mg/kg/day	10 weeks
Methyl Methacrylate	Dermal	peripheral nervous system	Not classified	Human	NOAEL Not available	occupational exposure
Methyl Methacrylate	Inhalation	olfactory system	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Methyl Methacrylate	Inhalation	kidney and/or bladder	Not classified	Multiple animal species	NOAEL Not available	14 weeks
Methyl Methacrylate	Inhalation	liver	Not classified	Mouse	NOAEL 12.3 mg/l	14 weeks

Methyl Methacrylate	Inhalation	respiratory system	Not classified	Human	NOAEL Not	occupational
					available	exposure

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

#### 12.1. Toxicity

### Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 3 (HSNO 9.1D Aquatic toxicity) Chronic Aquatic Toxicity: Category 3 (HSNO 9.1C Aquatic toxicity)

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Triethylene	109-16-0	Green Algae	Experimental	72 hours	EC50	>100 mg/l
Glycol						
Dimethacrylate						
Triethylene	109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l
Glycol						
Dimethacrylate						
Triethylene	109-16-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
Glycol						
Dimethacrylate						
Triethylene	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
Glycol						
Dimethacrylate						
2-Propenoic	122334-95-6		Data not			
acid, 2-methyl-,			available or			
3-			insufficient for			
(trimethoxysily			classification			
l)propyl ester,						
reaction						
products with						
vitreous silica						
7,7,9(or 7,9,9)-	72869-86-4	Green algae	Endpoint not	72 hours	Effect Growth	>100 mg/l
Trimethyl-			reached		Rate Conc 50%	
4,13-dioxo-						
3,14-dioxa-						
5,12-						
diazahexadecan						
e-1,16-diyl						
bismethacrylate 7.7.0(		777 / CI	E :	40.1	EG50	100 //
7,7,9(or 7,9,9)-	72869-86-4	Water flea	Experimental	48 hours	EC50	>100 mg/l
Trimethyl-						

	1	1	1	ı	ı	1
4,13-dioxo-						
3,14-dioxa-						
5,12-						
diazahexadecan						
e-1,16-diyl						
bismethacrylate						
7,7,9(or 7,9,9)-	72869-86-4	Zebra Fish	Experimental	96 hours	LC50	10.1 mg/l
Trimethyl-						
4,13-dioxo-						
3,14-dioxa-						
5,12-						
diazahexadecan						
e-1,16-diyl						
bismethacrylate						
7,7,9(or 7,9,9)-	72869-86-4	Green algae	Endpoint not	72 hours	Effect Conc.	>100 mg/l
Trimethyl-	,200, 00 .	Sieen uigue	reached	/ = 110 0115	10% - Growth	100 1118/1
4,13-dioxo-			T GWOTTO W		Rate	
3,14-dioxa-						
5,14 dioxa 5,12-						
diazahexadecan						
e-1,16-diyl						
bismethacrylate						
2-Propenoic	1224866-76-5	Green algae	Endpoint not	72 hours	EC50	>100 mg/l
acid, 2-methyl-,	1224800-70-3	Green algae	reached	/2 nours	ECSU	-100 mg/1
			reactied			
1,1'-[1-						
(hydroxymethy						
1)-1,2-						
ethanediyl]						
ester, reaction						
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						
and phosphorus						
oxide	1221055 75 7	777	-	10.1	D050	100 "
2-Propenoic	1224866-76-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
acid, 2-methyl-,						
1,1'-[1-						
(hydroxymethy						
1)-1,2-						
ethanediyl]						
ester, reaction						
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						
and phosphorus						
oxide						
2-Propenoic	1224866-76-5	Green algae	Experimental	72 hours	NOEC	56 mg/l
acid, 2-methyl-,						
1,1'-[1-						
(hydroxymethy						
1)-1,2-						
ethanediyl]						
ester, reaction						
,			1	1		1

1 / 21	<u> </u>	1	1	1	I	
products with						
2-hydroxy-1,3-						
propanediyl						
dimethacrylate						
and phosphorus						
oxide						
Silane,	92797-60-9		Data not			
trimethoxyocty			available or			
l-, hydrolysis			insufficient for			
products with			classification			
silica						
t-Amyl	3425-61-4	Water flea	Estimated	48 hours	EC50	6.7 mg/l
Hydroperoxide						
t-Amyl	3425-61-4	Zebra Fish	Estimated	96 hours	LC50	11.3 mg/l
Hydroperoxide						
t-Amyl	3425-61-4	Green algae	Experimental	72 hours	EC50	1.2 mg/l
Hydroperoxide				, = ===================================		
t-Amyl	3425-61-4	Green algae	Experimental	72 hours	Effect	0.38 mg/l
Hydroperoxide	3423 01 4	Green argue	Experimental	72 Hours	Concentration	0.56 mg/1
Trydroperoxide					10%	
2,6-Di-tert-	128-37-0	Green algae	Experimental	72 hours	EC50	>0.4 mg/l
butyl-p-cresol	128-37-0	Oreen aigae	Experimental	/2 Hours	LC30	-0.4 mg/1
	120 27 0	W-4 Cl	F	40 1	EC50	0.40 /1
2,6-Di-tert-	128-37-0	Water flea	Experimental	48 hours	EC50	0.48 mg/l
butyl-p-cresol	120.27.0	7 1 P' 1	<b>D</b>	0.61	37 . 1	100 /1
2,6-Di-tert-	128-37-0	Zebra Fish	Experimental	96 hours	No tox obs at	>100 mg/l
butyl-p-cresol					lmt of water sol	
2,6-Di-tert-	128-37-0	Green algae	Experimental	72 hours	Effect	0.4 mg/l
butyl-p-cresol					Concentration	
					10%	
2,6-Di-tert-	128-37-0	Ricefish	Experimental	42 days	NOEC	0.053 mg/l
butyl-p-cresol						
2,6-Di-tert-	128-37-0	Water flea	Experimental	21 days	NOEC	0.023 mg/l
butyl-p-cresol						
2-hydroxyethyl	868-77-9	Fathead	Experimental	96 hours	LC50	227 mg/l
methacrylate		minnow	-			
2-hydroxyethyl	868-77-9	Green algae	Experimental	72 hours	EC50	710 mg/l
methacrylate			1			
2-hydroxyethyl	868-77-9	Water flea	Experimental	48 hours	EC50	380 mg/l
methacrylate		,, 4001 1100	Z.ip erimenum	10 110 6115		
	868-77-9	Green Algae	Experimental	72 hours	NOEC	160 mg/l
methacrylate		Green Migae	Experimental	72 Hours	NOLC	
	868-77-9	Water flea	Experimental	21 days	NOEC	24.1 mg/l
methacrylate	000-77-9	w ater riea	Experimental	21 days	NOEC	24.1 IIIg/1
Methyl	80-62-6	Green Algae	Experimental	72 hours	EC50	>110 mg/l
	00-02-0	Green Algae	Experimental	/2 nours	ECSU	110 Hig/1
Methacrylate	00.62.6	D : 1	F 1	0.6.1	1.050	. 70 /1
Methyl	80-62-6	Rainbow trout	Experimental	96 hours	LC50	>79 mg/l
Methacrylate	00.62.6		D	40.1	DG50	(0) (1)
Methyl	80-62-6	Water flea	Experimental	48 hours	EC50	69 mg/l
Methacrylate						
Methyl	80-62-6	Green algae	Experimental	72 hours	NOEC	110 mg/l
Methacrylate						
Methyl	80-62-6	Water flea	Experimental	21 days	NOEC	37 mg/l
Methacrylate		<u>                                      </u>	<u>                                     </u>			
Acetic acid,	6046-93-1	Algae other	Experimental	72 hours	EC50	0.005 mg/l

copper(2+) salt,						
monohydrate						
Acetic acid,	6046-93-1	Common Carp	Experimental	96 days	LC50	0.004 mg/l
copper(2+) salt,						
monohydrate						
Acetic acid,	6046-93-1	Crustacea	Experimental	96 hours	EC50	>12.8 mg/l
copper(2+) salt,						
monohydrate						

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Triethylene Glycol Dimethacrylate	109-16-0	Experimental Biodegradation	28 days	CO2 evolution	85 % weight	OECD 301B - Modified sturm or CO2
2-Propenoic acid, 2-methyl-, 3- (trimethoxysily l)propyl ester, reaction products with vitreous silica	122334-95-6	Data not availbl- insufficient			N/A	
7,7,9(or 7,9,9)- Trimethyl- 4,13-dioxo- 3,14-dioxa- 5,12- diazahexadecan e-1,16-diyl bismethacrylate		Experimental Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
2-Propenoic acid, 2-methyl-, 1,1'-[1- (hydroxymethy l)-1,2- ethanediyl] ester, reaction products with 2-hydroxy-1,3- propanediyl dimethacrylate and phosphorus oxide	1224866-76-5	Experimental Biodegradation	28 days	BOD	82 % BOD/ThBOD	OECD 301F - Manometric respirometry
Silane, trimethoxyocty l-, hydrolysis products with silica	92797-60-9	Data not availbl- insufficient			N/A	
t-Amyl	3425-61-4	Estimated	28 days	BOD	0 %	OECD 301D - Closed
Hydroperoxide	120 27 0	Biodegradation			BOD/ThBOD	bottle test
2,6-Di-tert- butyl-p-cresol	128-37-0	Data not availbl- insufficient			N/A	
2-hydroxyethyl	868-77-9	Experimental	14 days	BOD	95 %	OECD 301C - MITI

\_\_\_\_\_

methacrylate		Biodegradation			BOD/ThBOD	test (I)
Methyl	80-62-6	Experimental	14 days	BOD	94 %	OECD 301C - MITI
Methacrylate		Biodegradation			BOD/ThBOD	test (I)
Acetic acid,	6046-93-1	Data not			N/A	
copper(2+) salt,		availbl-				
monohydrate		insufficient				

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Triethylene Glycol Dimethacrylate	109-16-0	Experimental Bioconcentrati on		Log Kow	2.3	Other methods
2-Propenoic acid, 2-methyl-, 3- (trimethoxysily l)propyl ester, reaction products with vitreous silica	122334-95-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
7,7,9(or 7,9,9)- Trimethyl- 4,13-dioxo- 3,14-dioxa- 5,12- diazahexadecan e-1,16-diyl bismethacrylate	72869-86-4	Experimental Bioconcentrati on		Log Kow	3.39	Other methods
2-Propenoic acid, 2-methyl-, 1,1'-[1- (hydroxymethy l)-1,2- ethanediyl] ester, reaction products with 2-hydroxy-1,3- propanediyl dimethacrylate and phosphorus oxide	1224866-76-5	Experimental Bioconcentrati on		Log Kow	-0.2	Other methods
Silane, trimethoxyocty l-, hydrolysis products with silica	92797-60-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
t-Amyl Hydroperoxide	3425-61-4	Estimated Bioconcentrati on		Log Kow	1.43	Estimated: Octanol- water partition coefficient
2,6-Di-tert- butyl-p-cresol	128-37-0	Experimental BCF-Carp	56 days	Bioaccumulatio n factor	1277	OECD 305E - Bioaccumulation flow- through fish test
2-hydroxyethyl methacrylate	868-77-9	Experimental Bioconcentrati		Log Kow	0.42	Other methods

\_\_\_\_\_

		on				
	80-62-6	Experimental		Log Kow	1.38	Other methods
Methacrylate		Bioconcentrati				
		on				
Acetic acid,	6046-93-1	Data not	N/A	N/A	N/A	N/A
copper(2+) salt,		available or				
monohydrate		insufficient for				
		classification				

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

### **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

### **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

**Hazchem Code:** Not applicable.

**IERG:** Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**UN No.:** Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

### **SECTION 15: Regulatory information**

#### 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Base Paste

HSNO Approval number HSR002558

Group standard name Dental Products (Subsidiary Hazard) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

#### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

#### Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required
Location Compliance Certificate Not required
Hazardous atmosphere zone Not required
Fire extinguishers Not required

Emergency response plan 1,000 L or 1,000 kg (for a HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance);

or 10,000 L or 10,000 kg (for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D

substance)

Secondary containment 1,000 L or 1,000 kg (for a HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance);

or 10,000 L or 10,000 kg (for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D

substance)

Tracking Not required

Warning signage 1,000 L or 1,000 kg (for a HSNO 8.3A, 9.1B or 9.1C substance); or 10,000 L

or 10,000 kg (for a HSNO 6.1D or 9.1D substance)

### **SECTION 16: Other information**

#### **Revision information:**

Initial issue.

Document group:	41-5463-9	Version number:	1.00
Issue Date:	13/12/2020	Supersedes date:	Initial issue.

#### Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



### Safety Data Sheet

© 2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 41-5399-5 **Version number:** 1.00 **Issue Date:** 13/12/2020 **Supersedes date:** Initial issue.

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

### **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Catalyst Paste

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Dental Cement

#### Restrictions on use

For use only by dental professionals in approved indications.

#### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

### **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

GHS	HSNO		
Skin Sensitiser: Category 1	6.5B Skin sensitiser		
Chronic Aquatic Toxicity: Category 3	9.1C Aquatic toxicity (chronic)		
Acute Aquatic Toxicity: Category 3	9.1D Aquatic toxicity (acute)		

# 2.2. Label elements SIGNAL WORD

#### WARNING!

### **Symbols:**

Exclamation mark |

### **Pictograms**



#### **HAZARD STATEMENTS:**

H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

**Prevention:** 

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280E Wear protective gloves.

P272A Contaminated work clothing must not be allowed out of the workplace.

**Response:** 

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P321 Specific treatment (see Notes to Physician on this label).

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Diurethanedimethacrylate	72869-86-4	20 - 40
Ytterbium (III) fluoride	13760-80-0	30 - 40
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2	None	15 - 30
methyl3-(trimethoxysilyl)propyl ester (2530-85-0) and phenyltrimethoxy		
silane (2996-92-1), bulk material		
Trithylene Glycol Dimethacrylate	109-16-0	1 - 10
Silane, trimethoxyoctyl-, hydrolysis products with silica	92797-60-9	< 5
L-Ascorbic acid, 6-hexadecanoate, hydrate (1:2)	2094655-53-3	< 2
Titanium dioxide	13463-67-7	< 1
Triphenyl Phosphite	101-02-0	< 1

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

No need for first aid is anticipated.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

#### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

### **SECTION 7: Handling and storage**

#### 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Catalyst Paste

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidising agents.

#### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS NbrAgencyLimit typeAdditional commentsTitanium dioxide13463-67-7ACGIHTWA:10 mg/m³A4: Not class. as human carcinogin

Titanium dioxide 13463-67-7 New Zealand TWA(8 hours):10 mg/m3

WES

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines New Zealand WES : New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

#### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

#### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Information on basic physical and chemical propertie	•
Physical state	Solid.
Specific Physical Form:	Paste
Colour	Yellow
Odour	Slight Acrylic
Odour threshold	No data available.
рН	Not applicable.
Melting point/Freezing point	No data available.
Boiling point/Initial boiling point/Boiling range	Not applicable.
Flash point	Flash point > 93 °C (200 °F)
Evaporation rate	No data available.
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.
Vapour pressure	No data available.
Vapor Density and/or Relative Vapor Density	No data available.
Density	± 2.1 g/cm3 [Details:20°C]
Relative density	$\pm$ - 2.1 [Ref Std:WATER=1]
Water solubility	Negligible
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	10 Pa-s - 100 Pa-s
Volatile organic compounds (VOC)	
Percent volatile	
VOC less H2O & exempt solvents	

#### **Nanoparticles**

This material contains nanoparticles.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

**Substance** 

Condition

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

### **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Additional Health Effects:**

#### **Carcinogenicity:**

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Ytterbium (III) fluoride	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Ytterbium (III) fluoride	Ingestion	Rat	LD50 > 5,000 mg/kg
Diurethanedimethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Diurethanedimethacrylate	Ingestion	Rat	LD50 > 5,000 mg/kg

### 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Catalyst Paste

Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-(trimethoxysilyl)propyl ester (2530-85-0) and	Dermal		LD50 estimated to be > 5,000 mg/kg
phenyltrimethoxy silane (2996-92-1), bulk material			
Glass powder (65997-17-3), surface modified with 2-propenoic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
acid, 2 methyl3-(trimethoxysilyl)propyl ester (2530-85-0) and			
phenyltrimethoxy silane (2996-92-1), bulk material			
Trithylene Glycol Dimethacrylate	Dermal	Professio	LD50 estimated to be > 5,000 mg/kg
		nal	
		judgeme	
		nt	
Trithylene Glycol Dimethacrylate	Ingestion	Rat	LD50 10,837 mg/kg
Triphenyl Phosphite	Dermal	Rabbit	LD50 > 2,000  mg/kg
Triphenyl Phosphite	Inhalation-	Rat	LC50 > 1.7  mg/l
	Dust/Mist		
	(4 hours)		
Triphenyl Phosphite	Ingestion	Rat	LD50 1,590 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation-	Rat	LC50 > 6.82 mg/l
	Dust/Mist		
	(4 hours)		
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-	Professio	No significant irritation
(trimethoxysilyl)propyl ester (2530-85-0) and phenyltrimethoxy silane (2996-92-	nal	
1), bulk material	judgemen	
	t	
Trithylene Glycol Dimethacrylate	Guinea	Mild irritant
	pig	
Triphenyl Phosphite	Rabbit	Irritant
Titanium dioxide	Rabbit	No significant irritation

**Serious Eye Damage/Irritation** 

Name	Species	Value
Ytterbium (III) fluoride	Professio	Mild irritant
	nal	
	judgemen	
	t	
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-	Professio	No significant irritation
(trimethoxysilyl)propyl ester (2530-85-0) and phenyltrimethoxy silane (2996-92-	nal	
1), bulk material	judgemen	
	t	
Trithylene Glycol Dimethacrylate	Professio	Moderate irritant
	nal	
	judgemen	
	t	
Triphenyl Phosphite	Rabbit	Moderate irritant
Titanium dioxide	Rabbit	No significant irritation

### **Sensitisation:**

### Skin Sensitisation

Name	Species	Value
Diurethanedimethacrylate	Guinea pig	Sensitising
Trithylene Glycol Dimethacrylate	Human and animal	Sensitising
Triphenyl Phosphite	Mouse	Sensitising

### 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Catalyst Paste

Titanium dioxide	Human	Not classified
	and	
	animal	

#### **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Trithylene Glycol Dimethacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Trithylene Glycol Dimethacrylate	Dermal	Mouse	Not carcinogenic
Titanium dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium dioxide	Inhalation	Rat	Carcinogenic.

### Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Trithylene Glycol Dimethacrylate	Ingestion	Not classified for female reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
Trithylene Glycol Dimethacrylate	Ingestion	Not classified for male reproduction	Mouse	NOAEL 1 mg/kg/day	1 generation
Trithylene Glycol Dimethacrylate	Ingestion	Not classified for development	Mouse	NOAEL 1 mg/kg/day	1 generation

### Target Organ(s)

### Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Trithylene Glycol Dimethacrylate	Dermal	kidney and/or bladder   blood	Not classified	Mouse	NOAEL 833 mg/kg/day	78 weeks
Triphenyl Phosphite	Ingestion	nervous system	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 15 mg/kg/day	28 days
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

#### 12.1. Toxicity

Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 3 (HSNO 9.1D Aquatic toxicity) Chronic Aquatic Toxicity: Category 3 (HSNO 9.1C Aquatic toxicity)

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Diurethanedim	72869-86-4	Green algae	Endpoint not	72 hours	Effect Growth	>100 mg/l
ethacrylate			reached		Rate Conc 50%	
Diurethanedim	72869-86-4	Water flea	Experimental	48 hours	EC50	>100 mg/l
ethacrylate						
Diurethanedim	72869-86-4	Zebra Fish	Experimental	96 hours	LC50	10.1 mg/l
ethacrylate						
Diurethanedim	72869-86-4	Green algae	Endpoint not	72 hours	Effect Conc.	>100 mg/l
ethacrylate			reached		10% - Growth	
					Rate	
Ytterbium (III)	13760-80-0		Data not			
fluoride			available or			
			insufficient for			
CI I	) T		classification			
Glass powder	None		Data not			
(65997-17-3),			available or			
surface modified with			insufficient for classification			
2-propenoic			ciassification			
acid, 2						
methyl3-						
(trimethoxysily						
l)propyl ester						
(2530-85-0)						
and						
phenyltrimetho						
xy silane						
(2996-92-1),						
bulk material						
Trithylene	109-16-0	Green Algae	Experimental	72 hours	EC50	>100 mg/l
Glycol						
Dimethacrylate						
Trithylene	109-16-0	Zebra Fish	Experimental	96 hours	LC50	16.4 mg/l
Glycol						
Dimethacrylate			<u> </u>			
Trithylene	109-16-0	Green algae	Experimental	72 hours	NOEC	18.6 mg/l
Glycol						
Dimethacrylate	100.160	777	-		11070	
Trithylene	109-16-0	Water flea	Experimental	21 days	NOEC	32 mg/l
Glycol						

Dimethacrylate						
Silane, trimethoxyocty l-, hydrolysis products with silica	92797-60-9		Data not available or insufficient for classification			
L-Ascorbic acid, 6- hexadecanoate, hydrate (1:2)	2094655-53-3	Green Algae	Estimated	72 hours	No tox obs at lmt of water sol	>100 mg/l
L-Ascorbic acid, 6- hexadecanoate, hydrate (1:2)	2094655-53-3	Water flea	Estimated	48 hours	No tox obs at lmt of water sol	>100 mg/l
L-Ascorbic acid, 6- hexadecanoate, hydrate (1:2)	2094655-53-3	Green Algae	Estimated	72 hours	No tox obs at lmt of water sol	100 mg/l
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	EC50	>10,000 mg/l
Titanium dioxide	13463-67-7	Fathead minnow	Experimental	96 hours	LC50	>100 mg/l
Titanium dioxide	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
Triphenyl Phosphite	101-02-0	Green Algae	Experimental	72 hours	EC50	>16 mg/l
Triphenyl Phosphite	101-02-0	Ricefish	Experimental	96 hours	LC50	>4.3 mg/l
Triphenyl Phosphite	101-02-0	Water flea	Experimental	48 hours	EC50	0.45 mg/l
Triphenyl Phosphite	101-02-0	Green Algae	Experimental	72 hours	NOEC	16 mg/l

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Diurethanedim	72869-86-4	Experimental	28 days	CO2 evolution	22 %CO2	OECD 301B - Modified
ethacrylate		Biodegradation			evolution/THC	sturm or CO2
-					O2 evolution	
					(does not pass	
					10-day	
					window)	
Ytterbium (III)	13760-80-0	Data not			N/A	
fluoride		availbl-				
		insufficient				
Glass powder	None	Data not			N/A	
(65997-17-3),		availbl-				
surface		insufficient				
modified with						
2-propenoic						
acid, 2						
methyl3-						
(trimethoxysily						

l)propyl ester (2530-85-0) and phenyltrimetho xy silane (2996-92-1), bulk material						
Trithylene Glycol Dimethacrylate	109-16-0	Experimental Biodegradation	28 days	CO2 evolution	85 % weight	OECD 301B - Modified sturm or CO2
Silane, trimethoxyocty l-, hydrolysis products with silica	92797-60-9	Data not availbl- insufficient			N/A	
L-Ascorbic acid, 6- hexadecanoate, hydrate (1:2)	2094655-53-3	Estimated Biodegradation	28 days	CO2 evolution	93 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Titanium dioxide	13463-67-7	Data not availbl- insufficient			N/A	
Triphenyl Phosphite	101-02-0	Experimental Hydrolysis		Hydrolytic half-life	0.5 hours (t 1/2)	Other methods
Triphenyl Phosphite	101-02-0	Estimated Biodegradation	14 days	BOD	85 % BOD/ThBOD	OECD 301C - MITI test (I)

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Diurethanedim ethacrylate	72869-86-4	Experimental Bioconcentrati on		Log Kow	3.39	Other methods
Ytterbium (III) fluoride	13760-80-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glass powder (65997-17-3), surface modified with 2-propenoic acid, 2 methyl3-(trimethoxysily l)propyl ester (2530-85-0) and phenyltrimetho xy silane (2996-92-1), bulk material	None	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Trithylene	109-16-0	Experimental		Log Kow	2.3	Other methods
Glycol Dimethacrylate		Bioconcentrati on				

Silane,	92797-60-9	Data not	N/A	N/A	N/A	N/A
trimethoxyocty		available or				
l-, hydrolysis		insufficient for				
products with		classification				
silica						
L-Ascorbic	2094655-53-3	Estimated		Log Kow	>6.5	Other methods
acid, 6-		Bioconcentrati				
hexadecanoate,		on				
hydrate (1:2)						
Titanium	13463-67-7	Experimental	42 days	Bioaccumulatio	9.6	Other methods
dioxide		BCF-Carp		n factor		
Triphenyl	101-02-0	Estimated		Bioaccumulatio	13800	Estimated:
Phosphite		Bioconcentrati		n factor		Bioconcentration factor
		on				

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.

Hazchem Code: Not applicable.

IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**UN No.:** Not applicable.

Proper Shipping Name: Not applicable.

#### 3M<sup>TM</sup> RelyX<sup>TM</sup> Universal Resin Cement Catalyst Paste

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002558

Group standard name Dental Products (Subsidiary Hazard) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

#### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required
Location Compliance Certificate Not required
Hazardous atmosphere zone Not required
Fire extinguishers Not required

Emergency response plan 1,000 L or 1,000 kg (for a HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance);

or 10,000 L or 10,000 kg (for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D

substance)

Secondary containment 1,000 L or 1,000 kg (for a HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance);

or 10,000 L or 10,000 kg (for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D

substance)

Tracking Not required

Warning signage 1,000 L or 1,000 kg (for a HSNO 8.3A, 9.1B or 9.1C substance); or 10,000 L

or 10,000 kg (for a HSNO 6.1D or 9.1D substance)

### **SECTION 16: Other information**

#### **Revision information:**

Initial issue.

Document group:	41-5399-5	Version number:	1.00
Issue Date:	13/12/2020	Supersedes date:	Initial issue.

#### Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz

3M™ RelyX™ Universal Resin Cement Cataly	st Paste		

Page: 14 of 14