

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023

### Section 1: Identification

Product name		COLGATE OPTIC WHITE TOOTHPASTE-MINT			
Product code		B05407910001 200000069363			
Manufacturer or supplier's de	eta	ils			
Address	:	Colgate-Palmolive Ltd 105 Carlton Gore Rd Newmarket Auckland 1023, New Zealand			
Telephone	:	CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)			
Emergency telephone number	:	CHEMTREC New Zealand +(64)-98010034 Global-CHEMTREC- +1 703-741-5970			
Recommended use of the chemical and restrictions on use					

Recommended use	:	Dentifrice.
-----------------	---	-------------

#### Section 2: Hazard identification

GHS Classification Skin corrosion/irritation	:	Category 2
Serious eye damage/eye irri- tation	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H315 Causes skin irritation. H318 Causes serious eye damage.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3	Revision Date: 03.04.2024	SDS Number: 660000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023
Preca	utionary statements		in thoroughly after handling. otective gloves/ eye protection/ face protection.
		P305 + P351 - water for seve and easy to do CENTER/ doc P332 + P313 I tion.	F ON SKIN: Wash with plenty of water. + P338 + P310 IF IN EYES: Rinse cautiously with ral minutes. Remove contact lenses, if present b. Continue rinsing. Immediately call a POISON tor. f skin irritation occurs: Get medical advice/ atten- Take off contaminated clothing and wash it before

Other hazards which do not result in classification

None known.

### Section 3: Composition/information on ingredients

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Propylene Glycol	57-55-6	>= 50 -< 60
Fumed Silica	112945-52-5	>= 3 -< 5
HYDROGEN PEROXIDE	7722-84-1	>= 3 -< 5
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
TETRASODIUM PYROPHOSPHATE	7722-88-5	>= 1 -< 3
L-MENTHOL	2216-51-5	>= 1 -< 3
DISODIUM PYROPHOSPHATE	7758-16-9	>= 0.1 -< 1
ANETHOLE	104-46-1	>= 0.1 -< 1
METHYL SALICYLATE	119-36-8	>= 0.1 -< 1
TRANS-MENTHONE	89-80-5	>= 0.1 -< 1
EUCALYPTOL	470-82-6	>= 0.1 -< 1

### Section 4: First-aid measures

General advice	:	If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
If inhaled	:	If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Vers 1.3	sion	Revision Date: 03.04.2024		05 Number: 0000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023	
	In case of eye contact		:	In the case of contact with eyes, rinse immediately with plet of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.		
	If swallowed		:	Keep respiratory tract clear. Administer milk but do not induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.		
	Most important symptoms and effects, both acute and delayed		:	Causes skin irrita Causes serious e		
	Notes t	o physician	: Treat symptomatically.		cally.	
Sec	tion 5: I	Fire-fighting measure	S			
	Suitable	e extinguishing media	:		measures that are appropriate to local cir- he surrounding environment.	
	Unsuita media	ble extinguishing	:	High volume wate	r jet	
	Specific fighting	c hazards during fire-	:	Do not allow run-o courses.	off from fire fighting to enter drains or water	

### Section 6: Accidental release measures

Special protective equipment :

Specific extinguishing meth-

ucts

ods

for firefighters

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment.
Environmental precautions	:	Prevent product from entering drains. Prevent further leakage or spillage if safe to do so.

Hazardous combustion prod- : No hazardous combustion products are known

essary.

must not be discharged into drains.

:

Collect contaminated fire extinguishing water separately. This

Fire residues and contaminated fire extinguishing water must

Wear self-contained breathing apparatus for firefighting if nec-

be disposed of in accordance with local regulations.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Versi 1.3	on Revision Date: 03.04.2024		DS Number: 0000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023	
			If the product con respective author	taminates rivers and lakes or drains inform ities.	
	Methods and materials for containment and cleaning up				
Secti	on 7: Handling and storage	•			
	Advice on protection against ire and explosion	:	Normal measures	for preventive fire protection.	
,	Advice on safe handling	:	Avoid contact with For personal prote Smoking, eating a plication area. To avoid spills du	obtain special instructions before use.	
ł	Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.			
(	Conditions for safe storage	:	place. Containers which kept upright to pre Observe label pre	ecautions. ions / working materials must comply with	
	Further information on stor- age stability	:	No decompositior	n if stored and applied as directed.	

### Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Propylene Glycol	57-55-6	WES-TWA (particulate)	10 mg/m3	NZ OEL
		WES-TWA (Vapour and particulates)	150 ppm 474 mg/m3	NZ OEL



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Ver 1.3	sion	Revision Date: 03.04.2024		OS Number: 0000018672		t issue: 27.07.2023 t issue: 07.04.2023		
	HYDR	OGEN PEROXIDE		7722-84-1	WES-TWA	1 ppm 1.4 mg/m3	NZ OEL	
					TWA	1 ppm	ACGIH	
					TWA	1 ppm	ACGIH	
		ASODIUM PHOSPHATE		7722-88-5	WES-TWA	5 mg/m3	NZ OEL	
	Perso	nal protective equip	ment					
	Respir	atory protection	:	No personal re quired.	espiratory prote	ctive equipment norm	nally re-	
	Hand p	protection						
	Remarks		:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.				
	Eye protection		:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.				
	Skin a	nd body protection	:		protection accor	rding to the amount a ubstance at the work		

### Section 9: Physical and chemical properties

Appearance	:	paste
Colour	:	white
Odour	:	No data available
рН	:	8.2
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower	:	No data available



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Ver 1.3	sion	Revision Date: 03.04.2024		S Number: 0000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023
	flamma	bility limit			
	Vapour	pressure	:	No data available	9
	Relative	e vapour density	:	No data available	
	Density	,	:	No data available	9
	Solubili Solu	ty(ies) ıbility in other solvents	:	No data available	9
	Partitio octanol	n coefficient: n- /water	:	No data available	
	Auto-ig	nition temperature	:	No data available	
	Decom	position temperature	:	No data available	
	Viscosi Visc	ty osity, kinematic	:	No data available	9
	Particle Particle	characteristics size	:	No data available	3

### Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable
Hazardous decomposition products	:	No hazardous decomposition products are known.

### Section 11: Toxicological information

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg
		Method: Calculation method



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

rsion	Revision Date: 03.04.2024		S Number: 000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023
Acute	inhalation toxicity		Acute toxicity e Exposure time: Test atmosphe Method: Calcul	re: dust/mist
Acute	dermal toxicity		Acute toxicity e Method: Calcul	stimate: > 2,000 mg/kg ation method
<u>Comp</u>	oonents:			
Propy	ylene Glycol:			
Acute	oral toxicity	:	LD50 (Rat): 22,	000 mg/kg
Acute	inhalation toxicity	:	Remarks: No d	ata available
Acute	e dermal toxicity	:	Remarks: No d	ata available
Fume	ed Silica:			
Acute	oral toxicity		LD50 (Rat): 3,1 Method: No info	60 mg/kg prmation available.
Acute	inhalation toxicity	:	Remarks: No d	ata available
Acute	e dermal toxicity	:	Remarks: No d	ata available
HYDF	ROGEN PEROXIDE:			
Acute	oral toxicity		LD50 (Rat): 1,0 Method: OECD	26 mg/kg Test Guideline 401
Acute	inhalation toxicity		LC0 (Rat): > 0. Exposure time: Test atmosphe Remarks: Harm	4 h
Acute	dermal toxicity		LD50 (Rabbit): Method: OECD	> 2,000 mg/kg Test Guideline 402
SODI	UM LAURYL SULFA	TE:		
Acute	oral toxicity		LD50 (Rat): 97 Method: OECD	7 mg/kg Test Guideline 401
Acute	inhalation toxicity	:	Remarks: No d	ata available
Acute	e dermal toxicity		LD50 (Rabbit): Method: OECD	> 2,000 mg/kg Test Guideline 402

### Acute oral toxicity : LD50 (Rat): 1,624 mg/kg

7/23



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.3	Revision Date: 03.04.2024		0S Number: 0000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023
			Method: OECD T	est Guideline 425
Acute	inhalation toxicity	:	LC50 (Rabbit): > 6 Exposure time: 4 Test atmosphere: Method: OECD To Assessment: The tion toxicity	h dust/mist
Acute	e dermal toxicity	:	LD50 (Rabbit): > 2 Method: OECD T	
L-ME	NTHOL:			
Acute	e oral toxicity	:	LD50 (Rat): 3,400	) mg/kg
Acute	inhalation toxicity	:	Remarks: No data	a available
DISO	DIUM PYROPHOSPH	ATE:		
Acute	e oral toxicity	:	LD50 (Mouse): 2, Method: No inform	
Acute	e inhalation toxicity	:	LC50 (Rabbit): > Exposure time: 4 Test atmosphere: Method: OPPTS 8	h dust/mist
Acute	e dermal toxicity	:	LD50 (Rabbit): > : Method: OECD T	
ANE	THOLE:			
Acute	e oral toxicity	:	LD50 (Rat): 3,000	) mg/kg
Acute	e inhalation toxicity	:	Remarks: No data	a available
Acute	e dermal toxicity	:	Remarks: No data	a available
METH	HYL SALICYLATE:			
Acute	e oral toxicity	:	LD50 (Rat): 890 r	ng/kg
Acute	e inhalation toxicity	:	Remarks: No data	a available
Acute	e dermal toxicity	:	LD50 (Rabbit): > Method: No inform	
	NS-MENTHONE: inhalation toxicity	:	Remarks: No data	a available

APJ



rsion	Revision Date: 03.04.2024		f last issue: 27.07.2023 f first issue: 07.04.2023
Acute	dermal toxicity	: LD50 (Rabbit): > 5,000 m Method: No information av	
EUCA	LYPTOL:		
Acute	oral toxicity	: LD50 (Rat): 2,480 mg/kg	
Acute	inhalation toxicity	: Remarks: No data availab	ble
Acute	dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Method: No information av	
	orrosion/irritation s skin irritation.		
<u>Comp</u>	onents:		
Propy	lene Glycol:		
Result		: No skin irritation	
Fumed	d Silica:		
Result		: Severe skin irritation	
HYDR	OGEN PEROXIDE:		
Specie	S	: Rabbit	
	ure time	: 4 h	
Methoo Result		<ul> <li>OECD Test Guideline 404</li> <li>Corrosive after 3 minutes</li> </ul>	
Result		. Conosive anel 5 minutes	
SODIU	IM LAURYL SULFA	<b>:</b>	
Specie		: Rabbit	
	ure time	: 24 h	
Assess Methor		: irritating : OECD Test Guideline 404	1
Result		: irritating	
TETR	ASODIUM PYROPHO	SPHATE:	
Result		: No skin irritation	
Remar	ks	: May cause skin irritation in	n susceptible persons.
L-MEN	ITHOL:		
Result		: May irritate skin.	
DISOD		TE:	



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

DLE: SALICYLATE: MENTHONE: PTOL: eye damage/eye irri	: : : : : : : : : : : : : : : : : : : :	Mild skin irritation May cause skin in Rabbit OECD Test Guid Mild skin irritation	ritation and/or dermatitis. eline 404
- SALICYLATE: MENTHONE: 'PTOL:	:	May cause skin in Rabbit OECD Test Guid Mild skin irritation	ritation and/or dermatitis. eline 404
- SALICYLATE: MENTHONE: 'PTOL:		Rabbit OECD Test Guid Mild skin irritation	eline 404
MENTHONE: /PTOL:		OECD Test Guid Mild skin irritation	
′PTOL:		OECD Test Guid Mild skin irritation	
′PTOL:		Mild skin irritation	
′PTOL:			
′PTOL:		Irritating to skin.	
		Irritating to skin.	
	:		
eve damage/eve irri	:		
eve damage/eve irri	-	No eye irritation	
serious eye damage. <u>ients:</u> ne Glvcol:			
	:	No eye irritation	
Silica:			
	:	Irritation to eyes,	reversing within 21 days
GEN PEROXIDE:			
	:	Rabbit	
	:	No eye irritation	
	:	OECD Test Guid	eline 405
LAURYL SULFATE			
	:	Irreversible effect	s on the eye
;	:	May cause irreve	rsible eye damage.
ODIUM PYROPHOS	SPH.	ATE:	
	:	Irritation to eyes,	reversing within 21 days
;	:	May cause irreve	rsible eye damage.
HOL:			
;	:	May cause irreve	rsible eye damage.
	ne Glycol: Silica: SEN PEROXIDE: LAURYL SULFATE ODIUM PYROPHOS	ne Glycol: Silica: SEN PEROXIDE:	he Glycol: : No eye irritation Silica: : Irritation to eyes, SEN PEROXIDE: : Rabbit : No eye irritation : OECD Test Guide LAURYL SULFATE: : Irreversible effect : May cause irreve ODIUM PYROPHOSPHATE: : Irritation to eyes, : May cause irreve HOL:

APJ



Version 1.3	Revision Date: 03.04.2024	SDS Number: 660000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023
DIS	ODIUM PYROPHOSPI	HATE:	
Res	ult	: Irritation to e	yes, reversing within 21 days
ANE	ETHOLE:		
Res	ult	: No eye irrita	tion
Ren	narks	: Vapours ma and the skin	y cause irritation to the eyes, respiratory system
ME	THYL SALICYLATE:		
Spe	cies	: Rabbit	
Res		: Eye irritation	
Ass	essment	: irritating	
TRA	ANS-MENTHONE:		
Res	sult	: No eye irrita	tion
EUC	CALYPTOL:		
Res	sult	: Mild eye irrit	ation
Res	piratory or skin sensi	tisation	
	n sensitisation		
-	classified based on ava	ailable information.	
Res	piratory sensitisation		
	classified based on ava		
<u>Cor</u>	nponents:		
Pro	pylene Glycol:		
Exp	osure routes	: Inhalation	
Ren	narks	: No data ava	ilable
Exp	osure routes	: Dermal	
Res	sult	: Does not ca	use skin sensitisation.
Fun	ned Silica:		
Ехр	osure routes	: Inhalation	
Res			use respiratory sensitisation.
Exp	osure routes	: Dermal	
Res		: Does not ca	use skin sensitisation.
HYI	DROGEN PEROXIDE:		
	osure routes	: Dermal	
	cies	: Guinea pig	
		11 /	23



Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023
Resu	ılt	: Does not caus	e skin sensitisation.
Expo Spec Resu		: inhalation (vap : Mouse : Does not caus	oour) e respiratory sensitisation.
SOD		E:	
Expo	osure routes	: Inhalation	ble
Rem	arks	: No data availa	
Expo	osure routes	: Dermal	e skin sensitisation.
Resu	ult	: Does not caus	
TET	RASODIUM PYROPHO	SPHATE:	
Expo	osure routes	: Inhalation	e respiratory sensitisation.
Resu	ult	: Does not caus	
Expo	osure routes	: Dermal	e skin sensitisation.
Resu	ult	: Does not caus	
L-ME	ENTHOL:		
Expo	osure routes	: Inhalation	ble
Rem	arks	: No data availa	
Expo	osure routes	: Dermal	e skin sensitisation.
Resu	ult	: Does not caus	
DISC	DIUM PYROPHOSPH	ATE:	
Expo	osure routes	: Inhalation	e respiratory sensitisation.
Resu	ult	: Does not caus	
Expo	osure routes	: Dermal	e skin sensitisation.
Resu	ult	: Does not caus	
ANE	THOLE:		
Expo	osure routes	: Inhalation	ble
Rem	arks	: No data availa	
Expo	osure routes	: Dermal	a skin sensitiser, sub-category 1B.
Resu	ult	: The product is	
Rem	arks	: Causes sensit	isation.
MET	HYL SALICYLATE:		
Expo	osure routes	: Inhalation	ble
Rem	arks	: No data availa	



ersion 3	Revision Date: 03.04.2024	SDS Number: 660000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023
Expos Rema	sure routes Irks	: Dermal : No data av	ailable
TRAN	IS-MENTHONE:		
Expos Rema	sure routes Irks	: Inhalation : No data av	ailable
Expos Resul	sure routes t	: Dermal : May cause	sensitisation by skin contact.
EUCA	LYPTOL:		
Expos Rema	sure routes Irks	: Inhalation : No data av	ailable
Expos Resul	sure routes t	: Dermal : May cause	sensitisation by skin contact.
Chroi	nic toxicity		
	cell mutagenicity	alable information	
Not classified based on av Components:			
	<u>UM LAURYL SULFA</u>	TE:	
	toxicity in vitro	: Test Type: Test syster Metabolic a	reverse mutation assay n: Escherichia coli activation: with and without metabolic activation ECD Test Guideline 471 gative
Geno	toxicity in vivo	Species: M Application	dominant lethal test ouse (male and female) Route: Oral ECD Test Guideline 478 gative
METH	IYL SALICYLATE:		
Geno	toxicity in vitro	Test syster	In vitro mammalian cell gene mutation test n: mouse lymphoma cells activation: with and without metabolic activation gative
Geno	toxicity in vivo	Species: M	Route: Oral



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023

#### Carcinogenicity

Not classified based on available information.

### Reproductive toxicity

Not classified based on available information.

#### **Components:**

#### METHYL SALICYLATE:

Reproductive toxicity - As- : Suspected of damaging fertility or the unborn child. sessment

#### STOT - single exposure

Not classified based on available information.

#### Components:

#### HYDROGEN PEROXIDE:

Exposure routes	:	Inhalation
Target Organs	:	Respiratory system
Assessment	:	May cause respiratory irritation.

### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

### **Components:**

SODIUM LAURYL SULFATE:		
Species	:	Rat
	:	488 mg/kg
Application Route	:	Oral
Species	:	Mouse
	:	488 mg/kg
Application Route	:	Dermal

#### METHYL SALICYLATE:

Species NOAEL Application Route		Rat 50 mg/kg Oral
Species NOEC Application Route	:	Rat 700 mg/l Inhalation

### Aspiration toxicity

Test atmosphere

Not classified based on available information.

APJ

: vapour



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

APJ

Version 1.3	Revision Date: 03.04.2024		DS Number: 0000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023
Fu	rther information			
Pro	oduct:			
Re	marks	:	formula was revie Safety Assurance determined to be taken into conside including informat las and potential i ponent of the haz	not been tested as a whole. However, this wed by expert toxicologists in the Product Department of Colgate-Palmolive and is safe for its intended use. This review has eration available safety-related information ion on individual ingredients, similar formu- ngredient interactions. This review is a com- ard determination used to prepare the ction 2 of the SDS.
	12: Ecological information	on		
	mponents:			
	opylene Glycol:			
	xicity to fish	:	LC50 (Oncorhync Exposure time: 96	hus mykiss (rainbow trout)): 40,613 mg/l ን h
	xicity to daphnia and other uatic invertebrates	:	EC50 (Daphnia (v Exposure time: 48	vater flea)): 18,880 mg/l 3 h
	xicity to algae/aquatic nts	:	EC50 (Pseudokiro mg/l Exposure time: 96	chneriella subcapitata (green algae)): 19,000 S h

57		
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	No data available:
Fumed Silica:		
Toxicity to fish	:	(Brachydanio rerio (zebrafish)): > 10,000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	(Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 24 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to fish (Chronic tox- icity)	:	No data available:

Toxicity to fish (Chronic tox- : No data available:

icity)



Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023

Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	No data available:
HYDROGEN PEROXIDE:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 16.4 mg/l
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia pulex (Water flea)): 2.4 mg/l Exposure time: 24 h
Toxicity to algae/aquatic plants	:	NOEC (Marine Diatom): 0.63 mg/l
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.63 mg/l
SODIUM LAURYL SULFATE	:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.62 mg/l Exposure time: 96 h Method: static test Remarks: mortality
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 3.15 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	LC50 (Chlamydomonas reinhardtii (green algae)): 18.8 mg/l Exposure time: 72 h
TETRASODIUM PYROPHOS	РН	ATE:
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023

### L-MENTHOL:

Toxicity to fish	:	LC50 : 10 mg/l
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	No data available:
DISODIUM PYROPHOSPHAT	E:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 840 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l Exposure time: 72 h
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	No data available:
ANETHOLE:		
Toxicity to fish	:	LC50 (Fish): 5 mg/l Exposure time: 96 h
Toxicity to fish (Chronic tox- icity)	:	NOEC (Fish): > 2 mg/l Test substance: No data available
METHYL SALICYLATE:		
Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 19.8 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna Straus): 28 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC: 6.25 mg/l Exposure time: 72 h Test Type: static test
Toxicity to fish (Chronic tox- icity)	:	No data available:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023

Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	No data available:
TRANS-MENTHONE:		
Toxicity to fish	:	LC50 (Fish): 10 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to fish (Chronic tox- icity)	:	NOEC (Fish): 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	No data available:
EUCALYPTOL:		
	:	EC50 (Daphnia magna Straus): > Exposure time: 48 h
Toxicity to fish (Chronic tox- icity)	:	NOEC (Fish): 32 mg/l
Persistence and degradabil	ity	
Components:	-	
Propylene Glycol:		
Biodegradability	:	Result: Readily biodegradable.
	:	Result: Readily biodegradable.
Biodegradability	:	Result: Readily biodegradable. Remarks: Not applicable
Biodegradability Fumed Silica: Biodegradability		
Biodegradability Fumed Silica:		
Biodegradability Fumed Silica: Biodegradability HYDROGEN PEROXIDE: Biodegradability	:	Remarks: Not applicable
Biodegradability Fumed Silica: Biodegradability HYDROGEN PEROXIDE:	:	Remarks: Not applicable
Biodegradability Fumed Silica: Biodegradability HYDROGEN PEROXIDE: Biodegradability SODIUM LAURYL SULFATE Biodegradability	:	Remarks: Not applicable Remarks: Not applicable Result: Readily biodegradable.
Biodegradability Fumed Silica: Biodegradability HYDROGEN PEROXIDE: Biodegradability SODIUM LAURYL SULFATE	:	Remarks: Not applicable Remarks: Not applicable Result: Readily biodegradable.

18 / 23

100 mg/l



\_

This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Vers 1.3	ion	Revision Date: 03.04.2024		S Number: 0000018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023		
	Biodegradability		:	Result: Readily bio	odegradable.		
	DISOD	UM PYROPHOSPHA	TE:				
	Biodegradability ANETHOLE: Biodegradability		:	: Remarks: Not applicable			
			:	Result: Readily bio	odegradable		
	Diodegi	adability	·	Result. Readily bi			
	METHYL SALICYLATE:						
	Biodeg	radability	:		Result: Readily biodegradable.		
				Biodegradation: 98 % Exposure time: 28 d			
				·			
		-MENTHONE:					
	Biodeg	radability	:	Result: Not readily	<i>i</i> biodegradable.		
	EUCALYPTOL: Biodegradability						
			:	Result: Readily bio	odegradable.		
	Bioacc	umulative potential					
	Compo	onents:					
		ene Glycol:					
	Bioaccu	umulation	:	Bioconcentration f	actor (BCF): < 100		
	Fumed	Silica:					
		umulation	:	Bioconcentration f	actor (BCF): 3.16		
	Partitio	n coefficient: n-	:	log Pow: 0.53			
	octanol		·	log F 0w. 0.55			
	-	GEN PEROXIDE:					
	Bioaccu	umulation	:	Remarks: No data	available		
	Partition coefficient: n- octanol/water		:	log Pow: -1.57			
	TETRASODIUM PYROPHO		PH	ATE:			
		umulation	:		available		
	Partition coefficient: n- octanol/water		:	Remarks: No data	available		

#### L-MENTHOL:



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

mulation coefficient: n- water JM PYROPHOSPHA mulation coefficient: n- water - SALICYLATE: mulation coefficient: n-	: :	Remarks: No dat log Pow: 3.13 Bioconcentration log Pow: -6.77	ta available factor (BCF): 3.16
water JM PYROPHOSPHA mulation coefficient: n- water - SALICYLATE: mulation coefficient: n-	ATE: :	Bioconcentration	factor (BCF): 3.16
mulation coefficient: n- water <b>- SALICYLATE:</b> mulation coefficient: n-	:		factor (BCF): 3.16
coefficient: n- water <b>- SALICYLATE:</b> mulation coefficient: n-			factor (BCF): 3.16
water - <b>SALICYLATE:</b> mulation coefficient: n-	:	log Pow: -6.77	
nulation coefficient: n-	:		
coefficient: n-	:		
		Remarks: No dat	a available
water	:	log Pow: 2.6	
MENTHONE:			
mulation	:	Remarks: No dat	a available
coefficient: n- water	:	log Pow: 2.87	
PTOL:			
mulation	:	Bioconcentration	factor (BCF): 83.0 - 125
coefficient: n- water	:	log Pow: 3.13	
in soil			
available			
dverse effects			
nents:			
SODIUM PYROPHOS	SPH	ATE:	
al ecological infor-	:	No data available	9
	mulation coefficient: n- water (PTOL: mulation coefficient: n- water in soil available dverse effects ments: GODIUM PYROPHOS al ecological infor-	mulation : coefficient: n-vater (PTOL: mulation : coefficient: n-vater in soil available dverse effects ments: SODIUM PYROPHOSPH al ecological infor- :	mulation       :       Remarks: No data         coefficient: n-       :       log Pow: 2.87         vater       :       Bioconcentration         coefficient: n-       :       Bioconcentration         coefficient: n-       :       log Pow: 3.13         vater       :       log Pow: 3.13         in soil       available         dverse effects       :

### Disposal methods

Waste from residues	:	The product should not be allowed to enter drains, water courses or the soil.
		Do not contaminate ponds, waterways or ditches with chemi- cal or used container.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Vers 1.3	ion	Revision Date: 03.04.2024	SDS Ni 660000	umber: 018672	Date of last issue: 27.07.2023 Date of first issue: 07.04.2023			
			Ser	d to a license	d waste management company.			
	Contar	ninated packaging	Disp	oty remaining bose of as uni not re-use em				
Sect	Section 14: Transport information							
	ADG ( Goods	Australian Dangerous	:					
		,,		Not regulate	d			
	NZS (M 5433	New Zealand's Standa	rds) :					
				Not regulate	d			
	ΙΑΤΑ		:					
				Not regulate	ed			
	IMDG		:					
				Not regulate	ed			
				IMDG EmS	Number :Not applicable.			
	ADR		:					
				Not regulate	ed			

#### Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002558 Dental Products (Subsidiary Hazard) Group Standard 2020

#### Tolerable Exposure Limits (TEL) Not applicable



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023

### Environmental Exposure Limits (EEL)

Not applicable

The components of this product are reported in the following inventories:					
AllC	• On the inventory or in compliance with the inventory				

7410	•	
NZIoC	:	On the inventory, or in compliance with the inventory

#### Section 16: Other information

Revision Date	: 03.04.2024
Date format	: dd.mm.yyyy

#### Full text of other abbreviations

ACGIH NZ OEL	:	USA. ACGIH Threshold Limit Values (TLV) New Zealand. Workplace Exposure Standards for Atmospher- ic Contaminants
ACGIH / TWA	:	8-hour, time-weighted average

ACGIH / TWA		8-nour, time-weighted average
NZ OEL / WES-TWA	:	Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 27.07.2023
1.3	03.04.2024	660000018672	Date of first issue: 07.04.2023

portation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN