

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

### Section 1: Identification

Product name : TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

Product code : B05412100000  
: 200000069316

#### Manufacturer or supplier's details

Address : Colgate-Palmolive Ltd.  
Level 4, 45 Knights Road, Lower Hutt  
P.O.Box 38077, Wellington Mail centre  
Wellington, 5045, New Zealand.

Telephone : CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)

Emergency telephone number : Global-CHEMTREC- +1 703-741-5970  
CHEMTREC New Zealand +(64)-98010034

#### Recommended use of the chemical and restrictions on use

Recommended use : Dentifrice.

---

### Section 2: Hazard identification

#### GHS Classification

Serious eye damage/eye irritation : Category 2

#### GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

P264 Wash skin thoroughly after handling.  
P280 Wear eye protection/ face protection.

### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.

### Other hazards which do not result in classification

None known.

## Section 3: Composition/information on ingredients

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerin	56-81-5	>= 20 -< 30
SILICA	7631-86-9	>= 10 -< 20
Hydrated Silica	112926-00-8	>= 10 -< 20
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
ZINC OXIDE	1314-13-2	>= 1 -< 3
Sodium Fluoride	7681-49-4	>= 0.1 -< 1
CARVONE	99-49-0	>= 0.1 -< 1

## Section 4: First-aid measures

- General advice : If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given.
- If inhaled : If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Keep respiratory tract clear.  
Administer milk but do not induce vomiting.  
Never give anything by mouth to an unconscious person.

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye irritation.

Notes to physician : Treat symptomatically.

---

### Section 5: Fire-fighting measures

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

Specific extinguishing methods : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.

Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

---

### Section 7: Handling and storage

Advice on protection against : Normal measures for preventive fire protection.

---

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

fire and explosion

Advice on safe handling : Do not breathe vapours/dust.  
 Avoid contact with skin and eyes.  
 For personal protection see section 8.  
 Smoking, eating and drinking should be prohibited in the application area.  
 Dispose of rinse water in accordance with local and national regulations.

Hygiene measures : When using do not eat or drink.  
 When using do not smoke.  
 Wash hands before breaks and at the end of workday.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.  
 Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
 Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	WES-TWA (Mist)	10 mg/m <sup>3</sup>	NZ OEL
Hydrated Silica	112926-00-8	WES-TWA	10 mg/m <sup>3</sup>	NZ OEL
ZINC OXIDE	1314-13-2	WES-TWA (Respirable dust)	0.1 mg/m <sup>3</sup>	NZ OEL
		WES-TWA	2 mg/m <sup>3</sup>	NZ OEL
		WES-STEL	5 mg/m <sup>3</sup>	NZ OEL
		WES-STEL (Respirable dust)	0.5 mg/m <sup>3</sup>	NZ OEL
		TWA (Respirable particulate matter)	2 mg/m <sup>3</sup>	ACGIH
		STEL (Respirable particulate matter)	10 mg/m <sup>3</sup>	ACGIH

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

Sodium Fluoride	7681-49-4	ter) WES-TWA	2.5 mg/m <sup>3</sup> (Fluorine)	NZ OEL
Further information: Exposure can also be estimated by biological monitoring				
		TWA	2.5 mg/m <sup>3</sup> (Fluorine)	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Sodium Fluoride	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift	2 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	3 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles  
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

## Section 9: Physical and chemical properties

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

Appearance	:	paste
Colour	:	white
pH	:	7.9
Flash point	:	No data available

---

### Section 10: Stability and reactivity

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reactions	:	No decomposition if stored and applied as directed.
Conditions to avoid	:	No data available
Incompatible materials	:	Not applicable

---

### Section 11: Toxicological information

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

#### Components:

##### **SILICA:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): > 58.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Method: No information available.

#### **Hydrated Silica:**

**TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

Acute oral toxicity : LD50 (Rat): > 22,500 mg/kg  
Method: No information available.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

**SODIUM LAURYL SULFATE:**

Acute oral toxicity : LD50 (Rat): 977 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**ZINC OXIDE:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rabbit): > 5.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Sodium Fluoride:**

Acute oral toxicity : LD50 (Rat): 177 - 272 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**CARVONE:**

Acute oral toxicity : LD50 (Rat): 2,500 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rat): 3,800 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

**Components:****Glycerin:**

Result : No skin irritation

**SILICA:**

Result : No skin irritation

**Hydrated Silica:**

Remarks : No data available

**SODIUM LAURYL SULFATE:**

Result : Severe skin irritation

Remarks : Extremely corrosive and destructive to tissue.

**ZINC OXIDE:**

Result : No skin irritation

**Sodium Fluoride:**

Result : Severe skin irritation

Remarks : May cause skin irritation in susceptible persons.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Glycerin:**

Result : No eye irritation

**SILICA:**

Result : No eye irritation

**Hydrated Silica:**

Remarks : No data available

**SODIUM LAURYL SULFATE:**

Result : Irreversible effects on the eye

Remarks : May cause irreversible eye damage.



**TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

**ZINC OXIDE:**

Result : No eye irritation

**Sodium Fluoride:**

Result : Irritation to eyes, reversing within 21 days

Remarks : May cause irreversible eye damage.

**CARVONE:**

Result : No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Glycerin:**

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**SILICA:**

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

**Hydrated Silica:**

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Remarks : No data available

**SODIUM LAURYL SULFATE:**

Exposure routes : Inhalation  
Remarks : No data available

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

### ZINC OXIDE:

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

### Sodium Fluoride:

Exposure routes : Inhalation  
Result : Does not cause respiratory sensitisation.

Exposure routes : Dermal  
Result : Does not cause skin sensitisation.

### CARVONE:

Exposure routes : Inhalation  
Remarks : No data available

Exposure routes : Dermal  
Result : May cause sensitisation by skin contact.

### Chronic toxicity

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

### Components:

#### Sodium Fluoride:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

#### STOT - single exposure

Not classified based on available information.

#### STOT - repeated exposure

Not classified based on available information.

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

### Aspiration toxicity

Not classified based on available information.

### Further information

#### Product:

Remarks : This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.

---

## Section 12: Ecological information

### Ecotoxicity

#### Components:

##### **Glycerin:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : Remarks: No data available

##### **Hydrated Silica:**

Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data available

Toxicity to algae/aquatic plants : Remarks: No data available

Toxicity to fish (Chronic toxicity) : No data available:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available:

**TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

**SODIUM LAURYL SULFATE:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 4.62 mg/l  
Exposure time: 96 h  
Method: static test  
Remarks: mortality

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 3.15 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : LC50 (Chlamydomonas reinhardtii (green algae)): 18.8 mg/l  
Exposure time: 72 h

**ZINC OXIDE:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.33 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.7 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (algae)): > 0.1 - 1 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC: 0.24 mg/l

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available:

M-Factor (Chronic aquatic toxicity) : 1

**Sodium Fluoride:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): > 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Crangon crangon (shrimp)): > 300 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 272 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : No data available:

**TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

icity)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available:

**CARVONE:**

Toxicity to fish : LC50 (Fish): 67 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 46 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (algae): 11 mg/l  
Exposure time: 96 h

Toxicity to fish (Chronic toxicity) : No data available:

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : No data available:

**Persistence and degradability****Components:****Glycerin:**

Biodegradability : Result: Readily biodegradable.

**Hydrated Silica:**

Biodegradability : Remarks: Not applicable

**SODIUM LAURYL SULFATE:**

Biodegradability : Result: Readily biodegradable.

**ZINC OXIDE:**

Biodegradability : Remarks: Not applicable

**Sodium Fluoride:**

Biodegradability : Remarks: Not applicable

**CARVONE:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 68 %

**TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN**

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

Exposure time: 28 d

**Bioaccumulative potential****Components:****Glycerin:**

Bioaccumulation : Remarks: No data available

**SILICA:**

Partition coefficient: n-octanol/water : log Pow: 0.53

**Hydrated Silica:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 0.53

**ZINC OXIDE:**

Bioaccumulation : Bioconcentration factor (BCF): 4.74

Partition coefficient: n-octanol/water : log Pow: 1.53

**Sodium Fluoride:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : Remarks: No data available

**CARVONE:**

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 2.4

**Mobility in soil**

No data available

**Other adverse effects**

No data available

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

---

### Section 13: Disposal considerations

#### Disposal methods

- Waste from residues : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.
- 

### Section 14: Transport information

- ADG (Australian Dangerous Goods) 7.7** :  
Not regulated
- NZS (New Zealand's Standards) 5433** :  
Not regulated
- IATA** :  
Not regulated.
- IMDG** :  
Not regulated.  
**IMDG EmS Number** :Not applicable.
- ADR** :  
Not regulated.
-

## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

### Section 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

##### HSNO Approval Number

HSR002552

Cosmetic Products Group Standard 2020

#### The components of this product are reported in the following inventories:

AIIC : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

---

### Section 16: Other information

Revision Date : 30.11.2022

Date format : dd.mm.yyyy

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH BEI : ACGIH - Biological Exposure Indices (BEI)

NZ BEI : New Zealand. Biological Exposure Indices

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEEL : Workplace Exposure Standard - Short-Term Exposure Limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median



## TOTAL DZA TOOTHPASTE PROFESSIONAL CLEAN

*This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.*

---

Version	Revision Date:	SDS Number:	Date of last issue: 29.11.2022
1.1	30.11.2022	660000017876	Date of first issue: 29.11.2022

---

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NZ / EN