

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	Colgate Total Original Toothpaste
Manufacturer:	Colgate-Palmolive Ltd.
SDS Expiry:	19 March 2029
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – September 2024

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Version	Revision Date:	SDS Number:	Date of last issue: 19.03.2024
1.4	19.03.2024	66000006962	Date of first issue: 04.10.2018

Section 1: Identification

Product name	:	Colgate Total Original Toothpaste		
Product code		B05469640007 20000056580		
Manufacturer or supplier's de	eta	ils		
Address	:	Colgate-Palmolive Ltd 105 Carlton Gore Rd Newmarket Auckland 1023, New Zealand		
Telephone	:	CONSUMER AFFAIRS: - NZ 0800 441 740 (Mon – Fri 9 - 7)		
Emergency telephone number	:	CHEMTREC New Zealand +(64)-98010034 Global-CHEMTREC- +1 703-741-5970		
Recommended use of the chemical and restrictions on use				

Recommended use	:	Dentifrice
Recommended use	:	Dentifrice

Section 2: Hazard identification

GHS Classification Serious eye damage/eye irri- tation	:	Category 2
GHS label elements		
Hazard pictograms	:	
Signal word	:	Warning
Hazard statements	:	H319 Causes serious eye irritation.
Precautionary statements	:	Prevention: P264 Wash skin thoroughly after handling.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 19.03.2024
1.4	19.03.2024	66000006962	Date of first issue: 04.10.2018

P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.

Other hazards which do not result in classification None known.

Section 3: Composition/information on ingredients

Components

Chemical name	CAS-No.	Concentration (% w/w)
Glycerin	56-81-5	>= 30 -< 40
Hydrated Silica	112926-00-8	>= 10 -< 20
SODIUM LAURYL SULFATE	151-21-3	>= 1 -< 3
ZINC OXIDE	1314-13-2	>= 0.1 -< 1
Sodium Fluoride	7681-49-4	>= 0.1 -< 1
CARVONE	99-49-0	>= 0.1 -< 1

Section 4: First-aid measures

General advice If inhaled	:	If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone Australia 131126; New Zealand 0800 764 766), and follow the advice given. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Administer milk but do not induce vomiting. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms	:	Causes serious eye irritation.



Vers 1.4	sion	Revision Date: 19.03.2024	-	05 Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018
	and eff delayed	ects, both acute and			
	Notes t	o physician	:	Treat symptomation	cally.
Sec	tion 5: I	Fire-fighting measure	s		
	Suitable	e extinguishing media	:		measures that are appropriate to local cir- ne surrounding environment.
	Unsuita media	ble extinguishing	:	High volume wate	r jet
	Specific fighting	c hazards during fire-	:	Do not allow run-c courses.	ff from fire fighting to enter drains or water
	Hazard ucts	ous combustion prod-	:	No hazardous cor	nbustion products are known
	Specific ods	c extinguishing meth-	:	Collect contaminated fire extinguishing water separate must not be discharged into drains. Fire residues and contaminated fire extinguishing wat be disposed of in accordance with local regulations.	
	Special for firef	protective equipment ighters	:	: Wear self-contained breathing apparatus for firefighting essary.	
Sec	tion 6: /	Accidental release me	easi	ures	
	tive equ	al precautions, protec- upment and emer- procedures	:	Use personal prot	ective equipment.
	Enviror	mental precautions	:	Prevent further lea	om entering drains. akage or spillage if safe to do so. aminates rivers and lakes or drains inform ties.
		ls and materials for ment and cleaning up	:	: Soak up with inert absorbent material (e.g. sand, silica g acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.	
Sec	tion 7: I	landling and storage			
		on protection against l explosion	:	Normal measures	for preventive fire protection.
	Advice	on safe handling	:	Do not breathe va	pours/dust.
				3 / 17	



Version 1.4	Revision Date: 19.03.2024	SDS Number: 66000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018
		For personal Smoking, eat plication area	t with skin and eyes. protection see section 8. ing and drinking should be prohibited in the ap- n. nse water in accordance with local and national
Hyg	ene measures	When using o	do not eat or drink. do not smoke. before breaks and at the end of workday.
Con	ditions for safe storage	place. Containers w kept upright t Electrical inst	er tightly closed in a dry and well-ventilated hich are opened must be carefully resealed and o prevent leakage. allations / working materials must comply with gical safety standards.
	ner information on stor- stability	: No decompo	sition if stored and applied as directed.

Section 8: Exposure controls/personal protection

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Glycerin	56-81-5	WES-TWA (Mist)	10 mg/m3	NZ OEL
Hydrated Silica	112926-00-8	WES-TWA	10 mg/m3	NZ OEL
ZINC OXIDE	1314-13-2	WES-TWA (Respirable dust)	0.1 mg/m3	NZ OEL
		WES-TWA	2 mg/m3	NZ OEL
		WES-STEL	5 mg/m3	NZ OEL
		WES-STEL (Respirable dust)	0.5 mg/m3	NZ OEL
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
		STEL (Res- pirable par- ticulate mat- ter)	10 mg/m3	ACGIH
Sodium Fluoride	7681-49-4	WÉS-TWA	2.5 mg/m3 (Fluorine)	NZ OEL
	Further inform	ation: Exposure	can also be estimate	d by biological



Version 1.4	Revision Date: 19.03.2024	SDS Number: 66000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018	

monitoring			
	TWA	2.5 mg/m3	ACGIH
		(Fluorine)	

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Sodium Fluoride	7681-49-4	Fluoride (Fluorine)	Urine	Prior to shift	2 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	End of shift	3 mg/l	NZ BEI
		Fluoride (Fluorine)	Urine	Prior to shift (16 hours after exposure ceases)	2 mg/l	ACGIH BEI
		Fluoride (Fluorine)	Urine	End of shift (As soon as possible after exposure ceases)	3 mg/l	ACGIH BEI

Personal protective equipment

Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
Hand protection		
Remarks	:	The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.

Section 9: Physical and chemical properties

Appearance	:	gel

Colour



Vers 1.4	sion	Revision Date: 19.03.2024		S Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018
	Odour		:	No data available	
	рН		:	7.5	
	Melting	point/range	:	No data available)
	Boiling point/boiling range		:	No data available	
	Flash p	oint	:	No data available	
		explosion limit / Upper bility limit	:	No data available)
		explosion limit / Lower bility limit	:	No data available	
	Vapour	pressure	:	No data available)
	Relative	e vapour density	:	No data available)
	Density	,	:	No data available)
	Solubili Solu	ty(ies) ıbility in other solvents	:	No data available	9
	Partitio octanol	n coefficient: n- /water	•	No data available)
	Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	No data available)
	Viscosi Visc	ty :osity, kinematic	:	No data available	
	Particle Particle	e characteristics e size	:	No data available	

Section 10: Stability and reactivi	ity	
Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.



Version 1.4	Revision Date: 19.03.2024		S Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018
Possi tions	bility of hazardous reac-	:	No decompositic	n if stored and applied as directed.
Cond	itions to avoid	:	No data available	9
Incom	patible materials	:	Not applicable	
Haza produ	rdous decomposition cts	:	No hazardous de	ecomposition products are known.

Section 11: Toxicological information

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	÷	Acute toxicity estimate: > 2,000 mg/kg
,		Method: Calculation method
Acute dermal toxicity	:	, 55
		Method: Calculation method
Components:		
Hydrated Silica:		
Acute oral toxicity	:	LD50 (Rat): > 22,500 mg/kg Method: No information available.
Acute inhalation toxicity		Remarks: No data available
	•	
Acute dermal toxicity	:	Remarks: No data available
SODIUM LAURYL SULFATE		
Acute oral toxicity	:	() 3-3
		Method: OECD Test Guideline 401
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg
		Method: OECD Test Guideline 402
ZINC OXIDE:		
Acute oral toxicity	:	
		Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rabbit): > 5.7 mg/l
		Exposure time: 4 h
		Test atmosphere: dust/mist Method: OECD Test Guideline 403



4	Revision Date: 19.03.2024		OS Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018	
Acute	dermal toxicity	:	LD50 (Rat): > Method: OEC	2,000 mg/kg D Test Guideline 402	
	um Fluoride:				
Acute	oral toxicity		LD50 (Rat): 1	77 - 272 mg/kg	
Acute	inhalation toxicity	:	Remarks: No	data available	
Acute	dermal toxicity	:	LD50 (Rat): > Method: OEC	2,000 mg/kg D Test Guideline 402	
CAR	/ONE:				
Acute	oral toxicity	:	LD50 (Rat): 2	500 mg/kg	
Acute	inhalation toxicity	:	Remarks: No	data available	
Acute	e dermal toxicity	:	: LD50 (Rat): 3,800 mg/kg		
		ilable :	information. No skin irritati		
	lt	•			
Hydra	t ated Silica:	•		ווע	
Hydra Rema	ated Silica:	:	No data availa		
Rema	ated Silica:	:	No data availa		
Rema SODI Speci	ated Silica: arks UM LAURYL SULFA es	:	Rabbit		
Rema SODI Speci Expos	ated Silica: arks UM LAURYL SULFA es sure time	:	Rabbit 24 h		
Rema SODI Speci Expos Asses	ated Silica: arks UM LAURYL SULFA es sure time ssment	:	Rabbit 24 h irritating	able	
Rema SODI Speci Expos	ated Silica: arks UM LAURYL SULFA es sure time ssment od	:	Rabbit 24 h	able	
Rema SODI Speci Expos Asses Metho Resul	ated Silica: arks UM LAURYL SULFA es sure time ssment od	:	Rabbit 24 h irritating OECD Test G	able	
Rema SODI Speci Expos Asses Metho Resul	ated Silica: arks UM LAURYL SULFA es sure time ssment od lt OXIDE:	:	Rabbit 24 h irritating OECD Test G	uideline 404	
Rema SoDI Speci Expos Asses Metho Resul ZINC Resul	ated Silica: arks UM LAURYL SULFA es sure time ssment od lt OXIDE:	TE:	Rabbit 24 h irritating OECD Test G irritating	uideline 404	
Rema SoDI Speci Expos Asses Metho Resul ZINC Resul	ated Silica: arks UM LAURYL SULFA es sure time ssment od t OXIDE: It	TE:	Rabbit 24 h irritating OECD Test G irritating	able uideline 404 on	



APJ

ersion 1	Revision Date: 19.03.2024		S Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018
Serio	us eye damage/eye	irritati	on	
Cause	es serious eye irritatio	on.		
<u>Comp</u>	oonents:			
Glyce	erin:			
Result	t	:	No eye irritatio	n
Hydra	ated Silica:			
Rema	irks	:	No data availa	ble
SODI	UM LAURYL SULFA	TE:		
Result	t	:	Irreversible effe	ects on the eye
Rema	irks	:	May cause irre	versible eye damage.
ZINC	OXIDE:			
Result	t	:	No eye irritatio	n
Sodiu	ım Fluoride:			
Result	t	:	Irritation to eye	s, reversing within 21 days
Rema	ırks	:	May cause irre	versible eye damage.
CARV	ONE:			
Result	t	:	No eye irritatio	n
Respi	iratory or skin sensi	itisatio	n	
Skin s	sensitisation			
Not cla	assified based on ava	ailable	information.	
-	iratory sensitisation			
Not cla	assified based on ava	ailable	information.	
<u>Comp</u>	oonents:			
Glyce	erin:			
Expos Rema	sure routes Irks	:	Inhalation No data availa	ble
Expos Result	sure routes t	:	Dermal Does not cause	e skin sensitisation.
Hydra	ated Silica:			
Expos Rema	sure routes	:	Inhalation No data availa	



_

Versio 1.4	'n	Revision Date: 19.03.2024		0S Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018				
	Exposure routes Remarks		:	: Dermal : No data available					
S	ODIUI	M LAURYL SULFAT	E:						
	xposu emark	re routes s	:	Inhalation No data available					
	Exposure routes Result		:	Dermal Does not cause skin sensitisation.					
Z		XIDE:							
	xposu esult	re routes	:	Inhalation Does not cause re	espiratory sensitisation.				
	Exposure routes Result			Dermal Does not cause sl	kin sensitisation.				
S	odium	Fluoride:							
	xposu esult	re routes	:	Inhalation Does not cause re	espiratory sensitisation.				
	xposu esult	re routes	:	Dermal Does not cause sl	kin sensitisation.				
С	ARVO	NE:							
	xposu emark	re routes s	:	Inhalation No data available					
	xposu esult	re routes	:	Dermal May cause sensitisation by skin contact.					
с	hroni	c toxicity							
G	ierm c	ell mutagenicity							
Ν	ot clas	sified based on avai	lable	information.					
		nents:							
_		M LAURYL SULFAT							
G	ienoto	xicity in vitro	:	Test Type: revers Test system: Esch Metabolic activation Method: OECD To Result: negative	nerichia coli on: with and without metabolic activation				
G	ienoto	xicity in vivo	:	Test Type: domina Species: Mouse (Application Route Method: OECD Te	male and female) : Oral				
				10 / 17					



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 19.03.2024
1.4	19.03.2024	66000006962	Date of first issue: 04.10.2018

Result: negative

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

Components:

Sodium Fluoride:

Effects on fertility : Remarks: No data available

Effects on foetal develop-	:	Remarks: No data available
ment		

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

SODIUM LAURYL SULFATE:

Species	:	Rat 488 mg/kg
Application Route	:	Oral
Species	:	Mouse 488 mg/kg
Application Route	:	Dermal

Aspiration toxicity

Not classified based on available information.

5

Further information

Product:

Remarks

This product has not been tested as a whole. However, this formula was reviewed by expert toxicologists in the Product Safety Assurance Department of Colgate-Palmolive and is determined to be safe for its intended use. This review has taken into consideration available safety-related information including information on individual ingredients, similar formulas and potential ingredient interactions. This review is a component of the hazard determination used to prepare the statements in Section 2 of the SDS.



Version	Revision Date:	SDS Number:	Date of last issue: 19.03.2024
1.4	19.03.2024	66000006962	Date of first issue: 04.10.2018

Section 12: Ecological information

C C		
Ecotoxicity		
Components:		
Glycerin:		
Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	Remarks: No data available
Hydrated Silica:		
Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): > 10,000 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to fish (Chronic tox- icity)	:	No data available:
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	No data available:
SODIUM LAURYL SULFATE	:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.62 mg/l Exposure time: 96 h Method: static test Remarks: mortality
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Daphnia magna (Water flea)): 3.15 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	LC50 (Chlamydomonas reinhardtii (green algae)): 18.8 mg/l Exposure time: 72 h
ZINC OXIDE:		
Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 0.33 mg/l Exposure time: 96 h
Toxicity to daphnia and other	:	EC50 (Daphnia magna (Water flea)): 1.7 mg/l



APJ

Version 1.4	Revision Date: 19.03.2024		0S Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018
aqu	atic invertebrates		Exposure time: 48	3 h
Tox plar	icity to algae/aquatic hts	:	EC50 (Pseudokiro Exposure time: 72 Method: OECD To	
M-F icity		:	1	
Tox icity	icity to fish (Chronic tox-)	:	NOEC: 0.24 mg/l	
aqu	icity to daphnia and other atic invertebrates (Chron- xicity)	:	No data available	:
M-F toxi	actor (Chronic aquatic city)	:	1	
Soc	lium Fluoride:			
Тох	icity to fish	:	LC50 (Cyprinodor mg/l Exposure time: 96	n variegatus (sheepshead minnow)): > 500 Sh
	icity to daphnia and other atic invertebrates	:	EC50 (Crangon c Exposure time: 48	rangon (shrimp)): > 300 mg/l 3 h
Tox plar	icity to algae/aquatic hts	:	ErC50 (Selenastre Exposure time: 96	um capricornutum (green algae)): 272 mg/l S h
Tox icity	icity to fish (Chronic tox-)	:	No data available	:
aqu	icity to daphnia and other atic invertebrates (Chron- ixicity)	:	No data available	:
CA	RVONE:			
Тох	icity to fish	:	LC50 (Fish): 67 m Exposure time: 96	
	icity to daphnia and other atic invertebrates	:	EC50 (Daphnia m Exposure time: 48	agna (Water flea)): 46 mg/l 3 h
Tox plar	icity to algae/aquatic its	:	ErC50 (algae): 11 Exposure time: 96	
Tox icity	icity to fish (Chronic tox-)	:	No data available	:



ersion 4	Revision Date: 19.03.2024		S Number: 0000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018
	ty to daphnia and other ic invertebrates (Chron- city)	:	No data available:	
Persis	stence and degradabili	ity		
Comp	oonents:			
Glyce	rin:			
Biode	gradability	:	Result: Readily bi	odegradable.
Hydra	ated Silica:			
Biode	gradability	:	Remarks: Not app	blicable
	UM LAURYL SULFATE	:		
Biode	gradability	:	Result: Readily bi	odegradable.
ZINC	OXIDE:			
Biode	gradability	:	Remarks: Not app	blicable
Sodiu	ım Fluoride:			
Biode	gradability	:	Remarks: Not app	blicable
CARV	ONE:			
Biode	gradability	:	Result: Readily bi Biodegradation: 6 Exposure time: 28	S8 %
Bioac	cumulative potential			
Comp	oonents:			
Glyce	rin:			
Bioaco	cumulation	:	Remarks: No data	a available
Hydra	ated Silica:			
Bioaco	cumulation	:	Remarks: No data	a available
	on coefficient: n- ol/water	:	log Pow: 0.53	
ZINC	OXIDE:			
Bioaco	cumulation	:	Bioconcentration	factor (BCF): 4.74
	on coefficient: n- ol/water	:	log Pow: 1.53	



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version	Revision Date:	SDS Number:	Date of last issue: 19.03.2024
1.4	19.03.2024	66000006962	Date of first issue: 04.10.2018

Sodium Fluoride:		
Bioaccumulation	:	Remarks: No data available
Partition coefficient: n- octanol/water	:	Remarks: No data available
CARVONE:		
Bioaccumulation	:	Remarks: No data available
Partition coefficient: n- octanol/water	:	log Pow: 2.4
Mobility in soil		
No data available		
Other adverse effects		
Product:		
Additional ecological infor- mation	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Section 13: Disposal considerations

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Send to a licensed waste management company.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

Section 14: Transport information

ADG (Australian Dangerous	:
Goods) 7.6	Not regulated.

NZS (New Zealand's Standards) : 5433

Not regulated.



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.4	Revision Date: 19.03.2024	SDS Number: 66000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018	
ΙΑΤΑ		:		
		Not regu	ated.	
IMDG		:		
		Not regu	lated.	
		IMDG Er	nS Number :Not applicable.	
ADR		:		
		Not regu	ated.	

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number HSR002552 Cosmetic Products Group Standard 2020

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL) Not applicable

The components of this product are reported in the following inventories:		
AIIC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory

Section 16: Other information

Revision Date	: 19.03.2024
Date format	: dd.mm.yyyy

Full text of other abbreviations



This industrial Safety Data Sheet is not intended for consumers and does not address consumer use of the product. For information regarding consumer applications of this product, refer to the product label.

Version 1.4	Revision Date: 19.03.2024	SDS Number: 660000006962	Date of last issue: 19.03.2024 Date of first issue: 04.10.2018	
ACGIH ACGIH BEI NZ BEI NZ OEL		 USA. ACGIH Threshold Limit Values (TLV) ACGIH - Biological Exposure Indices (BEI) New Zealand. Biological Exposure Indices New Zealand. Workplace Exposure Standards for Atmospheric Contaminants 		
ACGIH / TWA ACGIH / STEL NZ OEL / WES-TWA NZ OEL / WES-STEL		: Short-term ex : Workplace Ex	veighted average posure limit posure Standard - Time Weighted average posure Standard - Short-Term Exposure Limit	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances: (Q)SAR - (Quantitative) Structure Activity Relationship: REACH - Regulation (EC) No. 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.