

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: FotoDent guide

Manufacturer: Dreve Dentamid GmbH

SDS Expiry: 26 April 2028

Supplier Details: Henry Schein New Zealand  
243-249 Bush Road, Rosedale, Auckland, 0632  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –  
0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 6 / 9

HSNO Group Standard: Dental Products Subsidiary Hazard Group Standard 2020  
HSR002558

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared – July 2023

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

FotoDent guide

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Material on methacrylate resin basis for DLP systems with 385nm resp. 405nm LED for manufacturing of dental surgical drill guides for tooth-supported and/or teethridge-supported and surgical invasive application

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

Dreve Dentamid GmbH

Max-Planck-Straße 31

59423 Unna

Telephone no.

+49 2303 8807-0

Fax no.

+49 2303 8807-29

Information provided

Department Research &amp; Development: Fax: +49 2303 8807-562

by / telephone

E-mail address of

sicherheitsdatenblatt@dreve.com

person responsible

for this SDS

### 1.4. Emergency telephone number

Henkel Fire Department / 24h-Emergency-Contact-No.: +49 211 797-3350

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Skin Sens. 1 H317

Aquatic Chronic 3 H412

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

For explanation of abbreviations see section 16.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Warning



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**Hazard statements**

H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H412	Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264.1	Wash hands thoroughly after handling.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501.1	Dispose of contents/container to industrial incineration plant.

**Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)**

contains	2-hydroxyethyl methacrylate; Hydroxylpropyl methacrylate; 7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate
----------	--

**2.3. Other hazards**

No special hazards have to be mentioned.

The product contains no PBT substances. The product contains no vPvB substances. This product does not contain a substance that has endocrine disrupting properties with respect to human. The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Hazardous ingredients****Bisphenol A, ethoxylated, dimethacrylate**

CAS No.	41637-38-1			
EINECS no.	609-946-4			
Registration no.	01-2119980659-17			
Concentration	>= 50			%
Classification (Regulation (EC) No. 1272/2008)	Aquatic Chronic 4	H413		

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate**

CAS No.	72869-86-4			
EINECS no.	276-957-5			
Registration no.	01-2120751202-68			
Concentration	>= 2,5	< 10		%
Classification (Regulation (EC) No. 1272/2008)	Skin Sens. 1B	H317		
	Aquatic Chronic 2	H411		

**2-hydroxyethyl methacrylate**

CAS No.	868-77-9			
EINECS no.	212-782-2			
Registration no.	01-2119490169-29			
Concentration	>= 1	< 6,3		%
Classification (Regulation (EC) No. 1272/2008)	Skin Irrit. 2	H315		
	Eye Irrit. 2	H319		



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Skin Sens. 1 H317

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note D

**Aliphatic urethane methacrylate**Concentration  $\geq$  1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

CAS No. 75980-60-8

EINECS no. 278-355-8

Registration no. 01-2119972295-29

Concentration  $\geq$  1 < 3 %

Classification (Regulation (EC) No. 1272/2008)

Repr. 2 H361f

**Hydroxypropyl methacrylate**

CAS No. 27813-02-1

EINECS no. 248-666-3

Registration no. 01-2119490226-37

Concentration  $\geq$  1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2 H319

Skin Sens. 1 H317

ATE oral 2.000 mg/kg

**Acrylic Resin**Concentration  $\geq$  1 < 3,6 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315

Eye Irrit. 2 H319

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid

**After inhalation**

Ensure supply of fresh air. Remove affected person from danger area. Seek medical advice immediately.

**After skin contact**

Wash off immediately with soap and water. Seek medical advice immediately.

**After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Take medical treatment.

**After ingestion**

Call in a physician immediately and show him the Safety Data Sheet. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

**Adhere to personal protective measures when giving first aid**

Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

First aider: Pay attention to self-protection!

#### 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

#### 4.3. Indication of any immediate medical attention and special treatment needed

##### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Extinguishing measures to suit surroundings

#### Non suitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

### 5.3. Advice for firefighters

#### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations. Observe manufacturer's / distributor's instructions.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

### 6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Do not pick up with the help of saw-dust or other combustible substances. Clean contaminated floors and objects thoroughly, observing environmental regulations. Containers in which spilt substance has been collected must be adequately labelled. Dispose of as prescribed.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid formation of aerosols. Avoid impact, friction and electro-static loading; risk of ignition!. Keep container tightly closed.

#### Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges. Avoid impact and friction. Use only explosion-proof equipment. Keep away from combustible material. Wear shoes with conductive soles.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

#### Hints on storage assembly

Do not store together with foodstuffs. Do not store with strong oxidizing agents.

#### Further information on storage conditions

Keep under lock and key or accessible only to specialists or people who are authorized. Keep container tightly closed and in a well-ventilated place. Keep in a cool place

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other information

Contains no substances with occupational exposure limit values.

#### Derived No/Minimal Effect Levels (DNEL/DMEL)

##### Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,233	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,145	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,0833	mg/kg/d

**Bisphenol A, ethoxylated, dimethacrylate**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,52	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	2	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,87	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,5	mg/kg

**2-hydroxyethyl methacrylate**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	4,9	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	dermal	



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Mode of action	Systemic effects	
Concentration	1,39	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	1,45	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,83	mg/kg/d

**Hydroxypropyl methacrylate**

Reference substance	Hydroxypropyl methacrylate	
Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	inhalative	
Concentration	14,7	mg/m <sup>3</sup>

Type of value	Hydroxypropyl methacrylate Derived No Effect Level (DNEL)	
Reference group	Worker	
Route of exposure	dermal	
Concentration	4,2	mg/kg/d

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	dermal	
Concentration	2,5	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	inhalative	
Concentration	8,8	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Route of exposure	oral	
Concentration	2,5	mg/kg

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	3,3	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Worker	
Duration of exposure	Long term	





Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	1,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	inhalative	
Mode of action	Systemic effects	
Concentration	0,6	mg/m <sup>3</sup>

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	oral	
Mode of action	Systemic effects	
Concentration	0,3	mg/kg

Type of value	Derived No Effect Level (DNEL)	
Reference group	Consumer	
Duration of exposure	Long term	
Route of exposure	dermal	
Mode of action	Systemic effects	
Concentration	0,7	mg/kg

**Predicted No Effect Concentration (PNEC)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Type of value	PNEC	
Type	Saltwater	
Concentration	0,00014	mg/l

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	0,115	mg/kg

Type of value	PNEC	
Type	Marine sediment	
Concentration	0,0115	mg/kg

Type of value	PNEC	
Type	Soil	
Concentration	0,0222	mg/kg

**2-hydroxyethyl methacrylate**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,482	mg/l

Type of value	PNEC	
Type	Soil	
Concentration	0,476	mg/kg

Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l

Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Type of value	PNEC	
Type	Freshwater sediment	
Concentration	3,79	mg/kg
Type of value	PNEC	
Type	Saltwater	
Concentration	0,482	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	3,79	mg/kg
Type of value	PNEC	
Type	Man via the environment	
Concentration	0,83	mg/kg/d

**Hydroxypropyl methacrylate**

Reference substance	Hydroxypropyl methacrylate	
Type of value	PNEC	
Type	Freshwater	
Concentration	0,904	mg/l
Type of value	Hydroxypropyl methacrylate PNEC	
Type	Freshwater sediment	
Concentration	6,28	mg/kg
Type of value	Hydroxypropyl methacrylate PNEC	
Type	Soil	
Concentration	0,727	mg/kg
Type of value	Hydroxypropyl methacrylate PNEC	
Type	Sewage treatment plant (STP)	
Concentration	10	mg/l
Type of value	PNEC	
Type	Marine	
Concentration	0,904	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	6,28	mg/kg

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

Type of value	PNEC	
Type	Freshwater	
Concentration	0,01	mg/l
Type of value	PNEC	
Type	Freshwater sediment	
Concentration	4,56	mg/kg
Type of value	PNEC	
Type	Saltwater	



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Concentration	0,001	mg/l
Type of value	PNEC	
Type	Marine sediment	
Concentration	0,46	mg/kg
Type of value	PNEC	
Type	Soil	
Concentration	0,91	mg/kg
Type of value	PNEC	
Type	Sewage treatment plant (STP)	
Concentration	3,61	mg/l
Type of value	PNEC	
Type	Water (intermittent release)	
Concentration	0,1	mg/l

## 8.2. Exposure controls

### General protective and hygiene measures

Do not smoke during work time. Hold emergency shower available. Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Take off immediately all contaminated clothing. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

### Respiratory protection

Do not inhale vapours; Use suitable respiratory protective device in case of insufficient ventilation

### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Hand protection must comply with EN 374.

Appropriate Material nitrile

### Eye protection

Safety glasses

### Body protection

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	liquid
<b>Colour</b>	Various, depending on coloration
<b>Odour</b>	characteristic
<b>Melting point</b>	
Remarks	not determined
<b>Freezing point</b>	
Remarks	not determined



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**Boiling point or initial boiling point and boiling range**

Value &gt; 100 °C

**Flammability**

not determined

**Upper and lower explosive limits**

Remarks not determined

**Flash point**

Value 91 °C

Method closed cup

**Ignition temperature**

Remarks not determined

**Decomposition temperature**

Remarks not determined

**pH value**

Remarks not determined

**Viscosity**

Remarks not determined

**Solubility(ies)**

Remarks not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Vapour pressure**

Remarks not determined

**Density and/or relative density**Value 1,1 g/cm<sup>3</sup>

Temperature 20 °C

**Relative vapour density**

Remarks not determined

**9.2. Other information****Odour threshold**

Remarks not determined

**Evaporation rate (ether = 1) :**

Remarks not determined

**Solubility in water**

Remarks virtually insoluble

**Explosive properties**

evaluation not determined

**Oxidising properties**

Remarks not determined

**Other information**

None known

**SECTION 10: Stability and reactivity**

Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

No hazardous reactions known.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

Protect from heat and direct sunlight

**10.5. Incompatible materials**

None known

**10.6. Hazardous decomposition products**

Irritant gases/vapours

## SECTION 11: Toxicological information

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

ATE	>	10.000	mg/kg
Method	calculated value (Regulation (EC) No. 1272/2008)		

**Acute oral toxicity (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

**Bisphenol A, ethoxylated, dimethacrylate**

Species	rat		
LD50	>	2000	mg/kg

**2-hydroxyethyl methacrylate**

Species	rat		
LD50	>	5564	mg/kg

**Hydroxypropyl methacrylate**

Species	rat		
LD50	>=	2000	mg/kg
Method	OECD 401		

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahehexadecane-1,16-diylbismethacrylate**

Species	rat		
LD50	>	5000	mg/kg
Method	OECD 401		

**Acrylic Resin**

LD50	>	2000	mg/kg
------	---	------	-------

**Aliphatic urethane methacrylate**

Species	rat		
LD50	>	2000	mg/kg

**Acute dermal toxicity**

Remarks Based on available data, the classification criteria are not met.

**Acute dermal toxicity (Components)**



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	rat	
LD50	> 2000	mg/kg
Method	OECD 402	

**Bisphenol A, ethoxylated, dimethacrylate**

Species	rat	
LD50	> 2000	mg/kg
Method	OECD 402	

**2-hydroxyethyl methacrylate**

Species	rabbit	
LD50	5000	mg/kg
Remarks	Test conducted with a similar formulation.	

**Hydroxypropyl methacrylate**

Species	rabbit	
LD50	> 5000	mg/kg

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

Species	rat	
LD50	> 2000	mg/kg
Method	OECD 402	

**Acrylic Resin**

LD50	> 2000	mg/kg
------	--------	-------

**Aliphatic urethane methacrylate**

Species	rabbit	
LD50	> 2000	mg/kg

**Acute inhalational toxicity**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Acute inhalative toxicity (Components)****Acrylic Resin**

LC50	> 5	mg/l
Duration of exposure	4	h
Administration/Form	Dust/Mist	

**Aliphatic urethane methacrylate**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Skin corrosion/irritation**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Skin corrosion/irritation (Components)****Acrylic Resin**

evaluation	irritant
------------	----------

**Aliphatic urethane methacrylate**

Remarks	Based on available data, the classification criteria are not met.
---------	---

**Serious eye damage/irritation**

evaluation	irritant
Remarks	The classification criteria are met.

**Serious eye damage/irritation (Components)****2-hydroxyethyl methacrylate**

Species	rabbit
evaluation	slightly irritant

**Hydroxypropyl methacrylate**

Species	rabbit
evaluation	slightly irritant



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**Acrylic Resin**

evaluation irritant

**Aliphatic urethane methacrylate**Species rabbit  
evaluation irritant**Sensitization**evaluation May cause sensitization by skin contact.  
Remarks The classification criteria are met.**Sensitization (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**Route of exposure dermal  
Species mouse  
evaluation May cause sensitization by skin contact.**2-hydroxyethyl methacrylate**

Remarks Possible sensitization potential with human beings.

**Hydroxypropyl methacrylate**Species mouse  
evaluation non-sensitizing  
Method OECD 429  
Remarks May cause sensitization by skin contact.**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**Route of exposure dermal  
Species mouse  
evaluation sensitizing**Aliphatic urethane methacrylate**

Remarks Based on available data, the classification criteria are not met.

**Subacute, subchronic, chronic toxicity**

Remarks not determined

**Mutagenicity**

Remarks Based on available data, the classification criteria are not met.

**Mutagenicity (Components)****Aliphatic urethane methacrylate**

evaluation Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Remarks Based on available data, the classification criteria are not met.

**Reproduction toxicity (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

evaluation Suspected of damaging fertility.

**Aliphatic urethane methacrylate**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity**

Remarks Based on available data, the classification criteria are not met.

**Carcinogenicity (Components)****Aliphatic urethane methacrylate**

evaluation Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT)****Single exposure**

Remarks Based on available data, the classification criteria are not met.

Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**Repeated exposure**

Remarks Based on available data, the classification criteria are not met.

**Specific Target Organ Toxicity (STOT) (Components)****Aliphatic urethane methacrylate**

Remarks Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**11.2 Information on other hazards****Endocrine disrupting properties with respect to humans**

The product does not contain a substance that has endocrine disrupting properties with respect to humans.

**Experience in practice**

Inhalation may lead to irritation of the respiratory tract.

**Other information**

No toxicological data are available.

## SECTION 12: Ecological information

**12.1. Toxicity****General information**

not determined

**Fish toxicity (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	carp (Cyprinus carpio)		
LC50	1,4		mg/l
Duration of exposure	96	h	
Method	OECD 203		

**Bisphenol A, ethoxylated, dimethacrylate**

Species	rainbow trout (Oncorhynchus mykiss)		
LC50	> 100		mg/l
Remarks	Test conducted with a similar formulation.		

**2-hydroxyethyl methacrylate**

Species	Oryzias latipes		
LC50	> 100		mg/l
Duration of exposure	96	h	
Method	OECD 203		

**Hydroxypropyl methacrylate**

Species	golden orfe (Leuciscus idus)		
LC50	493		mg/l
Duration of exposure	48	h	
Method	DIN 38412 / Part 15		

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

Species	zebra fish (Brachydanio rerio)		
LC50	10,1		mg/l
Duration of exposure	96	h	
Method	OECD 203		

**Daphnia toxicity (Components)**





Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	Daphnia magna		
EC50	3,53		mg/l
Duration of exposure	48	h	
Method	OECD 202		

**Bisphenol A, ethoxylated, dimethacrylate**

Species	Daphnia magna		
EC50	> 100		mg/l
Duration of exposure	48	h	
Remarks	Test conducted with a similar formulation.		

**2-hydroxyethyl methacrylate**

Species	Daphnia magna		
EC50	380		mg/l
Duration of exposure	48	h	
Method	OECD 202		

**2-hydroxyethyl methacrylate**

Species	Daphnia magna		
NOEC	24,1		mg/l
Duration of exposure	21	d	
Method	OECD 211		

**Hydroxypropyl methacrylate**

Species	Daphnia magna		
EC50	> 143		mg/l
Duration of exposure	48	h	
Method	OECD 202		

**Hydroxypropyl methacrylate**

Species	Daphnia magna		
NOEC	45,2		mg/l
Duration of exposure	21	d	
Method	OECD 211		

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

Species	Daphnia magna		
EC50	1,2		mg/l
Duration of exposure	48	h	
Method	OECD 202		

**Algae toxicity (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	Pseudokirchneriella subcapitata		
EC50	> 2,01		mg/l
Duration of exposure	72	h	
Method	OECD 201		

**Bisphenol A, ethoxylated, dimethacrylate**

Species	Pseudokirchneriella subcapitata		
EC50	> 100		mg/l
Duration of exposure	72	h	
Method	OECD 201		
Remarks	Test conducted with a similar formulation.		

**2-hydroxyethyl methacrylate**

Species	Pseudokirchneriella subcapitata		
EC50	345		mg/l
Duration of exposure	72	h	
Method	OECD 201		

**Hydroxypropyl methacrylate**

Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Species	Pseudokirchneriella subcapitata	
EC50	> 97,2	mg/l
Duration of exposure	72	h
Method	OECD 201	

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate**

Species	Scenedesmus subspicatus	
EC50	> 0,68	mg/l
Duration of exposure	72	h
Method	OECD 201	

**Bacteria toxicity (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Species	activated sludge	
EC50	> 1000	mg/l
Duration of exposure	3	h
Method	OECD 209	

**Bisphenol A, ethoxylated, dimethacrylate**

Species	activated sludge	
NOEC	14,3	mg/l
Duration of exposure	28	d
Remarks	Test conducted with a similar formulation.	

**2-hydroxyethyl methacrylate**

Species	Pseudomonas fluorescens	
EC0	> 3000	mg/l
Duration of exposure	16	h

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate**

Species	activated sludge	
NOEC	>= 36,1	mg/l
Duration of exposure	14	d

**12.2. Persistence and degradability****General information**

not determined

**Biodegradability (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

Value	< 0	to	10	%
Duration of test evaluation	28	d		
	not readily degradable			

**Bisphenol A, ethoxylated, dimethacrylate**

Value	24			%
Duration of test evaluation	28	d		
	readily degradable			
Remarks	Test conducted with a similar formulation.			

**2-hydroxyethyl methacrylate**

Value	92	to	100	%
Duration of test evaluation	14	d		
	Readily biodegradable (according to OECD criteria)			

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxa-5,12-diazahexadecane-1,16-diylbismethacrylate**

Value	22			%
Duration of test evaluation	28	d		
	not readily degradable			

**Ready degradability (Components)****Hydroxypropyl methacrylate**



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

Value	81		%
Duration of test	28	Days	

**12.3. Bioaccumulative potential****General information**

not determined

**Partition coefficient n-octanol/water (log value)**

Remarks not determined

**Octanol/water partition coefficient (log Pow) (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

log Pow	3,1	
Temperature	23	°C

**Bisphenol A, ethoxylated, dimethacrylate**

log Pow	4,39
---------	------

**2-hydroxyethyl methacrylate**

log Pow	0,42	
Temperature	25	°C
Method	OECD 107	

**Hydroxypropyl methacrylate**

log Pow	0,97	
Temperature	20	°C

**7,7,9(7,9,9)-trimethyl-4,13-dioxo-3,14-dioxo-5,12-diazahexadecane-1,16-diylbismethacrylate**

log Pow	3,39	
Temperature	20	°C

**Bioconcentration factor (BCF) (Components)****Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide**

BCF	47	to	55
Concentration	0,1	mg/l	
Duration of exposure	8	Weeks	
Medium	Freshwater		
Species	carp (Cyprinus carpio)		

**12.4. Mobility in soil****General information**

not determined

**12.5. Results of PBT and vPvB assessment****General information**

not determined

**Results of PBT and vPvB assessment**

The product contains no PBT substances  
The product contains no vPvB substances.

**12.6 Endocrine disrupting properties****Endocrine disrupting properties with respect to the environment**

The product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms.

**12.7. Other adverse effects****General information**

not determined



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

**General information / ecology**

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations for the product**

Must not be disposed together with household garbage.

Dispose of waste according to applicable legislation.

**Disposal recommendations for packaging**

Packaging that cannot be cleaned should be disposed off as product waste.

**SECTION 14: Transport information**

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	The product does not constitute a hazardous substance in land transport.	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.
14.2. UN proper shipping name	-	-	-
14.3. Transport hazard class(es)		-	-
Label			
14.4. Packing group		-	-
14.5. Environmental hazards		no	-

**SECTION 15: Regulatory information****15.2. Chemical safety assessment**

For this preparation a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Hazard statements listed in Chapter 3**

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H361f	Suspected of damaging fertility.



Trade name: FotoDent guide

Substance number: 9370

Version: 1 / GB

Date revised: 26.04.2023

Replaces Version: - / GB

Print date: 26.04.2023

H411

Toxic to aquatic life with long lasting effects.

H413

May cause long lasting harmful effects to aquatic life.

**CLP categories listed in Chapter 3**

Aquatic Chronic 2

Hazardous to the aquatic environment, chronic, Category 2

Aquatic Chronic 4

Hazardous to the aquatic environment, chronic, Category 4

Eye Irrit. 2

Eye irritation, Category 2

Repr. 2

Reproductive toxicity, Category 2

Skin Irrit. 2

Skin irritation, Category 2

Skin Sens. 1

Skin sensitization, Category 1

Skin Sens. 1B

Skin sensitization, Category 1B

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*

This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.