

| Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand         |
|--|
| specific information for this product and must be read in conjunction with the Safety Data |
| Sheet (SDS) attached   |

| Product Name:          | CAVITY CONDITIONER   |
|------------------------|--|
| Manufacturer:          | GC Corporation   |
| SDS Expiry:            | 10 October 2028  |
| Supplier Details:      | Henry Schein New Zealand<br>243-249 Bush Road, Rosedale, Auckland, 0632<br>PO Box 101 140, North Shore, Auckland 0745<br>Ph. 0800 808 855<br>www.henryschein.co.nz |
| Emergency Contacts:    | Poisons/Hazardous Chemical Info Centre –<br>0800POISON/0800764766 (24 Hours)<br>Phone 111 for Fire, Ambulance or Police  |
| HSNO Class/Category:   | 8/9  |
| HSNO Group Standard:   | Dental Products Subsidiary Hazard Group Standard 2020<br>HSR002558   |
| Statements/Pictograms: | As per attached Safety Data Sheet (SDS)  |
| Date Prepared:         | This coversheet was prepared – January 2025  |

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Page 1/9

## Safety Data Sheet in accordance with HSNO

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: CAVITY CONDITIONER

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.* 

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

## 2 Hazards identification

#### · Classification of the substance or mixture

*Eye Dam. 1* H318 Causes serious eye damage.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

#### · Label elements

• **GHS** label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

• Hazard pictograms



Signal word Danger
Hazard statements

Causes serious eye damage.
Toxic to aquatic life with long lasting effects.

Precautionary statements

Avoid release to the environment.
Wear eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Immediately call a POISON CENTER/doctor.
Collect spillage.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

NZ

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

(Contd. of page 1)

### Trade name: CAVITY\_CONDITIONER

#### • Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/Information on ingredients

#### · Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| · Dangerous  | s components:   |         |
|--------------|---|---------|
| 9003-01-4    | Polyacrylic acid  | 10-<25% |
|              | <i>Eye Irrit. 2, H319</i>   |         |
| 7784-13-6    | aluminum chloride hexahydrate   | 2.5-<5% |
|              | Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Skin Irrit. 2, H315                   |         |
| · Additional | <i>information:</i> For the wording of the listed hazard phrases refer to section 16. |         |

## 4 First aid measures

#### · General information:

*Immediately remove any clothing soiled by the product.* 

- If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

#### • After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

- After eye contact:
- Protect unharmed eye.

*Rinse opened eye for several minutes under running water. Call a doctor immediately.* 

• After swallowing:

*Rinse out mouth and then drink plenty of water. If symptoms persist consult doctor.* 

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.

(Contd. on page 3)

Printing date 10.10.2023

#### Version number 4

Revision: 10.10.2023

(Contd. of page 2)

### Trade name: CAVITY\_CONDITIONER

· Protective equipment: Wear self-contained respiratory protective device.

#### • Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

## 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Remove persons from danger area.* 

Avoid contact with the eyes and skin.

Wear protective clothing.

• Environmental precautions:

- Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

 $\cdot$  Methods and material for containment and cleaning up:

Use neutralising agent.

Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

• Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Protect against electrostatic charges.

· Storage:

- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

### Trade name: CAVITY\_CONDITIONER

(Contd. of page 3)

N7

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

- *Respiratory protection:* Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



\*

Tightly sealed goggles

| General Information                            |   |  |
|--|---|--|
| Appearance:                                    |   |  |
| Form:  | Liquid  |  |
| Colour:  | Light yellow                                  |  |
| Odour:   | Odourless                                     |  |
| Odour threshold:                               | Not determined.                               |  |
| pH-value at 20 °C:                             | 1.9   |  |
| Change in condition                            |   |  |
| Melting point/freezing point:                  | Undetermined.                                 |  |
| Initial boiling point and boiling range:       | Undetermined.                                 |  |
| Flash point:                                   | Not applicable.                               |  |
| Flammability (solid, gas):                     | Not applicable.                               |  |
| Auto-ignition temperature:                     | Undetermined.                                 |  |
| Decomposition temperature:                     | Not determined.                               |  |
| Ignition temperature:                          | Product is not selfigniting.                  |  |
| Explosive properties:                          | Product does not present an explosion hazard. |  |
| Explosion limits:                              |   |  |
| Lower:   | Not determined.                               |  |
| Upper:   | Not determined.                               |  |
| Vapour pressure:                               | Not determined.                               |  |
| Density:                                       | Not determined.                               |  |
| Relative density                               | Not determined.                               |  |
| Vapour density                                 | Not determined.                               |  |
| Evaporation rate                               | Not determined.                               |  |
| Solubility in / Miscibility with               |   |  |
| water:   | Fully miscible.                               |  |
| <i>Partition coefficient: n-octanol/water:</i> | Not determined.                               |  |

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

## Trade name: CAVITY\_CONDITIONER

|                   |  | (Contd. of page |
|-------------------|--|-----------------|
| Viscosity:        |  |                 |
| Dynamic:          | Not determined.                            |                 |
| Kinematic:        | Not determined.                            |                 |
| Solvent content:  |  |                 |
| Water:            | 77.0 %                                     |                 |
| VOC (EC)          | $0.0 \ g/l$                                |                 |
| Other information | No further relevant information available. |                 |

## 10 Stability and reactivity

• *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *Possibility of hazardous reactions* No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

7784-13-6 aluminum chloride hexahydrate

*Oral LD50 3,311 mg/kg* (*rat* (*f*+*m*))

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

• *Repeated dose toxicity No further relevant information available.* 

• **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** No further relevant information available.

# 12 Ecological information

#### · Toxicity

· Aquatic toxicity:

7784-13-6 aluminum chloride hexahydrate

LC50/96h 0.671 mg/L (fish)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

NZ

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

## Trade name: CAVITY\_CONDITIONER

(Contd. of page 5)

· Mobility in soil No further relevant information available.

- · Ecotoxical effects:
- Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- *Other adverse effects No further relevant information available.*

## 13 Disposal considerations

#### · Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| · UN-Number<br>· NZS, IMDG, IATA | UN3082  |
|----------------------------------|---|
| UN proper shipping name<br>NZS   | 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE<br>LIQUID, N.O.S. (aluminum chloride hexahydrate)                |
| IMDG                             | ENVIRONMENTALLY HAZARDOUS SUBSTANCE<br>LIQUID, N.O.S. (aluminum chloride hexahydrate), MARIN<br>POLLUTANT |
| IATA                             | ENVIRONMENTALLY HAZARDOUS SUBSTANCE<br>LIQUID, N.O.S. (aluminum chloride hexahydrate)                     |
| Transport hazard class(es)       |   |
| NZS                              |   |
|                                  |   |
| Class                            | 9 (M6) Miscellaneous dangerous substances and articles.   |

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

Trade name: CAVITY\_CONDITIONER

|  | (Contd. of page  |
|--|--|
| Label  | 9  |
| · IMDG, IATA   |  |
|  |  |
| · Class<br>· Label   | 9 Miscellaneous dangerous substances and articles.<br>9  |
| Packing group<br>NZS, IMDG, IATA   | III  |
| Environmental hazards:<br>Marine pollutant:<br>Special marking (NZS):<br>Special marking (IATA):               | Yes<br>Symbol (fish and tree)<br>Symbol (fish and tree)<br>Symbol (fish and tree)  |
| Special precautions for user<br>Hazard identification number (Kemler code):<br>EMS Number:<br>Stowage Category | Warning: Miscellaneous dangerous substances and articles<br>90<br>F-A,S-F<br>A   |
| Transport in bulk according to Annex II of Mar<br>and the IBC Code   | <b>pol</b><br>Not applicable.  |
| Transport/Additional information:  |  |
| NZS<br>Limited quantities (LQ)<br>Excepted quantities (EQ)<br>Transport category<br>Tunnel restriction code    | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml<br>3<br>(-) |
| IMDG<br>Limited quantities (LQ)<br>Excepted quantities (EQ)  | 5L<br>Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml             |
| UN "Model Regulation":   | UN 3082 ENVIRONMENTALLY HAZARDOU<br>SUBSTANCE, LIQUID, N.O.S. (ALUMINUM CHLORID<br>HEXAHYDRATE), 9, III                            |

#### \*

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

### · New Zealand Inventory of Chemicals

All ingredients are listed.

### · HSNO Approval numbers

None of the ingredients is listed.

(Contd. on page 8)

NZ

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

### Trade name: CAVITY\_CONDITIONER

*LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent* 

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

| (Contd. of page 7)<br>• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).<br>• Hazard pictograms   |
|---|
| GHS05 GHS09   |
| <ul> <li>Signal word Danger</li> <li>Hazard statements</li> <li>Causes serious eye damage.</li> <li>Toxic to aquatic life with long lasting effects.</li> <li>Precautionary statements</li> <li>Avoid release to the environment.</li> <li>Wear eye protection / face protection.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.</li> <li>Continue rinsing.</li> <li>Immediately call a POISON CENTER/doctor.</li> <li>Collect spillage.</li> <li>Dispose of contents/container in accordance with local/regional/national/international regulations.</li> </ul>   |
| <ul> <li>Directive 2012/18/EU</li> <li>Named dangerous substances - ANNEX I None of the ingredients is listed.</li> <li>Seveso category E2 Hazardous to the Aquatic Environment</li> <li>Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t</li> <li>Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t</li> <li>Chemical safety assessment: A Chemical Safety Assessment has not been carried out.</li> </ul>  |
| 16 Other information  |
| • <b>Relevant phrases</b><br>H315 Causes skin irritation.<br>H319 Causes serious eye irritation.<br>H400 Very toxic to aquatic life.<br>H410 Very toxic to aquatic life with long lasting effects.  |
| <ul> <li>Department issuing SDS: Regulatory affairs</li> <li>Contact: msds@gc.dental</li> <li>Abbreviations and acronyms: <ul> <li>ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)</li> <li>IMDG: International Maritime Code for Dangerous Goods</li> <li>IATA: International Air Transport Association</li> <li>EINECS: European Inventory of Existing Commercial Chemical Substances</li> <li>ELINCS: European List of Notified Chemical Substances</li> <li>CAS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>VOC: Volatile Organic Compounds (USA, EU)</li> </ul> </li> </ul> |

(Contd. on page 9)

Printing date 10.10.2023

Version number 4

Revision: 10.10.2023

(Contd. of page 8)

NZ

### Trade name: CAVITY\_CONDITIONER

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Sources

· Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

• \* Data compared to the previous version altered.

This version replaces all previous versions.

### Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.