

Page 1/10

### Safety Data Sheet in accordance with HSNO

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

1 Identification of the substance or mixture and of the supplier

- · Product identifier
- · Trade name: EQUIA Forte Coat

• *Relevant identified uses of the substance or mixture and uses advised against* No further relevant information available.

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

### 2 Hazards identification

#### · Classification of the substance or mixture

	5			
	Flam. Liq. 2		H225 Highly flammable liquid and vapour.	
	Skin Irrit. 2		H315 Causes skin irritation.	
	Skin Sens. 1		H317 May cause an allergic skin reaction.	
	Repr. 2		H361 Suspected of damaging fertility or the unborn child.	
	STOT SE 3		H335 May cause respiratory irritation.	
	Aquatic Chroni	c 3	H412 Harmful to aquatic life with long lasting effects.	
-				1

#### · Label elements

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Exemptions* 

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labelling: Methyl methacrylate* 

*diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide* 

· Hazard statements

*Highly flammable liquid and vapour. Causes skin irritation.* 

May cause an allergic skin reaction.

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

### Trade name: EQUIA\_Forte\_Coat

	(Contd. of page 1)
Suspected of damaging fertility or the unborn child.	
May cause respiratory irritation.	
Harmful to aquatic life with long lasting effects.	
Precautionary statements	
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokin	ıg.
<i>Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.</i>	
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water	[or shower].
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regula	itions.
Other hazards	
Results of PBT and vPvB assessment	
<b>PBT:</b> Not applicable.	
<b>vPvB:</b> Not applicable.	

# 3 Composition/Information on ingredients

#### · Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:				
CAS: 80-62-6 Methyl methacrylate	25-<50%			
EINECS: 201-297-1 Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3	3, H335			
CAS: 75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	≥3-<5%			
EINECS: 278-355-8 Repr. 2, H361				
CAS: 128-37-0 Butylated hydroxytoluene	0.5-<1%			
EINECS: 204-881-4 Aquatic Acute 1, H400; Aquatic Chronic 1, H410				
·SVHC				
75980-60-8 diphenvl(2,4,6-trimethvlbenzovl)phosphine oxide				

75980-60-8 *diphenyl*(2,4,6-trimethylbenzoyl)phosphine oxide

• Additional information: For the wording of the listed hazard phrases refer to section 16.

### 4 First aid measures

- General information:
- Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• *After skin contact: Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.* 

If skin irritation continues, consult a doctor.

#### · After eye contact:

- Rinse opened eye for several minutes under running water.
- If symptoms persist consult doctor.

(Contd. on page 3)

<sup>-</sup> N'

Printing date 10.04.2024

#### Version number 4

Revision: 10.04.2024

(Contd. of page 2)

### Trade name: EQUIA\_Forte\_Coat

• After swallowing:

- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed Allergic reactions • Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- *Special hazards arising from the substance or mixture* Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing.* 

• Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

#### • Methods and material for containment and cleaning up:

*Ensure adequate ventilation.* 

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

#### · Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

### 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

(Contd. on page 4)

NZ

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

(Contd. of page 3)

### Trade name: EQUIA\_Forte\_Coat

Do not spray onto a naked flame or any incandescent material.

· Storage:

- *Requirements to be met by storerooms and receptacles:* Store in a cool location. Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Store in a cool place.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:					
80-62-6 Methyl methacrylate					
WES (New Zealand)		Short-term value: 416 mg/m³, 100 ppm			
		Long-term value: 208 mg/m <sup>3</sup> , 50 ppm			
		skin, dsen			
IOELV (Eur		Short-term value: 100 ppm			
		Long-term value: 50 ppm			
· DNELs					
	thyl methacryld	ate			
Dermal L	ONEL dermal	13.67 mg/kg bw/day (man) (worker, l. te., syst.)			
Inhalative L	ONEL inhalatio	on 208 mg/m3 (air) (worker, l. te., syst.)			
128-37-0 Bu	itylated hydrox	cytoluene			
Dermal L	ONEL dermal	0.5 mg/kg bw/day (man)			
Inhalative L	ONEL inhalatio	on 3.5 mg/m3 (man)			
		he lists valid during the making were used as basis.			
	otective equipn				
		gienic measures:			
	ct with the eyes	easures are to be adhered to when handling chemicals.			
		and at the end of work.			
		beverages and feed.			
		led and contaminated clothing			
		itable respiratory protective device recommended.			
· Protection o	f hands:				
P	Protective glove	25			
• <b>Material of</b> The selection		e gloves does not only depend on the material, but also on further marks of quality an			

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

NZ

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

### Trade name: EQUIA\_Forte\_Coat

(Contd. of page 4)

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Liquid Clear Pungent Not determined. Not determined. Undetermined. 10 °C Highly flammable. Undetermined.
Clear Pungent Not determined. Not determined. Undetermined. 10 °C Highly flammable. Undetermined.
Clear Pungent Not determined. Not determined. Undetermined. 10 °C Highly flammable. Undetermined.
Not determined. Not determined. Undetermined. Undetermined. 10 °C Highly flammable. Undetermined.
Not determined. Not determined. Undetermined. Undetermined. 10 °C Highly flammable. Undetermined.
Undetermined. Undetermined. 10 °C Highly flammable. Undetermined.
Undetermined. 10 °C Highly flammable. Undetermined.
Undetermined. 10 °C Highly flammable. Undetermined.
10 °C Highly flammable. Undetermined.
10 °C Highly flammable. Undetermined.
Undetermined.
Not determined.
Product is not selfigniting.
Product does not present an explosion hazard.
2.1 Vol %
12.5 Vol %
Not determined.
1.06 g/cm <sup>3</sup>
Not determined.
Not determined.
Not determined.
Insoluble.
Not determined.
Not determined.
Not determined.
0.0 g/l

# 10 Stability and reactivity

• *Reactivity* No further relevant information available.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

(Contd. on page 6)

<sup>—</sup> NZ —

Printing date 10.04.2024

#### Version number 4

Revision: 10.04.2024

Trade name: EQUIA\_Forte\_Coat

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

• Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

· Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

Oral	LD50	6,000 mg/	'kg (	(rabbit)

Dermal LD50 >5,000 mg/kg (rab) Inhalative LC50/4 h 29.8 mg/l (rat (f+m))

128-37-0 Butylatad hydroxytoluana

128-37-0 Butylated hydroxytoluene

*Oral LD50* >6,000 mg/kg (rat (f+m)) (OECD 401)

• Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Suspected of damaging fertility or the unborn child.

• STOT-single exposure May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

· Repeated dose toxicity No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

### 12 Ecological information

#### · Toxicity

· Aquatic toxicity:

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

· Persistence and degradability No further relevant information available.

· Behaviour in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- **Remark:** Harmful to fish
- · Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Harmful to aquatic organisms

(Contd. on page 7)

(Contd. of page 5)

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

(Contd. of page 6)

Trade name: EQUIA\_Forte\_Coat

· Results of PBT and vPvB assessment

• *PBT*: Not applicable.

• **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

## 13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.* 

UN-Number	
NZS, IMDG, IATA	UN1247
UN proper shipping name	
NZS	1247 METHYL METHACRYLATE MONOMEL STABILIZED
IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZED
Transport hazard class(es)	
NZS	
3	
Class	3 (F1) Flammable liquids.
Label	3
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
Packing group	
NZS, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number: Stowage Category	F-E,S-D C

NZ -

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

Trade name: EQUIA\_Forte\_Coat

	(Contd. of page
Stowage Code	SW1 Protected from sources of heat.
-	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	f Marpol
and the IBC Code	Not applicable.
Transport/Additional information:	Temperature control is not required, in regards to Specia Provision 386. Product uses chemical stabilization.
NZS	
Limited quantities (LQ)	1L
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER
	STABILIZED, 3, II

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals				
29570-58-9 2-[[3-[(1-oxoallyl)oxy]-2,2-bis[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl]propoxy]methyl]-2-[[(1-oxoallyl)oxy]methyl]propoxy]methyl[propoxy]methyl]propoxy]methyl[propoxy]methyl]propoxy]methyl[propoxy]methyl]propoxy]methyl[propoxy]me				
	methyl]-1,3-propanediyl diacrylate			
	5 Methyl methacrylate			
7631-86-	9 silicon dioxide			
75980-60-	8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide			
10287-53-3 ethyl 4-dimethylaminobenzoate				
128-37-	0 Butylated hydroxytoluene			
10373-78-	l Camphorquinone			
2530-85-	3-trimethoxysilylpropyl methacrylate			
· HSNO Approval numbers				
80-62-6 M	Tethyl methacrylate HSR001195			

 80-62-6
 Methyl methacrylate
 HSR001195

 • GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



· Signal word Danger

(Contd. on page 9)

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

#### Trade name: EQUIA\_Forte\_Coat

(Contd. of page 8) · Hazard-determining components of labelling: Methyl methacrylate *diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide* · Hazard statements Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. Harmful to aquatic life with long lasting effects. Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eve protection/face protection/hearing protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category P5c FLAMMABLE LIQUIDS • Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t • Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t • Other regulations, limitations and prohibitive regulations Substances of very high concern (SVHC) according to REACH, Article 57 75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. 16 Other information

#### J

Relevant phrases
H225 Highly flammable liquid and vapour.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
H361 Suspected of damaging fertility or the unborn child.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

#### · Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

#### • Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

(Contd. on page 10)

NZ

Printing date 10.04.2024

Version number 4

Revision: 10.04.2024

### Trade name: EQUIA\_Forte\_Coat

	(Contd. of page 9)
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1 Prove 2: Prove duction training Contensor 2	
Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Acute 1: Hazardous to the aquatic environment - dcute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3	
· Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
• * Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statements	s recommendations
or suggestions are made without any guarantee, representation or warranty, express or im	
Therefore, no warranty is made or to be implied that the information set out in this docum	
complete, and we accordingly exclude all liability in connection with the use of this informat	
referred to herein. All such risks are assumed by the purchaser/user. The information conta	ined herein is also
subject to change without notice. For the avoidance of doubt, however, nothing in this doc	cument excludes or
limits our liability for death or personal injury caused by our negligence or for fraudulent misr	
	1
	NZ
	1 VZ