

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand
specific information for this product and must be read in conjunction with the Safety Data
Sheet (SDS) attached

Product Name:	FujiCEM 2 Paste A & B
Manufacturer:	GC Corporation
SDS Expiry:	30 November 2028
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6 / 9
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – December 2024

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: GC FujiCEM 2 Paste A

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

······	
Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT RE 2	H373 May cause damage to the lung through prolonged or repeated exposure. Route of
	exposure: Inhalation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Label elements

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Exemptions*

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). Hazard pictograms



· Signal word Warning

• Hazard-determining components of labelling: 2-hydroxyethyl metacrylate Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica 2,2'-ethylenedioxydiethyl dimethacrylate Urethane Dimethacrylate (UDMA) • Hazard statements

Causes skin irritation. Causes serious eye irritation.

(Contd. on page 2)

NZ

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_A

(Contd. of page 1)

May cause an allergic skin reaction.

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation. Harmful to aquatic life with long lasting effects.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.

Wear protective gloves / eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:			
CAS: 868-77-9	2-hydroxyethyl metacrylate	10-<25%	
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317		
CAS: 68909-20-6 EINECS: 272-697-1	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica STOT RE 2, H373	5-<10%	
CAS: 109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	5-<10%	
EINECS: 203-652-6	Skin Sens. 1, H317		
CAS: 41637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2- methylprop-2-enoic acid.	2.5-<5%	
	Aquatic Chronic 4, H413		
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	2.5-<5%	
EINECS: 276-957-5	Aquatic Chronic 2, H411; Skin Sens. 1, H317		
CAS: 128-37-0 Butylated hydroxytoluene		0.1-<0.2%	
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410		
• Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.		

4 First aid measures

• General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly. Seek medical treatment.

(Contd. on page 3)

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

(Contd. of page 2)

Trade name: GC_FujiCEM_2_Paste_A

If skin irritation continues, consult a doctor.

After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire fighting measures

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · Protective equipment: Wear self-contained respiratory protective device.
- Additional information Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.
 Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

• Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Protect against electrostatic charges.

(Contd. on page 4)

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_A

(Contd. of page 3)

· Storage:

- · Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: None.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

128-37-0 Butylated hydroxytoluene

DermalDNEL dermal0.5 mg/kg bw/day (man)InhalativeDNEL inhalation3.5 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

• General Information		
· Appearance:		
· Form:	Pasty	
· Colour:	Orange	

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_A

		(Contd. of page 4)
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
Change in condition		
· Melting point/freezing point:	Undetermined.	
· Initial boiling point and boiling range:	· Undetermined.	
· Flash point:	Not applicable.	
Flammability (solid, gas):	Not applicable.	
• Auto-ignition temperature:	Undetermined.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
· water:	Insoluble.	
• Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
· Solvent content:		
· <i>VOC (EC)</i>	0.0 g/l	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

128-37-0 Butylated hydroxytoluene

Oral LD50 >6,000 mg/kg (rat (f+m)) (OECD 401)

(Contd. on page 6)

NZ -

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

(Contd. of page 5)

Trade name: GC_FujiCEM_2_Paste_A

· Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye irritation.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure

May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

• Aspiration hazard Based on available data, the classification criteria are not met.

• Additional toxicological information:

· Repeated dose toxicity May cause damage to organs through prolonged or repeated exposure.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological information

· Toxicity

· Aquatic toxicity:

72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

• *Persistence and degradability* No further relevant information available.

· Behaviour in environmental systems:

· Bioaccumulative potential No further relevant information available.

• *Mobility in soil* No further relevant information available.

• Additional ecological information:

• General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

(Contd. on page 7)

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

(Contd. of page 6)

Trade name: GC_FujiCEM_2_Paste_A

14 Transport information · UN-Number · NZS, ADN, IMDG, IATA not regulated · UN proper shipping name · NZS, ADN, IMDG, IATA not regulated · Transport hazard class(es) · NZS, ADN, IMDG, IATA · Class not regulated · Packing group · NZS, IMDG, IATA not regulated · Environmental hazards: · Marine pollutant: No · Special precautions for user Not applicable. · Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · UN "Model Regulation": not regulated

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

· HSNO Approval numbers

None of the ingredients is listed.

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labelling:
2-hydroxyethyl metacrylate
Silanamine, 1, 1, 1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica
2,2'-ethylenedioxydiethyl dimethacrylate
Urethane Dimethacrylate (UDMA)
Hazard statements
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
May cause damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
Harmful to aquatic life with long lasting effects.

(Contd. on page 8)

⁻ N.

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_A

(Contd. of page 7)

Precautionary statements
Do not breathe dust/fume/gas/mist/vapours/spray.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.
Wear protective gloves / eye protection / face protection.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. · Department issuing SDS: Regulatory affairs · Contact: msds@gc.dental · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4 · Sources • ECHA (http://echa.europa.eu/) • EnviChem (www.echemportal.org) • * Data compared to the previous version altered. This version replaces all previous versions. Disclaimer: The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part.

(Contd. on page 9)

NZ

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_A

(Contd. of page 8)

NZ.

Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.



Page 1/8

Safety Data Sheet in accordance with HSNO

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

1 Identification of the substance or mixture and of the supplier

· Product identifier

• Trade name: GC FujiCEM 2 Paste B

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 1 H372 Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Label elements

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Exemptions*

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5). • Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: Tartaric acid Quartz
Hazard statements Causes serious eye damage. Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
Precautionary statements Do not breathe dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Wear eye protection / face protection.

(Contd. on page 2)

— NZ

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

(Contd. of page 1)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:				
CAS: 9003-01-4	Polyacrylic acid	Eye Irrit. 2, H319	25-<50%	
CAS: 14808-60-7 EINECS: 238-878-4		<i>STOT RE 1, H372</i>	10-<25%	
CAS: 87-69-4 EINECS: 201-766-0	Tartaric acid	Eye Dam. 1, H318	5-<10%	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

• General information:

Immediately remove any clothing soiled by the product. If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Seek medical treatment.

If skin irritation continues, consult a doctor.

- After eye contact:
- Protect unharmed eye.

Rinse opened eye for several minutes under running water.

- Call a doctor immediately.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

(Contd. of page 2)

5 Fire fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- *Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire.*
- No further relevant information available.
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.

• Methods and material for containment and cleaning up: Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Protect against electrostatic charges.

· Storage:

- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions: Keep container tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 4)

NZ

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

Ingredients with limit valu	(Contd. of page 2) (Contd. of page 2) (Contd. of page 2)
14808-60-7 Quartz	tes inta require montioring at the workplace.
TWA (New Zealand)	Long-term value: 0.2 mg/m ³
	confirmed carcinogen; respirable dust
WES (New Zealand)	Long-term value: 0.2 mg/m ³
	confirmed carcinogen; respirable dust
BOELV (European Union)	Long-term value: $0.1* \text{ mg/m}^3$
_ · · _ · (· p · · ·)	*respirable fraction
	he lists valid during the making were used as basis.
Personal protective equip	
General protective and hy	
	easures are to be adhered to when handling chemicals.
Avoid contact with the eyes	
Wash hands before breaks	
Keep away from foodstuffs	
2	iled and contaminated clothing
Respiratory protection: Su Protection of hands:	itable respiratory protective device recommended.
varies from manufacturer t the glove material can not Penetration time of glove	time has to be found out by the manufacturer of the protective gloves and has to b
Physical and chemica General Information Appearance: Form: Colour: Odour: Odour: Odour threshold:	l properties Pasty Blue Characteristic Not determined.
pH-value:	Not determined.
Change in condition	
Malting paint/frazing pai	nt. Undetermined

• Melting point/freezing point: Undetermined. • Initial boiling point and boiling range: Undetermined.

• Flash point: Not applicable.

(Contd. on page 5)

⁻ NZ -

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

		(Contd. of page 4)
· Flammability (solid, gas):	Not applicable.	
Auto-ignition temperature:	Undetermined.	
· Decomposition temperature:	Not determined.	
· Ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
· Solvent content:		
· Water:	36.4 %	
· VOC (EC)	0.0 g/l	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification: No further relevant information available.
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure
- Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- \cdot Additional toxicological information:
- *Repeated dose toxicity No further relevant information available.*

(Contd. on page 6)

NZ

Safety Data Sheet

in accordance with HSNO

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number		
· NZS, ADN, IMDG, IATA	not regulated	
· UN proper shipping name		
· NZS, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· NZS, ADN, IMDG, IATA		
· Class	not regulated	
· Packing group		
· NZS, IMDG, IATA	not regulated	
· Environmental hazards:		
· Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex I	I of Marpol	
and the IBC Code	Not applicable.	
		(Contd. on page 7

N7

Safety Data Sheet

in accordance with HSNO

Printing date 30.11.2023

Version number 3

not regulated

Revision: 30.11.2023

(Contd. of page 6)

HSR003125

Trade name: GC_FujiCEM_2_Paste_B

· UN "Model Regulation":

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

· HSNO Approval numbers

14808-60-7 Quartz

• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). • Hazard pictograms



· Signal word Danger

• Hazard-determining components of labelling: Tartaric acid Quartz

· Hazard statements

Causes serious eye damage.

Causes damage to the lung through prolonged or repeated exposure. Route of exposure: Inhalation.

· Precautionary statements

Do not breathe dust/fume/gas/mist/vapours/spray.

Wash thoroughly after handling.

Wear eye protection / face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

· Relevant phrases

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H372 Causes damage to organs through prolonged or repeated exposure.

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

NZ

Printing date 30.11.2023

Version number 3

Revision: 30.11.2023

Trade name: GC_FujiCEM_2_Paste_B

	(Contd. of page 7)
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1	
· Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
* * Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statement.	s. recommendations
or suggestions are made without any guarantee, representation or warranty, express or in	
Therefore, no warranty is made or to be implied that the information set out in this docur	
complete, and we accordingly exclude all liability in connection with the use of this information	
referred to herein. All such risks are assumed by the purchaser/user. The information conta	
subject to change without notice. For the avoidance of doubt, however, nothing in this do	cument excludes or
limits our liability for death or personal injury caused by our negligence or for fraudulent miss	representation.
	NZ