

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

## 1 Identification of the substance or mixture and of the supplier

- · Product identifier
- · Trade name: G-CEM Veneer
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Auxillary for dental technology
- Details of the supplier of the safety data sheet Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

· Further information obtainable from: Regulatory affairs

· Emergency telephone number: 0800 764 766 (National Poisons Centre)

## 2 Hazards identification

· Classification of the substance or mixture

Eye irritation Category 2 H319 Causes serious eye irritation.

Skin sensitisation Category 1 H317 May cause an allergic skin reaction.

Reproductive toxicity Category 1 H360 May damage fertility or the unborn child.

Hazardous to the aquatic environment chronic Category 3H412 Harmful to aquatic life with long lasting effects.

\_\_\_\_\_

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).
- · Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms





GHS07 GHS08

- · Signal word Danger
- · Hazard-determining components of labelling:

(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde

· Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM\_Veneer

(Contd. of page 1)

#### · Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/Information on ingredients

- · Chemical characterisation: Mixtures
- · Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

Dangerous compone		
CAS: 41637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.	10-<25%
	Hazardous to the aquatic environment chronic Category 4, H413	
CAS: 43048-08-4 EINECS: 256-062-6	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate Skin irritation Category 2, H315; Eye irritation Category 2, H319; Skin sensitisation Category 1, H317; Specific target organ toxicity - single exposure Category 3, H335	5-<10%
CAS: 1985-51-9	2,2-dimethyl-1,3-propanediyl bismethacrylate	2.5-<5%
EINECS: 217-856-8	Skin irritation Category 2, H315; Eye irritation Category 2, H319	
CAS: 9003-08-1	1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde Serious eye damage Category 1, H318; Skin sensitisation Category 1, H317; Specific target organ toxicity - single exposure Category 3, H335	1-<2.5%
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	0.5-<1%
EINECS: 276-957-5	Hazardous to the aquatic environment chronic Category 2, H411; Skin sensitisation Sub-category 1B, H317	
CAS: 13463-67-7	titanium dioxide	0.2-<0.5%
EINECS: 236-675-5	Carcinogenicity – Category 2, H351	
CAS: 109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	0.2-<0.5%
EINECS: 203-652-6	Skin sensitisation Sub-category 1B, H317	
CAS: 128-37-0	Butylated hydroxytoluene	≥0.25-<0.59
EINECS: 204-881-4	Hazardous to the aquatic environment acute Category 1, H400; Hazardous to the aquatic environment chronic Category 1, H410	
CAS: 2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	0.2-<0.5%
EINECS: 219-470-5	Acute inhalation toxicity Category 3, H331; Skin sensitisation Category 1, H317	
CAS: 75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	≥0.3-<0.5%
EINECS: 278-355-8	Reproductive toxicity Category 1, H360; Skin sensitisation Sub-category 1B, H317	

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM\_Veneer

CAS: 1879-0 EINECS: 21	7-533-1	6-tert-butyl-2,4-xylenol Acute dermal toxicity Category 2, H310; Specific target organ toxicity - repeated exposure Category 2, H373; Acute oral toxicity Category 4, H302; Skin irritation Category 2, H315; Eye irritation Category 2, H319	(Contd. of page 2) 0.1-<0.2%
·SVHC			
75980-60-8	dipheny	l(2,4,6-trimethylbenzoyl)phosphine oxide	
· Additional information: For the wording of the listed hazard phrases refer to section 16.			

### 4 First aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Protect unharmed eye.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Allergic reactions
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire fighting measures

- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

No further relevant information available.

- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Remove persons from danger area.

Avoid contact with the eyes and skin.

Wear protective clothing.

(Contd. on page 4)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM\_Veneer

(Contd. of page 3)

#### · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to penetrate the ground/soil.

In case of seepage into the ground inform responsible authorities.

Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

- · Information about fire and explosion protection: Protect against electrostatic charges.
- Storage.
- Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

Ingredients with limit values that require monitoring at the workplace:		
13463-67-7 titanium dioxide		
	Long-term value: 10 mg/m³ interim WES	
· DNELs		
12462 (7.74)	12462 67 7 titurium discrids	

#### 13463-67-7 titanium dioxide

Inhalative | DNEL inhalation | 10 mg/m3 (man)

### 128-37-0 Butylated hydroxytoluene

Dermal	DNEL dermal	0.5 mg/kg bw/day (man
Inhalative	DNEL inhalation	3.5 mg/m3 (man)

### 1879-09-0 6-tert-butyl-2,4-xylenol

Inhalative DNEL inhalation 0.14 mg/m3 (man)

- · Additional information: The lists valid during the making were used as basis.
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

(Contd. on page 5)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM\_Veneer

(Contd. of page 4)

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

- · Respiratory protection: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

· General Information

· Appearance:

· Form: Pasty

• Colour: According to product specification

Odour:
 Odour threshold:
 pH-value:
 Odour less
 Not determined.
 Not determined.

· Change in condition

Melting point/freezing point:
Initial boiling point and boiling range:
Undetermined.
Flash point:
Flammability (solid, gas):
Auto-ignition temperature:
Decomposition temperature:
Not determined.

• **Ignition temperature:** Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:
Not determined.
Vapour pressure:
Not determined.
Not determined.
Not determined.
Not determined.
1.8 g/cm³
Relative density
Not determined.
Vapour density
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

• water: Insoluble. • Partition coefficient: n-octanol/water: Not determined.

(Contd. on page 6)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM\_Veneer

		(Contd. of page 5)
· Viscosity:		
· Dynamic:	Not determined.	
· Kinematic:	Not determined.	
· Solvent content:		
· VOC (EC)	0.0  g/l	
· Other information	No further relevant information available.	

### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 1	· LD/LC50 values relevant for classification:		
72869-86-	72869-86-4 Urethane Dimethacrylate (UDMA)		
Oral	LD50	LD50 >5,000 mg/kg (rat female) (OECD 401)	
13463-67-	13463-67-7 titanium dioxide		
Oral	LD50	>5,000 mg/kg (mouse) (OECD 420)	
Inhalative	LC50/4 h	>6.82 mg/l (rat male)	
128-37-0 E	128-37-0 Butylated hydroxytoluene		
Oral	LD50	>6,000 mg/kg (rat (f+m)) (OECD 401)	
2440-22-4	2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol		
Oral	LD50	10,000 mg/kg (rat (f+m))	
Inhalative	LC50/4 h	0.59  mg/l  (rat  (f+m))	
1879-09-0	1879-09-0 6-tert-butyl-2,4-xylenol		
Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)	
Dermal	LD50	<200 mg/kg (rabbit) (OECD 402)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causes serious eye irritation.
- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity May damage fertility or the unborn child.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · Repeated dose toxicity No further relevant information available.

(Contd. on page 7)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM\_Veneer

(Contd. of page 6)

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
No further relevant information available.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

### 72869-86-4 Urethane Dimethacrylate (UDMA)

EC50/48h (static) >1.2 mg/l (daphnia magna) (OECD 202)

### 128-37-0 Butylated hydroxytoluene

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

- · UN-Number
- · NZS, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · NZS, ADN, IMDG, IATA not regulated
- · Transport hazard class(es)
- · NZS, ADN, IMDG, IATA
- · Class not regulated

(Contd. on page 8)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM\_Veneer

		(Contd. of page
· Packing group · NZS, IMDG, IATA	not regulated	
· Environmental hazards: · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
· Transport in bulk according to Annex I and the IBC Code	<b>I of Marpol</b> Not applicable.	
· UN "Model Regulation":	not regulated	

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealan	New Zealand Inventory of Chemicals		
	Glass, oxide, chemicals		
41637-38-1	Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.		
43048-08-4	(octahydro-4,7-methano-1H-indenediyl)bis(methylene) bismethacrylate		
1985-51-9	2,2-dimethyl-1,3-propanediyl bismethacrylate		
7128-64-5	2,5-Thiophendiylbis(5-tert-butyl-1,3-benzoxazol)		
9003-08-1	1,3,5-Triazine-2,4,6-triamine, polymer with formaldehyde		
68611-44-9	Silane, dichlorodimethyl-, reaction products with silica		
68909-20-6	Silanamine, 1,1,1-trimethyl-N-(trimethylsilyl)-, hydrolysis products with silica		
72869-86-4	Urethane Dimethacrylate (UDMA)		
1309-37-1	Iron(III)oxide		
1317-61-9	triiron tetraoxide		
13463-67-7	titanium dioxide		
20344-49-4	Iron hydroxide oxide		
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate		
128-37-0	Butylated hydroxytoluene		
2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol		
10287-53-3	ethyl 4-dimethylaminobenzoate		
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide		
1879-09-0	6-tert-butyl-2,4-xylenol		
10373-78-1	Camphorquinone		

### · HSNO Approval numbers

1879-09-0 6-tert-butyl-2,4-xylenol

HSR003625

<sup>•</sup> GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). (Contd. on page 9)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM Veneer

(Contd. of page 8)

#### · Hazard pictograms





GHS07

GHS0

### · Signal word Danger

### · Hazard-determining components of labelling:

 $(octahydro-4,7-methano-1 H-indenediyl) bis (methylene)\ bis methac rylate$ 

diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

1,3,5-Triazine-2,4,6-triamine, polymer with formal dehyde

#### · Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

May damage fertility or the unborn child.

Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

#### · Relevant phrases

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 10)

Printing date 26.07.2024 Version number 4 Revision: 26.07.2024

Trade name: G-CEM Veneer

(Contd. of page 9)

H413 May cause long lasting harmful effects to aquatic life.

- · Department issuing SDS: Regulatory affairs
- · Contact: msds@gc.dental
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute oral toxicity Category 4: Acute toxicity - Category 4

Acute dermal toxicity Category 2: Acute toxicity – Category 2

Acute inhalation toxicity Category 3: Acute toxicity – Category 3

Skin irritation Category 2: Skin corrosion/irritation – Category 2

Serious eye damage Category 1: Serious eye damage/eye irritation - Category 1

Eye irritation Category 2: Serious eye damage/eye irritation - Category 2

Skin sensitisation Category 1: Skin sensitisation – Category 1

 ${\it Skin sensitisation-Category~1B: Skin sensitisation-Category~1B}$ 

Carcinogenicity – Category 2: Carcinogenicity – Category 2

Reproductive toxicity Category 1: Reproductive toxicity - Category 1

Specific target organ toxicity - single exposure Category 3: Specific target organ toxicity (single exposure) – Category 3

Specific target organ toxicity - repeated exposure Category 2: Specific target organ toxicity (repeated exposure) - Category 2

Hazardous to the aquatic environment acute Category 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Hazardous to the aquatic environment chronic Category 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1 Hazardous to the aquatic environment chronic Category 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Hazardous to the aquatic environment chronic Category 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

Hazardous to the aquatic environment chronic Category 5: Hazardous to the aquatic environment - long-term aquatic hazard — Category 5
Hazardous to the aquatic environment chronic Category 4: Hazardous to the aquatic environment - long-term aquatic hazard — Category 4

#### · Sources

- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- \* Data compared to the previous version altered.

This version replaces all previous versions.

#### Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.