

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

| Product Name: | G-Premio BOND DCA |
|------------------------|--|
| Manufacturer: | GC Corporation |
| SDS Expiry: | 5 June 2028 |
| Supplier Details: | Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz |
| Emergency Contacts: | Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police |
| HSNO Class/Category: | 2/6 |
| HSNO Group Standard: | Dental Products Flammable Group Standard 2020 HSR002556 |
| Statements/Pictograms: | As per attached Safety Data Sheet (SDS) |
| Date Prepared: | This coversheet was prepared – June 2023 |

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

1 Identification of the substance or mixture and of the supplier

· Product identifier

· Trade name: G-Premio BOND DCA

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

• Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: 2,2'-[(4-methylphenyl)imino]bisethanol

• *Hazard statements* Highly flammable liquid and vapour. Harmful if swallowed.

· Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

NZ

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

(Contd. of page 1)

Trade name: G-Premio BOND DCA

• Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

| Dangerous components: | | |
|-----------------------|--|---------|
| | | 25-<50% |
| EINECS: 200-578-6 | Flam. Liq. 2, H225 | |
| CAS: 3077-12-1 | 2,2'-[(4-methylphenyl)imino]bisethanol | 5-<10% |
| EINECS: 221-359-1 | Acute Tox. 3, H301; Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335 | |
| • Additional informat | ion: For the wording of the listed hazard phrases refer to section 16. | |

4 First aid measures

- · General information: If symptoms persist consult doctor.
- After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

• After skin contact: If skin irritation continues, consult a doctor.

- · After eye contact: Protect unharmed eye.
- After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.

- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire fighting measures

• Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

(Contd. on page 3)

NZ

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: G-Premio BOND DCA

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing. · Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities. • Methods and material for containment and cleaning up: Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations. · Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- Precautions for safe handling
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Avoid contact with the eyes and skin.
 Information about fire and explosion protection:
 Keep ignition sources away Do not smoke.
 Protect against electrostatic charges.
 Do not spray onto a naked flame or any incandescent material.
 Storage:
 Requirements to be met by storerooms and receptacles:
 Store in a cool location.
 Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles. Protect from heat and direct sunlight. Store in a cool place.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

(Contd. on page 4)

NZ -

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: G-Premio BOND DCA

• Decomposition temperature:

· Ignition temperature:

| T 10 / 1/1 10 1/ T /T / | (Contd. of page |
|---|---|
| Ingredients with limit values that requi | ire monitoring at the workplace: |
| 64-17-5 ethyl alcohol | |
| WES (New Zealand) Long-term value: | 1880 mg/m³, 1000 ppm |
| oto | |
| Additional information: The lists valid | during the making were used as basis. |
| Personal protective equipment: | |
| General protective and hygienic measu | ires: |
| The usual precautionary measures are t | to be adhered to when handling chemicals. |
| Avoid contact with the eyes and skin. | |
| Wash hands before breaks and at the en | nd of work. |
| Keep away from foodstuffs, beverages a | ınd feed. |
| Immediately remove all soiled and cont | |
| Respiratory protection: Suitable respiratory | atory protective device recommended. |
| Protection of hands: | |
| Protective gloves | |
| | |
| | |
| Protective gloves | |
| | |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to b observed. | <i>d</i> in advance and has therefore to be checked prior to the application. |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to b observed. | d in advance and has therefore to be checked prior to the application. |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information | d in advance and has therefore to be checked prior to the application. |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s Liquid Colourless |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: Odour: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s Liquid Colourless Alcohol-like |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: Odour: Odour threshold: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s Liquid Colourless Alcohol-like Not determined. |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s Liquid Colourless Alcohol-like |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to S Liquid Colourless Alcohol-like Not determined. 8.1 |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s Liquid Colourless Alcohol-like Not determined. 8.1 Undetermined. |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to a s Liquid Colourless Alcohol-like Not determined. 8.1 Undetermined. 100 °C |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: Tightly sealed goggles Physical and chemical propertie General Information Appearance: Form: Colour: Odour: Odour threshold: pH-value at 20 °C: Change in condition Melting point/freezing point: Initial boiling point and boiling range: Flash point: | d in advance and has therefore to be checked prior to the application. be found out by the manufacturer of the protective gloves and has to s Liquid Colourless Alcohol-like Not determined. 8.1 Undetermined. 100 °C 13 °C |
| the glove material can not be calculated Penetration time of glove material The exact break through time has to be observed. Eye protection: | be found out by the manufacturer of the protective gloves and has to a S Liquid Colourless Alcohol-like Not determined. 8.1 Undetermined. 100 °C |

Not determined.

Product is not selfigniting.

(Contd. on page 5)

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: G-Premio BOND DCA

| | | (Contd. of page 4) |
|---|---|--------------------|
| · Explosive properties: | Product does not present an explosion hazard. | |
| · Explosion limits: | | |
| · Lower: | 3.5 Vol % | |
| · Upper: | 15 Vol % | |
| · Vapour pressure: | Not determined. | |
| · Density at 20 °C: | 0.96 g/cm^3 | |
| · Relative density | Not determined. | |
| · Vapour density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| water: | Insoluble. | |
| Partition coefficient: n-octanol/water: | Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Organic solvents: | 30.0 % | |
| · Water: | 56.0 % | |
| · VOC (EC) | 622.8 g/l | |
| · Other information | No further relevant information available. | |

10 Stability and reactivity

· *Reactivity* No further relevant information available.

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

· Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

64-17-5 ethyl alcohol

 Oral
 LD50
 7,060 mg/kg (rat (f+m))

 Inhalative
 LC50/4 h
 20,000 mg/l (rat (f+m))

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

• *Reproductive toxicity Based on available data, the classification criteria are not met.*

• STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

NZ

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

(Contd. of page 5)

Trade name: G-Premio BOND DCA

• Additional toxicological information:

- *Repeated dose toxicity No further relevant information available.*
- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- No further relevant information available.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behaviour in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

| UN-Number | | |
|----------------------------|-------------------------------|--|
| NZS, IMDG, IATA | UN1170 | |
| UN proper shipping name | | |
| NZŜ | 1170 ETHANOL SOLUTION mixture | |
| IMDG, IATA | ETHANOL SOLUTION mixture | |
| Transport hazard class(es) | | |
| NZS | | |
| | | |
| | | |
| V | | |
| Class | 3 (F1) Flammable liquids. | |

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: G-Premio BOND DCA

| * * * | (Contd. of pa |
|---|--|
| Label | 3 |
| IMDG, IATA | |
| | |
| Class | 3 Flammable liquids. |
| Label | 3 |
| Packing group | |
| NZS, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids. |
| Hazard identification number (Kemler code): | 33 |
| EMS Number: | F-E,S-D |
| Stowage Category | A |
| Transport in bulk according to Annex II of Marg and the IBC Code | <i>bol</i> Not applicable. |
| Transport/Additional information: | |
| NZS | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| m | Maximum net quantity per outer packaging: 500 ml |
| Transport category | 2 D/E |
| Tunnel restriction code | |
| IMDG | |
| Limited quantities (LQ) | |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1170 ETHANOL SOLUTION MIXTURE, 3, II |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

All ingredients are listed.

· HSNO Approval numbers

64-17-5 ethyl alcohol

HSR001144


• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS). (Contd. on page 8)

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: G-Premio BOND DCA



- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids Category 2
- Acute Tox. 3: Acute toxicity Category 3
- Acute Tox. 4: Acute toxicity Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

NZ

Safety Data Sheet in accordance with HSNO

Printing date 05.06.2023

Version number 2

Revision: 05.06.2023

Trade name: G-Premio BOND DCA

(Contd. of page 8)

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

- STOT SE 3: Specific target organ toxicity (single exposure) Category 3
- Sources
- ECHA (http://echa.europa.eu/)
- EnviChem (www.echemportal.org)
- * Data compared to the previous version altered.
- This version replaces all previous versions.

Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.