

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	GC G-aenial Flo
Manufacturer:	GC Corporation
SDS Expiry:	20 July 2028
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	6/9
HSNO Group Standard:	Dental Products Subsidiary Hazard Group Standard 2020 HSR002558
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – January 2024

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.





Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 20.07.2023

Version number 3

Revision: 20.07.2023

1 Identification of the substance or mixture and of the supplier

- · Product identifier
- Trade name: GC G-aenial Flo

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Acute Tox. 4H302 Harmful if swallowed.Skin Sens. 1H317 May cause an allergic skin reaction.Aquatic Chronic 3H412 Harmful to aquatic life with long lasting effects.

· Label elements

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Exemptions*

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: Ytterbium trifluoride Urethane Dimethacrylate (UDMA)
Hazard statements Harmful if swallowed. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
Precautionary statements Avoid breathing dust/fume/gas/mist/vapours/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves.

(Contd. on page 2)

⁻ N

Printing date 20.07.2023

Version number 3

Revision: 20.07.2023

(Contd. of page 1)

Trade name: GC_G-aenial_Flo

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

• vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

· Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous compone	ents:	
CAS: 41637-38-1	<i>Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.</i>	10-<25%
	Aquatic Chronic 4, H413	
CAS: 1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane	5-<10%
EINECS: 217-388-4	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 13760-80-0	Ytterbium trifluoride	5-<10%
EINECS: 237-354-2	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331	
CAS: 72869-86-4	Urethane Dimethacrylate (UDMA)	5-<10%
EINECS: 276-957-5	Aquatic Chronic 2, H411; Skin Sens. 1, H317	
CAS: 128-37-0	Butylated hydroxytoluene	0.5-<1%
EINECS: 204-881-4	Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 1879-09-0	6-tert-butyl-2,4-xylenol	0.5-<1%
EINECS: 217-533-1	Acute Tox. 2, H310; STOT RE 2, H373; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319	
CAS: 2440-22-4	2-(2H-benzotriazol-2-yl)-p-cresol	0.5-<1%
EINECS: 219-470-5	Acute Tox. 3, H311; Acute Tox. 3, H331; Skin Sens. 1, H317	
· Additional informat	ion: For the wording of the listed hazard phrases refer to section 16.	

4 First aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Do not use mouth to mouth or mouth to nose resuscitation.

Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

Printing date 20.07.2023

Version number 3

Revision: 20.07.2023

(Contd. of page 2)

Trade name: GC_G-aenial_Flo

• After swallowing:

Do not induce vomiting; call for medical help immediately.

Rinse out mouth and then drink plenty of water.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed Allergic reactions • Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- Protective equipment: Wear self-contained respiratory protective device.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid contact with the eyes and skin. Wear protective clothing.
 Environmental precautions:

Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to penetrate the ground/soil. In case of seepage into the ground inform responsible authorities.

• Methods and material for containment and cleaning up:

Absorb liquid components with liquid-binding material.

Dispose of the material collected according to regulations.

· Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with the eyes and skin.

· Information about fire - and explosion protection: Protect against electrostatic charges.

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in unopened original receptacles.

• Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: None.

(Contd. on page 4)

NZ

Version number 3

Revision: 20.07.2023

(Contd. of page 3)

Trade name: GC_G-aenial_Flo

Printing date 20.07.2023

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

128-37-0 Butylated hydroxytoluene

Dermal DNEL dermal 0.5 mg/kg bw/day (man)

Inhalative DNEL inhalation 3.5 mg/m3 (man)

1879-09-0 6-tert-butyl-2,4-xylenol

Inhalative DNEL inhalation 0.14 mg/m3 (man)

• Additional information: The lists valid during the making were used as basis.

- Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Avoid contact with the eyes and skin.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing
- · Respiratory protection: Suitable respiratory protective device recommended.
- Protection of hands:



Protective gloves

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · General Information
- Appearance:
- · Form:
- · Colour:

Pasty According to product specification

(Contd. on page 5)

NZ

Printing date 20.07.2023

Version number 3

Revision: 20.07.2023

Trade name: GC_G-aenial_Flo

		(Contd. of page 4)
· Odour:	Characteristic	
• Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
• Melting point/freezing point:	Undetermined.	
· Initial boiling point and boiling range:	· Undetermined.	
Flash point:	>150 °C	
Flammability (solid, gas):	Not applicable.	
Auto-ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
Explosion limits:	1 1	
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
VOC (EC)	0.0 g/l	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Harmful if swallowed.

· LD/LC50 values relevant for classification:

72869-86-4 Urethane Dimethacrylate (UDMA)

Oral LD50 >5,000 mg/kg (rat female) (OECD 401)

128-37-0 Butylated hydroxytoluene

Oral LD50 >6,000 mg/kg (rat (f+m)) (OECD 401)

(Contd. on page 6)

NZ

Printing date 20.07.2023

Version number 3

Revision: 20.07.2023

Trade name: GC_G-aenial_Flo

		yl-2,4-xylenol	
Oral	LD50	910 mg/kg (rat (f+m)) (OECD 401)	
Dermal	LD50	<200 mg/kg (rabbit) (OECD 402)	
2440-22-4	2-(2H-ber	nzotriazol-2-yl)-p-cresol	
Oral	LD50	10,000 mg/kg (rat (f+m))	
Inhalative	LC50/4 h	0.59 mg/l (rat (f+m))	
Carcinoge Reproduct STOT-sing STOT-rep	nicity Bas ive toxicity gle exposu eated expo	c ity Based on available data, the classification criteria are not met. ed on available data, the classification criteria are not met. y Based on available data, the classification criteria are not met. re Based on available data, the classification criteria are not met. sure Based on available data, the classification criteria are not met.	
Additional Repeated (CMR effect	l toxicolog lose toxici cts (carcin	ased on available data, the classification criteria are not met. ical information: ity No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available.	
Additional Repeated of CMR effect No further Ecologic	toxicolog lose toxici cts (carcin relevant in	<i>ical information:</i> <i>ty</i> No further relevant information available. <i>ogenity, mutagenicity and toxicity for reproduction)</i> nformation available.	
Additional Repeated of CMR effect No further Ecologic Toxicity	toxicolog lose toxici cts (carcin relevant in cal inforn	<i>ical information:</i> <i>ty</i> No further relevant information available. <i>ogenity, mutagenicity and toxicity for reproduction)</i> nformation available.	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to	toxicolog dose toxici cts (carcin relevant in ral inforn xicity:	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86-	toxicolog lose toxici relevant in cal inform xicity: 4 Urethan	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA)	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h	toxicolog lose toxici relevant it cal inform xicity: 4 Urethan (static) >	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202)	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h 128-37-01	toxicolog dose toxici relevant in cal inform xicity: 4 Urethan (static) > Butylated I	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202) hydroxytoluene	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h 128-37-01 EC50/48h	toxicolog lose toxici relevant in al inform xicity: 4 Urethan (static) > Butylated I (static) 0.	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202) hydroxytoluene 48 mg/l (daphnia magna) (OECD 202)	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h 128-37-01 EC50/48h Persistenc	toxicolog lose toxici relevant in ral inform xicity: 4 Urethan (static) > Butylated I (static) 0. e and degi	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202) hydroxytoluene 48 mg/l (daphnia magna) (OECD 202) radability No further relevant information available.	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h 128-37-01 EC50/48h Persistenc Behaviour	toxicolog lose toxici relevant in ral inform xicity: 4 Urethan (static) > Butylated I (static) 0. e and degu	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202) hydroxytoluene 48 mg/l (daphnia magna) (OECD 202)	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h 128-37-01 EC50/48h Persistenc Behaviour Bioaccum Mobility in	toxicolog lose toxici relevant in ral inform xicity: 4 Urethan (static) > Butylated I (static) 0. e and degu in envirou ulative pou a soil No fi	ical information: ty No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202) hydroxytoluene 48 mg/l (daphnia magna) (OECD 202) radability No further relevant information available. nmental systems:	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h 128-37-01 EC50/48h Persistenc Behaviour Bioaccum Mobility in Ecotoxical	toxicolog lose toxici relevant in cal inform xicity: 4 Urethan (static) > Butylated I (static) 0. e and degu in environ ulative pou 1 soil No fi l effects:	ical information: ity No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202) hydroxytoluene 48 mg/l (daphnia magna) (OECD 202) radability No further relevant information available. nmental systems: tential No further relevant information available. urther relevant information available. urther relevant information available.	
Additional Repeated of CMR effect No further Ecologic Toxicity Aquatic to 72869-86- EC50/48h 128-37-01 EC50/48h Persistenc Behaviour Bioaccum Mobility in Ecotoxical Remark: F	toxicolog dose toxici relevant in eal inform xicity: 4 Urethan (static) > Butylated I (static) 0. e and degu- in envirou ulative pool a soil No fit I effects: Harmful to	ical information: ity No further relevant information available. ogenity, mutagenicity and toxicity for reproduction) nformation available. nation e Dimethacrylate (UDMA) 1.2 mg/l (daphnia magna) (OECD 202) hydroxytoluene 48 mg/l (daphnia magna) (OECD 202) radability No further relevant information available. nmental systems: tential No further relevant information available. urther relevant information available. urther relevant information available.	

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Harmful to aquatic organisms

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 7)

NZ

Printing date 20.07.2023

Version number 3

Revision: 20.07.2023

Trade name: GC_G-aenial_Flo

(Contd. of page 6)

NZ

13 Disposal considerations

• Waste treatment methods

· Recommendation

*

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number		
NZS, IMDG, IATA	not regulated	
· UN proper shipping name		
NZS, IMDG, IATA	not regulated	
Transport hazard class(es)		
NZS, ADN, IMDG, IATA		
· Class	not regulated	
Packing group		
NZS, IMDG, IATA	not regulated	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of Marpol		
and the IBC Code	Not applicable.	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals	
65997-17-3	Glass, oxide, chemicals
41637-38-1	<i>Esterification products of 4,4'-isopropylidenediphenol, ethoxylated and 2-methylprop-2-enoic acid.</i>
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane
13760-80-0	Ytterbium trifluoride
72869-86-4	Urethane Dimethacrylate (UDMA)
2530-85-0	3-trimethoxysilylpropyl methacrylate
112945-52-5	Silicon dioxide
78-67-1	2,2'-dimethyl-2,2'-azodipropiononitrile
128-37-0	Butylated hydroxytoluene
1879-09-0	6-tert-butyl-2,4-xylenol
1985-51-9	2,2-dimethyl-1,3-propanediyl bismethacrylate
	(Contd. on page 8)

Version number 3

Revision: 20.07.2023

Trade name: GC_G-aenial_Flo

Printing date 20.07.2023

	(Contd. of page
2440-22-4 2-(2H-benzotriazol-2-yl)-p-cresol	
10287-53-3 ethyl 4-dimethylaminobenzoate	
HSNO Approval numbers	
1879-09-0 6-tert-butyl-2,4-xylenol	HSR003625
GHS label elements The product is classified and labelled according to the Globally H Hazard pictograms	Harmonised System (GHS).
\wedge	
GHS07	
Signal word Warning	
Hazard-determining components of labelling:	
Ytterbium trifluoride	
Urethane Dimethacrylate (UDMA)	
Hazard statements	
Harmful if swallowed.	
May cause an allergic skin reaction.	
Harmful to aquatic life with long lasting effects.	
Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapours/spray.	
Contaminated work clothing should not be allowed out of the workplace.	
Wear protective gloves.	
IF SŴALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
Rinse mouth.	
Dispose of contents/container in accordance with local/regional/national/international	l regulations.
	-
Directive 2012/18/EU	
Named dangerous substances - ANNEX I None of the ingredients is listed.	
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.	

16 Other information

Relevant phrases
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H310 Fatal in contact with skin.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
H413 May cause long lasting harmful effects to aquatic life.

· Department issuing SDS: Regulatory affairs

(Contd. on page 9)

NZ -

Printing date 20.07.2023

Version number 3

Revision: 20.07.2023

Trade name: GC_G-aenial_Flo

	(Contd. of page 8)
Contact: msds@gc.dental	
Abbreviations and acronyms:	
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerni	ing the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 2: Acute toxicity – Category 2	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
<i>Eye Irrit. 2: Serious eye damage/eye irritation – Category 2</i>	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2	
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Areastic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4	
Aqualic Chronic 4. Hazaraous to the aqualic environment - tong-term aqualic nazara – Calegory 4 Sources	
• ECHA (http://echa.europa.eu/)	
• EnviChem (www.echemportal.org)	
* Data compared to the previous version altered.	
This version replaces all previous versions.	
Disclaimer:	
The information contained herein is believed to be true and accurate. However, all statements, re	ecommendations
or suggestions are made without any guarantee, representation or warranty, express or impli-	
Therefore, no warranty is made or to be implied that the information set out in this documen	
complete, and we accordingly exclude all liability in connection with the use of this information	or the products
referred to herein. All such risks are assumed by the purchaser/user. The information containe	ed herein is also
subject to change without notice. For the avoidance of doubt, however, nothing in this docum	
limits our liability for death or personal injury caused by our negligence or for fraudulent misrepr	
sinnes our mosting for acain or personal injury caused by our negligence of for fraudulent misrepr	cscniunon.