

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name: G2-BOND Universal Primer

Manufacturer: GC Corporation

SDS Expiry: 12 November 2025

Supplier Details: Henry Schein New Zealand  
23 William Pickering Drive, Albany  
PO Box 101 140, North Shore, Auckland 0745  
Ph. 0800 808 855  
[www.henryschein.co.nz](http://www.henryschein.co.nz)

Emergency Contacts: Poisons/Hazardous Chemical Info Centre –  
0800POISON/0800764766 (24 Hours)  
Phone 111 for Fire, Ambulance or Police

HSNO Class/Category: 1 / 3 / 6 / 9

HSNO Group Standard: Dental Products Flammable Group Standard 2020 HSR002556

Statements/Pictograms: As per attached Safety Data Sheet (SDS)

Date Prepared: This coversheet was prepared on March 2021

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

### 1 Identification of the substance or mixture and of the supplier

- **Product identifier**
- **Trade name:** *GC G2-BOND Universal Primer*
- **Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** *Auxiliary for dental technology*
- **Details of the supplier of the safety data sheet**  
*Henry Schein Dental  
23 William Pickering Drive, Albany  
Auckland 0632, NEW ZEALAND*  
  
*PO Box 101140, NSMC  
Auckland 0745, NEW ZEALAND*  
  
*Free Phone: 0800 808 855*
- **Further information obtainable from:** *Regulatory affairs*
- **Emergency telephone number:** *0800 764 766 (National Poisons Centre)*

### 2 Hazards identification

- **Classification of the substance or mixture**  
*Unst. Expl. H200 Unstable explosives.*  
*Flam. Liq. 2 H225 Highly flammable liquid and vapour.*  
*Skin Corr. 1A H314 Causes severe skin burns and eye damage.*  
*Eye Dam. 1 H318 Causes serious eye damage.*  
*Skin Sens. 1 H317 May cause an allergic skin reaction.*  
*STOT SE 3 H336 May cause drowsiness or dizziness.*  
*Aquatic Acute 3 H402 Harmful to aquatic life.*  
*Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.*
- **Label elements**
- **GHS label elements** *The product is classified and labelled according to the Globally Harmonised System (GHS).*
- **Exemptions**  
*The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).*
- **Hazard pictograms**  
  
GHS01 GHS02 GHS05 GHS07
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*2,2'-ethylenedioxydiethyl dimethacrylate*

(Contd. on page 2)

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

**Trade name: GC G2-BOND Universal Primer**

(Contd. of page 1)

- **Hazard statements**

Unstable explosives.  
Highly flammable liquid and vapour.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
May cause drowsiness or dizziness.  
Harmful to aquatic life with long lasting effects.

- **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Do not breathe dusts or mists.  
Wear protective gloves/protective clothing/eye protection/face protection.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor.  
Specific treatment (see on this label).  
Take off contaminated clothing and wash it before reuse.  
DO NOT fight fire when fire reaches explosives.  
Evacuate area.  
Store in accordance with local/regional/national/international regulations.  
Store locked up.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Other hazards**

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/Information on ingredients

- **Chemical characterisation: Mixtures**

- **Description:**

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

- **Dangerous components:**

CAS: 67-64-1 EINECS: 200-662-2	acetone Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H336	25-<50%
CAS: 1830-78-0 EINECS: 217-388-4	2-Hydroxy-1,3 dimethacryloxypropane Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	≥10-<20%
CAS: 85590-00-7	methacryloyloxydecyl dihydrogen phosphate Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	5-<10%
CAS: 109-16-0 EINECS: 203-652-6	2,2'-ethylenedioxydiethyl dimethacrylate Skin Sens. 1, H317	2.5-<5%
CAS: 75980-60-8 EINECS: 278-355-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide Repr. 2, H361	1-<2.5%
CAS: 128-37-0 EINECS: 204-881-4	Butylated hydroxytoluene Aquatic Acute 1, H400; Aquatic Chronic 1, H410	1-<2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

NZ

(Contd. on page 3)

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

**Trade name: GC G2-BOND Universal Primer**

(Contd. of page 2)

### 4 First aid measures

- **Description of first aid measures**
- **General information:**  
Immediately remove any clothing soiled by the product.  
If symptoms persist consult doctor.
- **After inhalation:**  
Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.  
Take affected persons into fresh air and keep quiet.
- **After skin contact:**  
Immediately wash with water and soap and rinse thoroughly.  
Seek medical treatment.  
If skin irritation continues, consult a doctor.
- **After eye contact:**  
Protect unharmed eye.  
Rinse opened eye for several minutes under running water.  
Call a doctor immediately.
- **After swallowing:**  
Rinse out mouth and then drink plenty of water.  
If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** Allergic reactions
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.  
No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Remove persons from danger area.  
Keep away from ignition sources.  
Avoid contact with the eyes and skin.  
Wear protective clothing.
- **Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Do not allow to penetrate the ground/soil.

(Contd. on page 4)

-NZ-

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

**Trade name: GC G2-BOND Universal Primer**

(Contd. of page 3)

- **Methods and material for containment and cleaning up:**  
 Ensure adequate ventilation.  
 Use neutralising agent.  
 Absorb liquid components with liquid-binding material.  
 Dispose of the material collected according to regulations.
- **Reference to other sections**  
 See Section 7 for information on safe handling.  
 See Section 8 for information on personal protection equipment.  
 See Section 13 for disposal information.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
 Ensure good ventilation/exhaustion at the workplace.  
 Prevent formation of aerosols.  
 Avoid contact with the eyes and skin.  
 Open and handle receptacle with care.
- **Information about fire - and explosion protection:**  
 Keep ignition sources away - Do not smoke.  
 Prevent impact and friction.  
 Do not spray onto a naked flame or any incandescent material.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
- **Further information about storage conditions:**  
 Keep container tightly sealed.  
 Protect from heat and direct sunlight.  
 Store in a cool place.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**67-64-1 acetone**

<i>WES (New Zealand)</i>	<i>Short-term value: 2375 mg/m<sup>3</sup>, 1000 ppm</i> <i>Long-term value: 1185 mg/m<sup>3</sup>, 500 ppm</i> <i>bio</i>
--------------------------	----------------------------------------------------------------------------------------------------------------------------------

<i>IOELV (European Union)</i>	<i>Long-term value: 1210 mg/m<sup>3</sup>, 500 ppm</i>
-------------------------------	--------------------------------------------------------

- **DNELs**

**128-37-0 Butylated hydroxytoluene**

<i>Dermal</i>	<i>DNEL dermal</i>	<i>0.5 mg/kg bw/day (man)</i>
---------------	--------------------	-------------------------------

<i>Inhalative</i>	<i>DNEL inhalation</i>	<i>3.5 mg/m<sup>3</sup> (man)</i>
-------------------	------------------------	-----------------------------------

- **Additional information:** The lists valid during the making were used as basis.

(Contd. on page 5)

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

**Trade name: GC G2-BOND Universal Primer**

(Contd. of page 4)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
*The usual precautionary measures are to be adhered to when handling chemicals.  
 Avoid contact with the eyes and skin.  
 Wash hands before breaks and at the end of work.  
 Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing*
- **Respiratory protection:** *Suitable respiratory protective device recommended.*
- **Protection of hands:**



Protective gloves

- **Material of gloves**  
*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*
- **Penetration time of glove material**  
*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*
- **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

- |                                                                |                              |
|----------------------------------------------------------------|------------------------------|
| · <b>Information on basic physical and chemical properties</b> |                              |
| · <b>General Information</b>                                   |                              |
| · <b>Appearance:</b>                                           |                              |
| · <b>Form:</b>                                                 | Liquid                       |
| · <b>Colour:</b>                                               | Light yellow                 |
| · <b>Odour:</b>                                                | Acetone-like                 |
| · <b>Odour threshold:</b>                                      | Not determined.              |
| · <b>pH-value at 20 °C:</b>                                    | 1.8                          |
| · <b>Change in condition</b>                                   |                              |
| · <b>Melting point/freezing point:</b>                         | -95 °C                       |
| · <b>Initial boiling point and boiling range:</b>              | 55.8-56.6 °C                 |
| · <b>Flash point:</b>                                          | -17 °C                       |
| · <b>Flammability (solid, gas):</b>                            | Not applicable.              |
| · <b>Ignition temperature:</b>                                 | Undetermined.                |
| · <b>Decomposition temperature:</b>                            | Not determined.              |
| · <b>Auto-ignition temperature:</b>                            | Product is not selfigniting. |

(Contd. on page 6)

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

Trade name: GC G2-BOND Universal Primer

(Contd. of page 5)

· <b>Explosive properties:</b>	Product does not present an explosion hazard. Risk of explosion by shock, friction, fire or other sources of ignition.
· <b>Explosion limits:</b>	
<b>Lower:</b>	2.6 Vol %
<b>Upper:</b>	13 Vol %
· <b>Vapour pressure:</b>	Not determined.
· <b>Density at 20 °C:</b>	0.94 g/cm <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Fully miscible.
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	33.0 %
<b>Water:</b>	24.0 %
<b>VOC (EC)</b>	400.6 g/l
· <b>Other information</b>	No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity**

· <b>LD/LC50 values relevant for classification:</b>		
<b>67-64-1 acetone</b>		
Oral	LD50	5,800 mg/kg (rat (f+m))
Dermal	LD50	20,000 mg/kg (rabbit)
<b>128-37-0 Butylated hydroxytoluene</b>		
Oral	LD50	>6,000 mg/kg (rat (f+m)) (OECD 401)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Strong caustic effect on skin and mucous membranes.

(Contd. on page 7)

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

**Trade name: GC G2-BOND Universal Primer**

(Contd. of page 6)

- **Serious eye damage/irritation**  
Strong caustic effect.  
Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** Sensitisation possible through skin contact.
- **Additional toxicological information:** Corrosive
- **Repeated dose toxicity** No further relevant information available.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**  
No further relevant information available.

### 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

**128-37-0 Butylated hydroxytoluene**

EC50/48h (static) 0.48 mg/l (daphnia magna) (OECD 202)

- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Harmful to aquatic organisms  
Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

- **UN-Number**
- **ADR, IMDG, IATA**

UN1993

(Contd. on page 8)

-NZ-



## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

Trade name: GC G2-BOND Universal Primer

(Contd. of page 7)

· **UN proper shipping name**  
 · **ADR** 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE), special provision 640D  
 · **IMDG, IATA** FLAMMABLE LIQUID, N.O.S. (ACETONE)

· **Transport hazard class(es)**· **ADR**

· **Class** 3 (F1) Flammable liquids.  
 · **Label** 3

· **IMDG, IATA**

· **Class** 3 Flammable liquids.  
 · **Label** 3

· **Packing group**· **ADR, IMDG, IATA** II· **Environmental hazards:** Not applicable.· **Special precautions for user** Warning: Flammable liquids.· **Hazard identification number (Kemler code):** 33· **EMS Number:** F-E,S-E· **Stowage Category** B· **Transport in bulk according to Annex II of Marpol and the IBC Code** Not applicable.· **Transport/Additional information:**· **ADR**· **Limited quantities (LQ)** 1L· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· **Transport category** 2· **Tunnel restriction code** D/E· **IMDG**· **Limited quantities (LQ)** 1L· **Excepted quantities (EQ)** Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 9)

-NZ-

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

Trade name: GC G2-BOND Universal Primer

(Contd. of page 8)

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIAL PROVISION 640D (ACETONE), 3, II

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· New Zealand Inventory of Chemicals

67-64-1	acetone
7732-18-5	Water
1830-78-0	2-Hydroxy-1,3 dimethacryloxypropane
70293-55-9	2-[(2-methyl-1-oxoallyl)oxy]ethyl 1,3-dihydro-1,3-dioxoisobenzofuran-5-carboxylate
	Silane, dichlorodimethyl-, reaction products with silica
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate
10373-78-1	Camphorquinone
75980-60-8	diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
128-37-0	Butylated hydroxytoluene
1344-28-1	aluminium oxide
10287-53-3	ethyl 4-dimethylaminobenzoate

· HSNO Approval numbers

67-64-1	acetone	HSR001070
109-16-0	2,2'-ethylenedioxydiethyl dimethacrylate	HSR003763
128-37-0	Butylated hydroxytoluene	HSR002784

· GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

· Hazard pictograms



GHS01 GHS02 GHS05 GHS07

· Signal word Danger

· Hazard-determining components of labelling:

2,2'-ethylenedioxydiethyl dimethacrylate

· Hazard statements

Unstable explosives.

Highly flammable liquid and vapour.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

May cause drowsiness or dizziness.

Harmful to aquatic life with long lasting effects.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not breathe dusts or mists.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 10)

## Safety Data Sheet in accordance with HSNO

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

**Trade name: GC G2-BOND Universal Primer**

(Contd. of page 9)

*IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*Immediately call a POISON CENTER/doctor.*

*Specific treatment (see on this label).*

*Take off contaminated clothing and wash it before reuse.*

*DO NOT fight fire when fire reaches explosives.*

*Evacuate area.*

*Store in accordance with local/regional/national/international regulations.*

*Store locked up.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Seveso category P1a** EXPLOSIVES

· **Qualifying quantity (tonnes) for the application of lower-tier requirements** 10 t

· **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50 t

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other information

· **Relevant phrases**

*H225 Highly flammable liquid and vapour.*

*H315 Causes skin irritation.*

*H317 May cause an allergic skin reaction.*

*H319 Causes serious eye irritation.*

*H335 May cause respiratory irritation.*

*H336 May cause drowsiness or dizziness.*

*H361 Suspected of damaging fertility or the unborn child.*

*H400 Very toxic to aquatic life.*

*H410 Very toxic to aquatic life with long lasting effects.*

· **Department issuing SDS:** Regulatory affairs

· **Contact:** msds@gc.dental

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*IATA: International Air Transport Association*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*DNEL: Derived No-Effect Level (REACH)*

*LC50: Lethal concentration, 50 percent*

*LD50: Lethal dose, 50 percent*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Unst. Expl.: Explosives – Unstable explosive*

*Flam. Liq. 2: Flammable liquids – Category 2*

*Skin Corr. 1A: Skin corrosion/irritation – Category 1A*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Repr. 2: Reproductive toxicity – Category 2*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

*Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1*

*Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard – Category 3*

(Contd. on page 11)

**Safety Data Sheet**  
**in accordance with HSNO**

Printing date 12.11.2020

Version number 1

Revision: 12.11.2020

**Trade name: GC G2-BOND Universal Primer**

(Contd. of page 10)

*Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1*  
*Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3*

**· Sources**

- ECHA (<http://echa.europa.eu/>)
- EnviChem ([www.echemportal.org](http://www.echemportal.org))

**· \* Data compared to the previous version altered.**

*This version replaces all previous versions.*

**Disclaimer:**

*The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.*

-NZ-