

Material Safety Data Sheet Cover-Sheet – This page provides additional New Zealand specific information for this product and must be read in conjunction with the Safety Data Sheet (SDS) attached

Product Name:	OPTIGLAZE Complete Set
Manufacturer:	GC Corporation
SDS Expiry:	22 May 2028
Supplier Details:	Henry Schein New Zealand 243-249 Bush Road, Rosedale, Auckland, 0632 PO Box 101 140, North Shore, Auckland 0745 Ph. 0800 808 855 www.henryschein.co.nz
Emergency Contacts:	Poisons/Hazardous Chemical Info Centre – 0800POISON/0800764766 (24 Hours) Phone 111 for Fire, Ambulance or Police
HSNO Class/Category:	3 / 6
HSNO Group Standard:	Dental Products Flammable Group Standard 2020 HSR002556
Statements/Pictograms:	As per attached Safety Data Sheet (SDS)
Date Prepared:	This coversheet was prepared – January 2025

This SDS coversheet has been produced by Henry Schein NZ and has been prepared in accordance with NZ EPA advice on making overseas SDS compliant to HSNO Act. The above information is based on the present state of our knowledge of the product at the time of publication. It is given in good faith, no warranty is implied with respect to the quality or the specifications of the product. Users must satisfy that the product is entirely suitable for their purpose. The SDS and this coversheet may be revised from time to time, please ensure you have a current copy.



Page 1/9

Safety Data Sheet in accordance with HSNO

Printing date 22.05.2023

Version number 4

Revision: 22.05.2023

1 Identification of the substance or mixture and of the supplier

- · Product identifier
- Trade name: OPTIGLAZE

• *Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.*

· Application of the substance / the mixture Auxillary for dental technology

• **Details of the supplier of the safety data sheet** Henry Schein Dental

243-249 Bush Road, Rosedale Auckland 0632, NEW ZEALAND

Free Phone: 0800 808 855

Further information obtainable from: Regulatory affairs
 Emergency telephone number: 0800 764 766 (National Poisons Centre)

2 Hazards identification

· Classification of the substance or mixture

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The product is classified and labelled according to the Globally Harmonised System (GHS).

• Exemptions

The product, regulated as an invasive medical device by the Regulation (EC) 2017/745, is exempted from labelling requirements for substances and mixtures (according to the provision of the Art 1.5).

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: Methyl methacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide
Hazard statements Highly flammable liquid and vapour. Causes skin irritation.

May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause respiratory irritation.

(Contd. on page 2)

NZ

Printing date 22.05.2023

Version number 4

Revision: 22.05.2023

Trade name: OPTIGLAZE

(Contd. of page 1)

Precautionary statements
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 IF exposed or concerned: Get medical advice/attention.
 Specific treatment (see on this label).
 Take off contaminated clothing and wash it before reuse.
 Store locked up.
 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/Information on ingredients

· Chemical characterisation: Mixtures

• Description:

Only substances required to be mentioned according to Annex II of regulation 1907/2006 are listed. Information on the other substances that may be present can be obtained upon request.

· Dangerous components:			
CAS: 80-62-6 Methyl methacrylate	25-<50%		
EINECS: 201-297-1 Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT S	E 3, H335		
CAS: 75980-60-8 diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide	≥3-<5%		
EINECS: 278-355-8 Repr. 2, H361			
• Additional information: For the wording of the listed hazard phrases refer to section 16.			

4 First aid measures

· General information:

Immediately remove any clothing soiled by the product.

If symptoms persist consult doctor.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. Take affected persons into fresh air and keep quiet.

• After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Seek medical treatment.

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water.

If symptoms persist consult doctor.

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• Information for doctor:

· Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

NZ

Safety Data Sheet

in accordance with HSNO

Printing date 22.05.2023

Version number 4

Revision: 22.05.2023

(Contd. of page 2)

Trade name: OPTIGLAZE

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire fighting measures

- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire. No further relevant information available.
- · Protective equipment: Wear self-contained respiratory protective device.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Keep away from ignition sources. Avoid contact with the eyes and skin. Wear protective clothing.
Environmental precautions: Do not allow product to reach sewage system or any water course. Do not allow to penetrate the ground/soil.

- *Methods and material for containment and cleaning up:* Ensure adequate ventilation. Absorb liquid components with liquid-binding material. Dispose of the material collected according to regulations.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with the eyes and skin.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Do not spray onto a naked flame or any incandescent material.
- · Storage:
- Requirements to be met by storerooms and receptacles:
- Store in a cool location.
- Store only in unopened original receptacles.
- Information about storage in one common storage facility: Store away from foodstuffs.

(Contd. on page 4)

NZ

Printing date 22.05.2023

*

Version number 4

Revision: 22.05.2023

Trade name: OPTIGLAZE

(Contd. of page 3)

• Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Store in a cool place.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see section 7.

· Ingredients with limit values that require monitoring at the workplace:		
80-62-6 Methyl methacryl	late	
WES (New Zealand)	Short-term value: 416 mg/m ³ , 100 ppm	
	Long-term value: 208 mg/m ³ , 50 ppm	
	skin, dsen	
IOELV (European Union)	Short-term value: 100 ppm	
	Long-term value: 50 ppm	
· DNELs		
80-62-6 Methyl methacryl	ate	
Dermal DNEL dermal	13.67 mg/kg bw/day (man) (worker, l. te., syst.)	
Inhalative DNEL inhalation	on 208 mg/m3 (air) (worker, l. te., syst.)	
	he lists valid during the making were used as basis.	
· Personal protective equipr		
• General protective and hy		
Avoid contact with the eyes	neasures are to be adhered to when handling chemicals. s and skin	
Wash hands before breaks and at the end of work.		
Keep away from foodstuffs		
	iled and contaminated clothing	
	itable respiratory protective device recommended.	
Protection of hands:		
Protective glove	es	
• Material of gloves		
	le gloves does not only depend on the material, but also on further marks of quality and	
	to manufacturer. As the product is a preparation of several substances, the resistance of	
	be calculated in advance and has therefore to be checked prior to the application.	
• Penetration time of glove The exact break through	<i>material</i> time has to be found out by the manufacturer of the protective gloves and has to be	

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 22.05.2023

*

Version number 4

Revision: 22.05.2023

Trade name: OPTIGLAZE

F ()		(Contd. of page 4)
Eye protection:		
Tightly sealed goggles		
Physical and chemical properties	S	
· · · ·	,	
General Information		
Appearance:		
Form:	Fluid	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition	The determine of	
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	101 °C 10 °C	
1		
	Highly flammable.	
Auto-ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
	Product is not selfigniting.	
	Product does not present an explosion hazard.	
Explosion limits:	$\lambda \tau$, 1 , \cdot , 1	
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with	Incolubio	
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:	Not determined	
Dynamic: Kinematic:	Not determined. Not determined.	
Kinematic: Solvent content:	noi aeierminea.	
	0.0 g/l	
	<i>No further relevant information available.</i>	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 6)

⁻NZ-

Version number 4

Revision: 22.05.2023

(Contd. of page 5)

Trade name: OPTIGLAZE

Printing date 22.05.2023

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

80-62-6 Methyl methacrylate

Oral	LD50	6,000 mg/kg (rabbit)
Dermal		>5,000 mg/kg (rab)
In halating	1050/11	$20.9 m \alpha / (m \alpha t (f_{1} m))$

Inhalative LC50/4 h 29.8 mg/l (rat (f+m))

• Skin corrosion/irritation Causes skin irritation.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Suspected of damaging fertility or the unborn child.

• **STOT-single exposure** May cause respiratory irritation.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

· Additional toxicological information:

• **Repeated dose toxicity** No further relevant information available.

• **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)** No further relevant information available.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behaviour in environmental systems:
- · *Bioaccumulative potential* No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

NZ

Printing date 22.05.2023

Version number 4

Revision: 22.05.2023

Trade name: OPTIGLAZE

(Contd. of page 6)

· Uncleaned packaging:

*

• Recommendation: Disposal must be made according to official regulations.

UN-Number			
NZS, IMDG, IATA	UN1247		
UN proper shipping name			
NZS	1247 METHYL METHACRYLATE MONOMI		
	STABILIZED mixture		
IMDG, IATA	METHYL METHACRYLATE MONOMER, STABILIZI mixture		
Transport hazard class(es)			
NZS			
Class	3 (F1) Flammable liquids.		
Label	3		
IMDG, IATA			
\mathbf{V}			
Class	3 Flammable liquids.		
Label	3		
Packing group			
NZS, IMDG, IATA	II		
Environmental hazards:			
Marine pollutant:	No		
Special precautions for user	Warning: Flammable liquids.		
Hazard identification number (Kemler code):	33		
EMS Number:	<i>F-E,S-D</i>		
Stowage Category	C		
Stowage Code	SW1 Protected from sources of heat.		
	SW2 Clear of living quarters.		
Transport in bulk according to Annex II of Mar			
and the IBC Code	Not applicable.		
Transport/Additional information:			
•••••••••••••••••••••••••••••••••••••••			
NZS	17		
Limited quantities (LQ)	IL Code: F2		
Excepted quantities (EQ)	Code: E2		
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml		

Printing date 22.05.2023

Version number 4

Revision: 22.05.2023

HSR001195

Trade name: OPTIGLAZE

	(Contd. of page 7
• Transport category	2 D/T
• Tunnel restriction code	D/E
·IMDG	17
<i>Limited quantities (LQ)</i>	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED MIXTURE, 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

•	New	Zealand	Inventory	of Ch	emicals
---	-----	---------	-----------	-------	---------

All ingredients are listed.

· HSNO Approval numbers

80-62-6 Methyl methacrylate

• *GHS label elements* The product is classified and labelled according to the Globally Harmonised System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labelling: Methyl methacrylate diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide · Hazard statements Highly flammable liquid and vapour. Causes skin irritation. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child. May cause respiratory irritation. · Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Directive 2012/18/EU · Named dangerous substances - ANNEX I None of the ingredients is listed. · Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

(Contd. on page 9)

⁻ NZ

Safety Data Sheet

in accordance with HSNO

Printing date 22.05.2023

Version number 4

Revision: 22.05.2023

Trade name: OPTIGLAZE

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 8)

16 Other information

· Relevant phrases

H225 Highly flammable liquid and vapour. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H361 Suspected of damaging fertility or the unborn child.

· Department issuing SDS: Regulatory affairs

· Contact: msds@gc.dental

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· Sources

• ECHA (http://echa.europa.eu/)

• EnviChem (www.echemportal.org)

* Data compared to the previous version altered.

This version replaces all previous versions. Disclaimer:

The information contained herein is believed to be true and accurate. However, all statements, recommendations or suggestions are made without any guarantee, representation or warranty, express or implied, on our part. Therefore, no warranty is made or to be implied that the information set out in this document is accurate or complete, and we accordingly exclude all liability in connection with the use of this information or the products referred to herein. All such risks are assumed by the purchaser/user. The information contained herein is also subject to change without notice. For the avoidance of doubt, however, nothing in this document excludes or limits our liability for death or personal injury caused by our negligence or for fraudulent misrepresentation.